

DAFTAR PUSTAKA

- Adelheid,Andrea & Nst,Khairil.2012.Buku pintar menguasai PHP MySQL.Jakarta:Penerbit Mediakita
- Amin, Muhammad Miftakul. 2010.*Pengembangan Aplikasi Web Menggunakan PHP Data Object (PDO)*. Yogyakarta : Graha Ilmu.
- Anhar. 2010. Panduan Menguasai PHP & XAMPP Secara Otodidak. Jakarta : Mediakita.
- Adhi Prasetyo, 2012 Prasetyo Adhi. *Buku Pintar Pemrograman Web*.Jakarta : Mediakita.
- Kustianingsih, Yeni, Devi Rosa Aramisa, Pemrograman Basis Data Berbasis Web Menggunakan PHP & MYSQL. Yogyakarta : Graha Ilmu.
- Madcoms, 2009 Madcoms. *Menguasai XHTML, CSS, PHP & MySQL Melalui Dreamweaver*. Yogyakarta
- Nugroho, Adi. 2010. Rekayasa Perangkat Lunak Berorientasi Objek dengan Metode USDP (*UnifiedSoftwareDevelopment Process*). Yogyakarta : Andi Offset.
- Nugroho, Adi. 2011. Perancangan dan Implementasi Sistem Basis Data. *Perancangan dan Implementasi Sistem Basis Data*. Jogjakarta :
- Sasongko, Catur. 2010.*Anggaran*. Jakarta : Salemba Empat.
- Sutabri, Tata. 2012.*Analisa Sistem Informasi*. Jogjakarta.
- Sutabri, Tata. 2012. Konsep Sistem Informasi. Yogyakarta : Andi Offset.

1. Login

```
<?php

<div class="alert alert-info">

    Please login with your
    Username and Password.

</div>

<div class="input-prepend"
title="Username" data-rel="tooltip">

    <span class="add-on"><i
class="icon-
user"></i></span><input
autofocus class="input-large
span10" name="username"
type="text" />

    <div class="input-prepend"
title="Password" data-rel="tooltip">

        <span class="add-on"><i
class="icon-
lock"></i></span><input
class="input-large span10"
name="password"
type="password" />

    </div>
```

2. Home

```
<?php

<center><h1>SELAMAT
DATANG DI HALAMAN
ADMINISTRATOR
</h1></center>
<ul class="thumbnails
gallery">
<li id="image-civic"
class="thumbnail">

    <a
style="background:url(img/gal
lery/thumbs/civic.jpg)"
title="Sample Image civic"
href="img/gallery/civic.jpg">
</a>
</li>
```

```
<li id="image-jazz"
class="thumbnail">
<a
style="background:url(img/gal
lery/thumbs/jazz.jpg)"
title="Sample Image jazz"
href="img/gallery/jazz.jpg"><
img class="active"
src="img/gallery/thumbs/jazz.
jpg" alt="Sample Image
jazz"></a>
</li>
<h2><i class="icon-
user"></i> Calender</h2>
<div class="external-event
badge">Default</div>
<div class="external-event
badge badge-
success">Completed</div>
<div class="external-event
badge badge-
warning">Warning</div>
<div class="external-event
badge badge-
important">Important</div>
<div class="external-event
badge badge-info">Info</div>
<div class="external-event
badge badge-
inverse">Other</div>
```

3. Input Data Customer

```
<?php

$query = mysql_query("select
max(id_customer) as nomer
from tb_customer ");

$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "C";
$new_code = $kode.
sprintf("%03s",$q3);
<input class="input-field
required" style="width:200px"
type="text" readonly
name="id_customer"
value="<?php echo
$new_code;?>" />
```

```
<div class="form-actions">
```

```
?>
```

4. View Data Customer

```
<?php
```

```
$subq = mysql_query ("select * from  
tb_customer limit  
$position,$limit_page ");
```

```
$no =$position+1;
```

```
while ($b =  
mysql_fetch_array($subq)) {
```

```
<td><?php echo $no++;?></td>
```

```
<td><?php echo $b  
['id_customer'];?></td><td><?php  
echo $b  
['nama_customer'];?></td><td><?php  
echo $b ['alamat'];?></td><td><?php  
echo $b  
['jenis_kelamin'];?></td><td><?php  
echo $b  
['no_telepon'];?></td><td><?php echo  
$b ['status_member'];?></td>
```

```
?>
```

5. Input Data Kendaraan

```
<?php
```

```
<h2><i class="icon-edit"></i> INPUT  
DATA KENDARAAN</h2>
```

```
<input type="text" class="span4  
typeahead" name="no_polisi"  
value="">
```

```
<input type="text" class="span4  
typeahead" name="no_rangka"  
value="<?php echo  
$row['no_rangka'];
```

```
<input type="text" class="span4  
typeahead" name="no_mesin"  
value="<?php echo $row['no_mesin'];  
?>
```

```
$query = mysql_query("select * from  
tb_customer order by id_customer  
asc");
```

```
while($b=mysql_fetch_array(  
$query))
```

```
<div class="form-actions">
```

```
?>
```

6. View Data Kendaraan

```
<?php
```

```
$subq = mysql_query ("select  
* from tb_kendaraan inner  
join tb_customer  
ontb_kendaraan.id_customer=  
tb_customer.id_customer limit  
$position,$limit_page ");  
$no =$position+1;  
while ($b =  
mysql_fetch_array($subq))
```

```
<td><?php echo  
$no++;?></td><td><?php  
echo $b  
['no_polisi'];?></td><td><?ph  
p echo $b  
['no_rangka'];?></td><td><?p  
hp echo $b  
['no_mesin'];?></td><td><?ph  
p echo $b  
['nama_customer'];?></td>  
<td><?php echo $b  
['nama_kendaraan'];?></td>  
<td><?php echo $b  
['warna'];?></td>  
<td><?php echo $b  
['tahun_pembuatan'];?></td>
```

```
?>
```

7. Input Data Karyawan

```
<?php
```

```
$query = mysql_query("select  
max(id_karyawan) as nomer  
from tb_karyawan ");  
$q1 =  
mysql_fetch_array($query);  
$q2 = $q1 ['nomer'];  
$q3 = (int) substr($q2,2,3);  
$q3++;  
$kode = "K";  
$new_code = $kode.  
sprintf("%03s",$q3);  
<input type="text"  
class="span4 typeahead"  
name="id_karyawan"  
readonly="readonly"
```

```

value="<?php echo
$new_code;?>"/>

?>

```

8. View Data Kendaraan

```

<?php
$subq = mysql_query ("select
* from tb_karyawan limit
$position,$limit_page ");
$no = $position+1;
while ($b =
mysql_fetch_array($subq))
<td><?php echo

$no++;?></td>
<td><?php echo $b
['id_karyawan'];?></td>
<td><?php echo $b
['nama_karyawan'];?></td>
<td><?php echo $b
['tempat_lahir'];?></td>
<td><?php echo $b
['tanggal_lahir'];?></td>
<td><?php echo $b
['alamat'];?></td>
<td><?php echo $b
['jenis_kelamin'];?></td>
<td><?php echo $b
['jabatan'];?></td>
<td><?php echo $b
['no_telepon'];?></td>

?>

```

9. Input Data Spare Part

```

<?php
$query = mysql_query("select
max(kd_spare_part) as nomer from
tb_spare_part");
$q1 = mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "S";
$new_code = $kode.
sprintf("%03s",$q3);
<input type="text" class="span4
typeahead" name="kd_spare_part"
readonly="readonly" value="<?php
echo $new_code;?>"/>

```

```

<input type="text" class="span4
typeahead" name="nama_spare_part"
value="<?php echo
$row['nama_spare_part']; ?>">
<input type="text" class="span4
typeahead" name="satuan"
value="<?php echo $row['satuan'];
?>">
<input type="text" class="span4
typeahead" name="stock"
value="<?php echo $row['stock'];
?>">
<input type="text" class="span4
typeahead" name="harga_satuan"
value="<?php echo
$row['harga_satuan']; ?>">

?>

```

10. View Data Spare Part

```

<?php

$subq = mysql_query ("select
* from tb_spare_part limit
$position,$limit_page ");$no
= $position+1;while ($b =
mysql_fetch_array($subq))

<td><?php echo
$no++;?></td>

<td><?php echo $b
['kd_spare_part'];?></td>

<td><?php echo $b
['nama_spare_part'];?></td>

<td><?php echo $b
['satuan'];?></td>

<td><?php echo $b
['stock'];?></td>

<td><?php echo $b
['harga_satuan'];?></td>

?>

```

11. Input Data Membership

```

<?php

$query = mysql_query("select
max(id_member) as nomer
from tb_membership "); $q1 =
mysql_fetch_array($query);$q
2 = $q1 ['nomer'];$q3 = (int)

```

```

substr($q2,2,3);$q3++;$kode
= "MS";$new_code = $kode.
sprintf("%03s",$q3);

<input class="input-field
required" style="width:200px"
type="text" readonly
name="id_member"
value="<?php echo
$new_code;?>" />

```

```

$query = mysql_query("select * from
tb_customer where
status_member='Non Member' order
by id_customer asc");
while($b=mysql_fetch_array(
$query))

```

```

<input type="date"
name="berlaku_dari_tanggal"
class="input-xlarge datepicker"
id="date01" value="<?php echo
$berlaku_dari_tanggal;?>">

```

```

<input type="date"
name="sampai_tanggal" class="input-
xlarge datepicker" id="date02"
value="<?php echo
$sampai_tanggal;?>">

```

<?

12. View Data Membership

```

<?php
$subq = mysql_query ("select
* from tb_membership inner
join tb_customer
on tb_membership.id_custome
r=tb_customer.id_customer
limit $position,$limit_page ");
$no = $position+1;
while ($b =
mysql_fetch_array($subq))
<td><?php echo
$no++;?></td>
<td><?php echo $b
['id_member'];?></td>
<td><?php echo $b
['id_customer'];?></td>
<td><?php echo $b
['nama_customer'];?></td>
<td><?php echo $b
['jenis_kelamin'];?></td>

```

```

<td><?php echo $b
['berlaku_dari_tanggal'];?></t
d>
<td><?php echo $b
['sampai_tanggal'];?></td>

```

?>

13. Input Jenis Service

<?php

```

$query = mysql_query("select
max(no_jenis_service) as
nomer from tb_jenis_service
");
$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "J";
$new_code = $kode.
sprintf("%03s",$q3);

```

```

<input class="input-field
required" style="width:200px"
type="text" readonly
name="no_jenis_service"
value="<?php echo
$new_code;?>" />

```

```

<input type="text"
class="span4 typeahead"
name="nama_jenis_service"
value="<?php echo
$row['nama_jenis_servis'];
?>">
<input type="text"
class="span4 typeahead"
name="harga" value="<?php
echo $row['harga']; ?>">

```

?>

14. View Jenis Service

<?php

```

$subq = mysql_query ("select
* from tb_jenis_service order
by no_jenis_service asc ");
$no =1; while ($b =
mysql_fetch_array($subq))
<td><?php echo
$no++;?></td>
<td><?php echo $b
['no_jenis_service'];?></td>

```

```

<td><?php echo $b
['nama_jenis_service'];?></td>
><td><?php echo $b
['harga'];?></td>

```

?>

15. Input Service

```

<?php
$query = mysql_query("select
max(kd_service) as nomer from
tb_service ");
$q1 = mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "S";
$new_code = $kode.
sprintf("%03s",$q3);

```

?>

16. View Service

```

<?php
$subq = mysql_query ("select
* from tb_service inner join
tb_customer on
tb_service.id_customer=tb_cu
stomer.id_customer
inner join tb_kendaraan on
tb_customer.id_customer=tb_
kendaraan.id_customerinner
join tb_karyawan on
tb_service.id_karyawan=tb_ka
ryawan.id_karyawan
limit $position,$limit_page ");
$no =$position+1; while ($b =
mysql_fetch_array($subq))

```

```

<td><?php echo
$no++;?></td>
<td><?php echo $b
['kd_service'];?></td>
<td><?php echo $b
['id_customer'];?></td>
<td><?php echo $b
['nama_customer'];?></td>
<td><?php echo $b
['no_polisi'];?></td>
<td><?php echo $b
['nama_kendaraan'];?></td>
<td><?php echo $b
['nama_karyawan'];?></td>

```

```

<td><?php echo $b
['tanggal_service'];?></td>

```

?>

17. Input Pembayaran

<?php

```

$cek = mysql_query("select *
from tb_customer inner join
tb_kendaraan
ontb_customer.id_customer =
tb_kendaraan.id_customer
where
tb_customer.id_customer=$id
_customer"); while ($row =
mysql_fetch_array($cek))
$query = mysql_query("select
max(no_pembayaran) as
nomer from tb_pembayaran
");
$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "P";
$new_code = $kode.
sprintf("%03s",$q3);
$query2 = mysql_query
("select * from
tb_detail_service inner join
tb_service on
tb_detail_service.kd_service =
tb_service.kd_service
inner join tb_jenis_service on
tb_detail_service.no_jenis_ser
vice=tb_jenis_service.no_jeni
s_servicewhere
tb_service.id_customer =
'Sid_customer' ");$query3 =
mysql_query ("select * from
tb_detail_nota_pesan inner
join tb_nota_pesan on
tb_detail_nota_pesan.no_nota
_pesan =
tb_nota_pesan.no_nota_pesan
inner join tb_spare_part on
tb_detail_nota_pesan.kd_spare
_part=tb_spare_part.kd_spare
_partwhere
tb_nota_pesan.id_customer =
'Sid_customer' ");

```

?>

18. View Pembayaran

```
<?php
$subq = mysql_query ("select
* from tb_pembayaran inner
join tb_customer on
tb_pembayaran.id_customer=t
b_customer.id_customer
inner join tb_kendaraan on
tb_kendaraan.no_polisi=tb_pe
mbayaran.no_polisilimit
$position,$limit_page ");
$no =$position+1;
while ($b =
mysql_fetch_array($subq))
```

```
<td><?php echo
$no++;?></td>
<td><?php echo $b
['no_pembayaran'];?></td>
<td><?php echo $b
['tanggal'];?></td>
<td><?php echo $b
['id_customer'];?></td>
<td><?php echo $b
['nama_customer'];?></td>
<td><?php echo $b
['no_polisi'];?></td>
<td><?php echo $b
['nama_kendaraan'];?></td>
<td><?php echo $b
['total'];?></td>
```

?>

19. Input Nota Pesan

```
<?php
$query = mysql_query("select
max(no_nota_pesan) as nomer
from tb_nota_pesan ");
$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "NP";
$new_code = $kode.
sprintf("%03s",$q3);

$query ="select kd_spare_part
from tb_detail_nota_pesan
inner join tb_nota_pesan on
tb_detail_nota_pesan.no_nota
_pesan =
tb_nota_pesan.no_nota_pesan
```

```
where
tb_detail_nota_pesan.no_nota
_pesan = '$new_code' ";
$subq = mysql_query ("select
* from tb_spare_part where
kd_spare_part not in
(($query))");while ($b =
mysql_fetch_array($subq))
```

?>

20. View Nota Pesan

```
<?php
$subq = mysql_query ("select
* from tb_nota_pesan inner
join tb_customer on
tb_nota_pesan.id_customer=tb
_customer.id_customer limit
$position,$limit_page ");
$no =$position+1; while ($b
= mysql_fetch_array($subq))

<td><?php echo
$no++;?></td>
<td><?php echo $b
['no_nota_pesan'];?></td>
<td><?php echo $b
['id_customer'];?></td>
<td><?php echo $b
['nama_customer'];?></td>
<td><?php echo $b
['alamat'];?></td>
<td><?php echo $b
['tanggal_pesan'];?></td>
```

?>

21. Input Barang Masuk

```
<?php
$query = mysql_query("select
max(no_barang_masuk) as
nomer from tb_barang_masuk
");

$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "B";
$new_code = $kode.
sprintf("%03s",$q3);
```

?>

22. View Barang Masuk

```
<?php
    $subq = mysql_query ("select
    * from tb_barang_masuk limit
    $position,$limit_page ");$no
    =$position+1;

    while ($b =
    mysql_fetch_array($subq))

    <td><?php echo
    $no++;?></td>
    <td><?php echo $b
    ['no_barang_masuk'];?></td>
    <td><?php echo $b
    ['tanggal_masuk'];?></td>

?>
```

23. Input Handling Complaint

```
<?php
    <input type="text"
    name="no_polisi"
    value="<?php echo
    $row['no_polisi'];?>"/>

    <input type="text"
    name="nama_customer"
    value="<?php echo
    $row['nama_customer']; ?>"/>

    <input type="text"
    name="nama_kendaraan"
    value="<?php echo
    $row['nama_kendaraan'];
    ?>"/>

    <input type="date"
    name="tanggal"
    value="<?php echo
    $row['tanggal']; ?>"/>

    <input type="text"
    name="no_telepon"
    value="<?php echo
    $row['no_telepon']; ?>"/>

    <div class="form-actions">

    <input type="text"
    name="keluhan"
    value="<?php echo
    $row['keluhan']; ?>"/>
```

?>

24. View Handling Complaint

```
<?php
    $subq = mysql_query ("select
    * from tb_handling_complaint
    limit $position,$limit_page ");
    $no =$position+1;
    while ($b =
    mysql_fetch_array($subq))

    <td><?php echo
    $no++;?></td><td><?php
    echo $b ['no_polisi'];?></td>
    <td><?php echo $b
    ['nama_customer'];?></td>
    <td><?php echo $b
    ['nama_kendaraan'];?></td>
    <td><?php echo $b
    ['tanggal'];?></td>
    <td><?php echo $b
    ['no_telepon'];?></td>
    <td><?php echo $b
    ['keluhan'];?></td>
    <td class="center">
```

?>

25. Input Booking Service

```
<?php
    $query = mysql_query("select
    max(no_booking) as nomer
    from tb_booking_service ");
    $q1 =
    mysql_fetch_array($query);
    $q2 = $q1 ['nomer'];
    $q3 = (int) substr($q2,2,3);
    $q3++;
    $kode = "NB";
    $new_code = $kode.
    sprintf("%03s",$q3);

    <input type="text"
    name="no_polisi"
    value="<?php echo
    $row['no_polisi']; ?>"/>
```

?>

26. View Booking Service

```
<?php
```

```

$subq = mysql_query ("select
* from tb_booking_service
limit $position,$limit_page ");
$no =$position+1;while ($b =
mysql_fetch_array($subq))

<td><?php echo
$no++;?></td><td><?php
echo $b
['no_booking'];?></td>
<td><?php echo $b
['nama_customer'];?></td>
<td><?php echo $b
['no_polisi'];?></td>
<td><?php echo $b
['nama_kendaraan'];?></td>
<td><?php echo $b
['no_telepon'];?></td>
<td><?php echo $b
['tanggal_booking'];?></td>
<td><?php echo $b
['jam_booking'];?></td>
<td class="center">

?>

```

27. Input Gaji Karyawan

```

<?php
$query = mysql_query("select
max(id_gaji) as nomer from
tb_gaji ");
$q1 =
mysql_fetch_array($query);
$q2 = $q1 ['nomer'];
$q3 = (int) substr($q2,2,3);
$q3++;
$kode = "G";
$new_code = $kode.
sprintf("%03s",$q3);

<input class="input-field
required" style="width:200px"
type="text" readonly
name="id_gaji" value="<?php
echo $new_code;?>" /><input
class="input-field required"
style="width:200px"
type="hidden"
name="id_gaji" value="<?php
echo $new_code;?>" />

?>

```

28. View Gaji Karyawan

```

<?php
$subq = mysql_query ("select
* from tb_gaji inner join
tb_karyawan on
tb_gaji.id_karyawan=tb_karya
wan.id_karyawan limit
$position,$limit_page ");
$no =1; while ($b =
mysql_fetch_array($subq))

<td><?php echo
$no++;?></td>
<td><?php echo $b
['id_gaji'];?></td>
<td><?php echo $b
['nama_karyawan'];?></td>
<td><?php echo $b
['bulan'];?></td>
<td><?php echo $b
['tahun'];?></td>
<td><?php echo $b
['gaji_pokok'];?></td>
<td><?php echo $b
['uang_insentif'];?></td>
<td><?php echo $b
['jumlah_gaji'];?></td>

```

29. Laporan Pembayaran

```

<?php
$query= mysql_query ("select
* from tb_pembayaran inner
join tb_customer on
tb_pembayaran.id_customer=t
b_customer.id_customerinner
join tb_kendaraan on
tb_kendaraan.id_customer=tb
_customer.id_customer where
tb_pembayaran.tanggal
between ".$dari." and
".$sampai." order by
tb_pembayaran.no_pembayara
n desc ");

$pdf->Ln(1);
$pdf->SetFont('Times','B',10);
$pdf->Cell(1 , 1, $no ,
1, 'LR', 'C');
$pdf->Cell(3.5 , 1,
$d['no_pembayaran'] , 1, 'LR',
'C');

```

```
$fpdf->Cell(4 , 1,
$d['nama_customer'] , 1, 'LR',
'C');
$fpdf->Cell(9.3 , 1,
$d['alamat'] , 1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['jenis_kelamin'] , 1, 'LR',
'C');
$fpdf->Cell(3 , 1,
$d['no_telepon'] , 1, 'LR', 'C');
$fpdf->Cell(4 , 1, $d['total'] ,
1, 'LR', 'C');
```

?>

30. Laporan Data Customer

```
<?php
$query = mysql_query("select
* from tb_customer ");
while($b=mysql_fetch_array(
$query))

$query1 =
mysql_query("select * from
tb_customer");
$no =1;

while($d=mysql_fetch_array(
$query1)) {

$fpdf->Ln(1);
$fpdf-
>SetFont("Times","B",10);
$fpdf->Cell(1 , 1, $no
,
1, 'LR', 'C');
$fpdf->Cell(4 , 1,
$d['kd_spare_part'] , 1, 'LR',
'C');
$fpdf->Cell(10 , 1,
$d['nama_spare_part'] , 1,
'LR', 'C');
$fpdf->Cell(4 , 1, $d['satuan']
, 1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['jumlah_spare_part'] , 1,
'LR', 'C');
$fpdf->Cell(5 , 1,
$d['tanggal_pesan'] , 1, 'LR',
'C');

$fpdf->Cell(4 , 1,
$d['nama_customer'] , 1, 'LR',
'C');
$fpdf->Cell(10 , 1,
$d['alamat'] , 1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['jenis_kelamin'] , 1, 'LR',
'C');
$fpdf->Cell(3.7 , 1,
$d['no_telepon'] , 1, 'LR', 'C');
$fpdf->Cell(4 , 1,
$d['status_member'] , 1, 'LR',
'C');
```

?>

31. Laporan Penjualan Spare Part

```
<?php
$no =1;
$cek1= mysql_query ("select
* from tb_detail_nota_pesan
as a inner join
tb_spare_part as b on
a.kd_spare_part=b.kd_spare_p
art
inner join tb_nota_pesan as c
on
a.no_nota_pesan=c.no_nota_p
esan ");
while ($d =

mysql_fetch_array($cek1))
```

```
$fpdf->Ln(1);
$fpdf-
>SetFont("Times","B",10);
$fpdf->Cell(1 , 1, $no
,
1, 'LR', 'C');
$fpdf->Cell(4 , 1,
$d['kd_spare_part'] , 1, 'LR',
'C');
$fpdf->Cell(10 , 1,
$d['nama_spare_part'] , 1,
'LR', 'C');
$fpdf->Cell(4 , 1, $d['satuan']
, 1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['jumlah_spare_part'] , 1,
'LR', 'C');
$fpdf->Cell(5 , 1,
$d['tanggal_pesan'] , 1, 'LR',
'C');
```

?>

32. Laporan Service

```
<?php
$query = mysql_query("select
* from tb_service inner join
tb_customer on
tb_service.id_customer=tb_cu
stomer.id_customer
inner join tb_kendaraan on
tb_customer.id_customer=tb_
kendaraan.id_customer
inner join tb_karyawan on
tb_service.id_karyawan=tb_ka
ryawan.id_karyawan
```

```

where
tb_service.tanggal_service
between ".$dari." and
".$sampai." order by
tb_service.kd_service desc ");

```

```

$no =1;
while($d=mysql_fetch_array(
$query)) {
$fpdf->Ln(1);
$fpdf->SetFont("Times","B",10);
$fpdf->Cell(1 , 1, $no ,
1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['kd_service'] , 1, 'LR', 'C');
$fpdf->Cell(3 , 1,
$d['id_customer'] , 1, 'LR',
'C');
$fpdf->Cell(6 , 1,
$d['nama_customer'] , 1, 'LR',
'C');
$fpdf->Cell(3 , 1,
$d['no_polisi'] , 1, 'LR', 'C');
$fpdf->Cell(3.7 , 1,
$d['nama_kendaraan'] , 1,
'LR', 'C');
$fpdf->Cell(4 , 1,
$d['nama_karyawan'] , 1, 'LR',
'C');
$fpdf->Cell(4 , 1,
$d['tanggal_service'] , 1, 'LR',
'C');

```

?>

33. Laporan Laba Rugi

```

<?php
$cek= mysql_query ("select
sum(total) as
jumlah_pemasukan from
tb_pembayaran
where tanggal like
'%" . $bulan . "%' and tanggal
like '%" . $tahun . "%' ");
$j = mysql_fetch_array($cek);
$y= $j ['jumlah_pemasukan'];

$cek1= mysql_query ("select
* from tb_detail_nota_pesan
as a inner join tb_spare_part as
b on
a.kd_spare_part=b.kd_spare_p
art

```

```

inner join tb_nota_pesan as c
on
a.no_nota_pesan=c.no_nota_p
esan
where c.tanggal_pesan like
'%" . $bulan . "%' and
tanggal_pesan like
'%" . $tahun . "%' ");
while ($c =
mysql_fetch_array($cek1))

```

```

$r+= $c['jumlah_spare_part']
* $c['harga_satuan']; }
$cek2= mysql_query ("select
sum(jumlah_gaji) as jumlah
from tb_gaji
where tanggal_input like
'%" . $bulan . "%' and
tanggal_input like
'%" . $tahun . "%' ");
$d =
mysql_fetch_array($cek2);
$g= $d ['jumlah'];
$t= $r - ($y + $g) ;

```

```

$fpdf->SetFont("Times","",10);
$fpdf->Cell(6 , 1, 'Total
Pemasukan' , 0, 0, 'L');
$fpdf->Cell(1 , 1, ':' , 0,0, 'L');

```

```

$fpdf->SetFont("Times","",10);
$fpdf->Cell(6 , 1, 'Total
Pengeluaran Spare Part' , 0,
'LR', 'L');
$fpdf->Cell(1 , 1, ':' , 0, 'LR',
'L');

```

```

$fpdf->SetFont("Times","",10);
$fpdf->Cell(6 , 1, 'Total
Pengeluaran Gaji' , 0, 'LR',
'L');
$fpdf->Cell(1 , 1, ':' , 0, 'LR',
'L');

```

```

$fpdf->SetFont("Times","",10);
$fpdf->Cell(6 , 1, 'Total' , 0,
'LR', 'L');
$fpdf->Cell(1 , 1, ':' , 0, 'LR',
'L');

```

?>

