

DAFTAR PUSTAKA

- [Abdul, 2009]. Abdul Kadir, 2009. PHP dan MySQL+Database MySQL Yogyakarta. Penerbit: Andi.
- [Fathansyah,2012]. Fathansyah,Ir., 2012. Basis Data. Bandung. Penerbit: Informatika Bandung.
- [Lukmanul, 2008]. Lukmanul Hakim, 2008. Membongkar Trik Rahasia Para Master PHP. Yogyakarta. Penerbit : Lokomedia.
- [M. Rudyanti, 2011]. M. Rudyanti Arief, 2011. Pemrograman Web Dinamis Menggunakan PHP dan MySQL. Yogyakarta. Penerbit: Andi.
- [Prabowo, 2011]. Prabowo Pudjo Widodo, Herlawati , 2011. Menggunakan UML. Bandung. Penerbit: Informatika Bandung.
- [Roger, 2007]. Roger S. Pressman, PH.D, 2007. Rekayasa Perangkat Lunak. Yogyakarta. Penerbit: Andi.
- [Rosa, 2011]. Rosa A.S-M Salahudin, 2011. Modul Pembelajaran Rekayasa Perangkat Lunak (Terstruktur Dan Berorientasi Objek). Bandung. Penerbit: Modula.
- [Tata, 2012]. Tata Sutabri, S. Kom., MM, 2012. Analisa Sistem Informasi. Bandung. Penerbit: Andi.
- [BMC, 2006] BMC Software, 2006 library.binus.ac.id/.../TSA-2010-0016-bab2.pdf diakses pada tanggal 1 april 2013 pukul 08.37 WIB
- [Jogiyanto, 2008]. Jogiyanto, 2008. Dreamweaver 8 dan Tutorial. Bandung. Penerbit : Andi

LISTING PROGRAM

LP_Login

```
<html>

<head>

<title>BENGKEL ELIS:</title>

<link
href="../ADM_SIP/modul/adminstyle.css"
rel="stylesheet" type="text/css" />

</head>

<body>

<div id="header">

    <div id="content">

        <h2>Selamat Datang di
Website BENGKEL ELIS MOTOR</h2>

        

        <form
            method="POST"
action="ceklogin.php">

            <table>

                <tr><td>Username</td><td> : <input
type="text" name="username"></td></tr>

                <tr><td>Password</td><td> : <input
type="password"
name="password"></td></tr>

                <tr><td
                    colspan="2"><input
type="submit" value="Login"></td></tr>

            </table>

        </form>
```

```
<p>&nbsp;</p>
```

```
</div>
```

```
<div id="footer"></div>
```

```
</div>
```

```
</body>
```

```
</html>
```

LP_Cek Login

```
<?php
include "../include/koneksi.php";
$pass=($_POST[password]);

$login=mysql_query("SELECT * FROM
users WHERE
username='$_POST[username]' AND
password='$pass' AND blokir='N'");
$ketemu=mysql_num_rows($login);

$r=mysql_fetch_array($login);

// Apabila username dan password
ditemukan

if ($ketemu > 0){
    session_start();
```

<pre> \$_SESSION[username] \$r['username']; \$_SESSION[pass] = \$r['password']; \$_SESSION[leveluser] = \$r['level']; header('location:index.php'); } else{ ?> <script type="text/javascript">alert('Username dan Password anda Salah'); window.location = 'login.php';</script> <?php } ?> LP_Indeks <?php session_start(); include "../include/fungsi_indotgl.php"; if (empty(\$_SESSION['username']) AND empty(\$_SESSION['pass'])){ header("location:login.php"); } else{ ?> </pre>	<pre> <html> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/> <meta name="description" content=""/> <meta name="keywords" content=""/> <meta name="robots" content="ALL,FOLLOW"/> <meta name="Author" content="AIT"/> <meta http-equiv="imagetoolbar" content="no"/> <title>::Halaman Awal::</title> <link rel="shortcut icon" type="image/x-icon" href="../favicon.ico"> <script type="text/javascript" src="dtree.js"></script> <link href="style.css" rel="stylesheet" type="text/css" /> <link href="dtree.css" rel="stylesheet" type="text/css" /> </head> <body> <div id="header"> <table> <tr><td valign="top"> <div class="dtree"> </pre>
--	--

```

<script
type="text/javascript">

    d = new dTree('d');

    d.add(0,-1,"");

    d.add(1,0,'<b><u>Home</u></b>','
<?=$_SERVER['PHP_SELF'];?>?module
=home');

    d.add(2,0,'<b><u>Admin</u></b>','
<?=$_SERVER['PHP_SELF'];?>?module
=user');

    d.add(3,0,'<b><u>Data
Master</u></b>','#');

    d.add(1,0,'<u>Data
Pelanggan</u>','<?=$_SERVER['PHP_SE
LF'];?>?module=pelanggan');

    d.add(1,0,'<u>Data
Mekanik</u>','<?=$_SERVER['PHP_SEL
F'];?>?module=mekanik');

    d.add(1,0,'<u>Data
Service</u>','<?=$_SERVER['PHP_SELF'
];?>?module=service');

    d.add(1,0,'<u>Data
Sparepart</u>','<?=$_SERVER['PHP_SE
LF'];?>?module=sparepart');

    d.add(1,0,'<b><u>Transaksi</u></
b>','#');

    d.add(1,0,'<u>Transaksi
Penerimaan</u>','<?=$_SERVER['PHP_S
ELF'];?>?module=penerimaan')

```

```

    d.add(1,0,'<u>Transaksi
Nota</u>','<?=$_SERVER['PHP_SELF'];?
>?module=nota')

    d.add(1,0,'<u>Transaksi      Work
Order</u>','<?=$_SERVER['PHP_SELF'];
?>?module=wo')

    //d.add(1,0,'<u>Transaksi
Kuitansi</u>','<?=$_SERVER['PHP_SEL
F'];?>?module=kuitansi')

    d.add(1,0,'<b><u>Laporan</u></b>
','#');

    d.add(1,0,'<u>Laporan
Nota</u>','<?=$_SERVER['PHP_SELF'];?
>?module=laporannota');

    d.add(1,0,'<u>Laporan      Work
Order</u>','<?=$_SERVER['PHP_SELF'];
?>?module=laporanwo');

    d.add(1,0,'<u>Laporan
Service</u>','<?=$_SERVER['PHP_SELF'
];?>?module=laporanservice');

    d.add(1,0,'<u>Laporan
Mekanik</u>','laporan_mekanik.php');

    d.add(5,0,'<b><u>Password</u></
b>','<?=$_SERVER['PHP_SELF'];?>?mod
ule=password');

```

```
d.add(99999,0,'<b><u>Keluar</u>
</b>','login.php');
```

```
document.write(d);
```

```
</script>
```

```
</div>
```

```
</td>
```

```
<td style="background-
image:url(images/k2.gif); background-
repeat:repeat-y" valign="top">
```

```
<div id="view">
```

```
<?php include_once
"content.php"; ?>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
<?php
```

```
}
```

```
?>
```

LP_Content

```
<?php
```

```
include_once("../include/koneksi.php");
```

```
include_once("../include/fungsi_indotgl.ph
p");
```

```
include_once("../include/class_paging.php
");
```

```
include_once("../include/fungsi_combobox
.php");
```

```
if ($_GET['module']=='home' ||
empty($_GET['module'])) {
```

```
echo "<p align=right>Login : $hari_ini ";
```

```
echo tgl_indo(date("Y m d"));
```

```
echo"<p>&nbsp;</p>
```

```
<table>
```

```
<tr>
```

```
<td width=60 height=100
align=center><h1>SELAMAT DATANG
DI BENGKEL ELIS
MOTOR</h1></a></td>
```

```
</table>
```

```
<p>&nbsp;</p>
```

```
<p>&nbsp;</p>
```

```
<p>&nbsp;</p>";
```

```

}

elseif ($_GET['module']=='user'){
    if ($_SESSION['leveluser']=='admin' ){
        include "modul/mod_users/users.php";
    }
}

elseif ($_GET['module']=='pelanggan'){
    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){
        include
"modul/mod_pelanggan/pelanggan.php";
    }
}

elseif ($_GET['module']=='mekanik'){
    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){
        include
"modul/mod_mekanik/mekanik.php";
    }
}

elseif ($_GET['module']=='password'){
    if ($_SESSION['leveluser']=='admin'){
        include
"modul/mod_password/password.php";
    }
}

elseif ($_GET['module']=='service'){
    if ($_SESSION['leveluser']=='admin'){
        include
"modul/mod_service/service.php";
    }
}

elseif ($_GET['module']=='sparepart'){
    if ($_SESSION['leveluser']=='admin'){
        include
"modul/mod_sparepart/sparepart.php";
    }
}

elseif ($_GET['module']=='nota'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_nota/nota.php";
    }
}

elseif ($_GET['module']=='wo'){
    if ($_SESSION['leveluser']=='admin'){
        include "modul/mod_wo/wo.php";
    }
}

```

```

elseif ($_GET[module]=='kuitansi'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_kuitansi/kuitansi.php";

        }

    }

elseif ($_GET[module]=='penjadwalan'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_penjadwalan/penjadwalan.ph
p";

        }

    }

elseif
($_GET[module]=='laporan_mekanik'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_laporan/laporan_mekanik.ph
p";

        }

    }

elseif
($_GET[module]=='laporanservice'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_laporan/laporanservice.php";

        }

    }

```

```

elseif ($_GET[module]=='laporanwo'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_laporan/laporanwo.php";

        }

    }

elseif ($_GET[module]=='laporannota'){

    if ($_SESSION['leveluser']=='admin' OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_laporan/laporannota.php";

        }

    }

elseif
($_GET[module]=='laporanpenjualan'){

    if ($_SESSION['leveluser']=='admin'){

        include
"modul/mod_report/rekap_penjualan.php";

        }

    }

elseif ($_GET[module]=='penerimaan'){

    if ($_SESSION['leveluser']=='admin'OR
$_SESSION['leveluser']=='user'){

        include
"modul/mod_penerimaan/penerimaan.php"
;

        }

    }

```

```

else{
    echo "<p><b>MODUL BELUM ADA
    ATAU BELUM LENGKAP</b></p>";
}
?>

```

LP_Pelanggan

```

<?php    error_reporting(E_ALL    &
~E_NOTICE);

session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){
    header("location:login.php");
}

else{
    $aksi="modul/mod_pelanggan/aksi.php";

    $query = mysql_query("select
max(kd_pelanggan) as nomer from
tb_pelanggan ");

    $q1 = mysql_fetch_array($query);

    $q2 = $q1 ['nomer'];

    $q3 = (int) substr($q2,2,3);

    $q3++;
}

switch($_GET[act]){
    // Tampil Sampah
    default:
        echo "<h2>Tambah    Data
Pelanggan</h2>";

        <form                method=POST
action='$aksi?module=pelanggan&act=inp
ut'>

            <table>

                <tr><td>Kode Pelanggan</td> <td>
: <input type=text name='kd_pelanggan'
disabled='disabled'                size=10
value='$new_code'></td></tr>

                <tr><td>Nama                Pelanggan</td>
<td>
:                <input                type=text
name='nm_pelanggan' size=40></td></tr>

                <tr><td>Alamat</td>
<td>
: <input type=text name='alamat'
size=80></text></td></tr>
            </table>
        </form>
    }
}

```

```
|  |  |  |
| --- | --- | --- |
| Nomor Polisi | : |  |

```

```
|  |  |  |
| --- | --- | --- |
| Merk Motor | : |  |

```

```
|  |  |  |
| --- | --- | --- |
|  | |  |

```

```
|  |  |  |
| --- | --- | --- |
|  | |  |

```

```


```

```


```

```

echo "<h2>Data Pelanggan</h2>"

```

```

<table>

```

```
| no | Kode Pelanggan | Nama Pelanggan | Alamat | Nomor Polisi | Merk Motor | aksi |
| --- | --- | --- | --- | --- | --- | --- |

```

```

$pages = new Paging;

```

```

$batas = 4;

```

```

$posisi = $pages->cariPosisi($batas);

```

```

if ($_SESSION['leveluser']=='admin' OR $_SESSION['leveluser']=='user'){

```

```

        $stampil=mysql_query("SELECT * FROM tb_pelanggan ORDER BY kd_pelanggan DESC LIMIT $posisi,$batas");

```

```

    }

```

```

    else{

```

```

        $stampil=mysql_query("SELECT * FROM tb_pelanggan ORDER BY kd_pelanggan DESC LIMIT $posisi,$batas");

```

```

    }

```

```

        $no = $posisi+1;

```

```

        while ($r=mysql_fetch_array($stampil)){

```

```

            echo "<tr><td align='center' width='20'>$no</td>"

```

```

                <td width=50>$r[kd_pelanggan]</td>

```

```

                <td width=100>$r[nm_pelanggan]</td>

```

```

                <td width=200>$r[alamat]</td>

```

```

                <td width=70>$r[no_polisi]</td>

```

```

                <td width=100>$r[merk_motor]</td>

```

```

                <td align='center' width='80'><a href=?module=pelanggan&act=editdata&kd_pelanggan=$r[kd_pelanggan]>Edit</a> |

```

```

                <a href=$aksi?module=pelanggan&act=hapus&kd_pelanggan=$r[kd_pelanggan]>Hapus</a>

```

```

        </tr>";

        $no++;
    }

    echo "</table>";

    if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM tb_pelanggan"));

    }

    else{

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM tb_pelanggan WHERE
username='$_SESSION[namauser]'"));

    }

    $jmlhalaman = $p-
>jumlahHalaman($jmldata, $batas);

    $linkHalaman = $p-
>navHalaman($_GET[halaman],
$jmlhalaman);

    echo "<div
id=paging>$linkHalaman</div><br>";

    break;

break;

case "tambahdata":

    echo "<h2>Data Pelanggan</h2>";

```

```

        <form method=POST
action='$saksi?module=pelanggan&act=inp
ut'>

        <table>

            <tr><td>Kode Pelanggan</td> <td>
: <input type=text name='kd_pelanggan'
size=10></td></tr>

            <tr><td>Nama Pelanggan</td>
<td> : <input type=text
name='nm_pelanggan' size=40></td></tr>

            <tr><td>Alamat</td>
<td> : <input type=text name='alamat'
size=80></td></tr>

            <tr><td>Nomor
Polisi</td> <td> : <input type=text
name='no_polisi'
size=10></td></tr>

            <tr><td>Merk Motor</td>
<td> : <input type=text
name='merk_motor'
size=20></td></tr>

            <tr><td colspan=2><input
type=submit value=Simpan>

            <input type=button value=Batal
onclick=self.history.back()></td></tr>

        </table>

        </form>";

        break;

case "editdata":

    $edit = mysql_query("SELECT *
FROM tb_pelanggan WHERE
kd_pelanggan='$_GET[kd_pelanggan]'");

```

```

    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Data Pelanggan</h2>";

    <form method=POST
action=$aksi?module=pelanggan&act=update>

        <input type=hidden
name=kd_pelanggan
value=$r[kd_pelanggan]>

        <table>

            <tr><td>Kode Pelanggan</td> <td>
: <input type=text name='kd_pelanggan'
size=10
value='$r[kd_pelanggan]'-></td></tr>

            <tr><td>Nama Pelanggan</td>
<td> : <input type=text
name='nm_pelanggan' size=40
value='$r[nm_pelanggan]'-></td></tr>

            <tr><td>Alamat</td>
<td> : <input type=text name='alamat'
size=80 value='$r[alamat]'-></td></tr>

            <tr><td>Nomor
Polisi</td> <td> : <input type=text
name='no_polisi' size=10
value='$r[no_polisi]'-></td></tr>

            <tr><td>Merk Motor</td>
<td> : <input type=text
name='merk_motor' size=20
value='$r[merk_motor]'-></td></tr>

            <tr><td colspan=2><input
type=submit value=Update>

            <input type=button value=Batal
onclick=self.history.back()-></td></tr>

        </table></form>";

    break;

```

LP_Mekanik

```

<?php error_reporting(E_ALL &
~E_NOTICE);

session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

    header("location:login.php");
}

else{

    $aksi="modul/mod_mekanik/aksi.php";

    $query = mysql_query("select
max(kd_mekanik) as nomer from mekanik
");

    $q1 = mysql_fetch_array($query);

    $q2 = $q1 ['nomer'];

    $q3 = (int) substr($q2,2,3);

    $q3++;

    $kode = "M";

    $new_code = $kode.
sprintf("%03s",$q3);

```

```

switch($_GET[act]){

    // Tampil mekanik
    default:

        echo "<h2>Tambah Data Mekanik</h2>";

        <form method=POST
        action='$aksi?module=mekanik&act=input'>

            <table>

                <tr><td>Kode Mekanik</td> <td> :
                <input type=text name='kd_mekanik'
                disabled='disabled' size=10
                value='$new_code'></td></tr>

                <tr><td>Nama Mekanik</td> <td> :
                <input type=text name='nm_mekanik'
                size=50></td></tr>

                <tr><td>Alamat</td>
                <td> : <input type=text name='alamat'
                size=90></text></td></tr>

                <tr><td>Nomor Telepon</td> <td> :
                <input type=text name='telp'
                size=15></text></td></tr>

                <tr><td colspan=2><input
                type=submit value=Simpan>

                <input type=button value=Batal
                onclick=self.history.back()></td></tr>

            </table>

        </form>";

        echo "<h2>Data Mekanik</h2>";

        <table>

            <tr><th>no</th><th>Kode
            Mekanik</th><th>Nama
            Mekanik</th><th>Alamat</th><th>Nomo
            r Telepon</th><th>aksi</th></tr>";

        $p = new Paging;
        $batas = 5;
        $posisi = $p->cariPosisi($batas);

        if ($_SESSION[leveluser]=='admin' OR
        $_SESSION['leveluser']=='user'){

            $stampil=mysql_query("SELECT *
            FROM mekanik
            ORDER BY kd_mekanik asc LIMIT
            $posisi,$batas");

        }

        else{

            $stampil=mysql_query("SELECT *
            FROM mekanik ORDER BY kd_mekanik
            DESC LIMIT $posisi,$batas");

        }

        $no = $posisi+1;

        while ($r=mysql_fetch_array($stampil)){

```

```

        echo      "<tr><td      align='center'
width='20'>$no</td>

```

```

        <td
width=100>$r[kd_mekanik]</td>

```

```

        <td
width=220>$r[nm_mekanik]</td>

```

```

        <td
width=220>$r[alamat]</td>

```

```

        <td
width=100>$r[telp]</td>

```

```

        <td align='center' width='80'><a
href=?module=mekanik&act=editdata&kd
_mekanik=$r[kd_mekanik]>Edit</a> |

```

```

        <a
href=$aksi?module=mekanik&act=hapus
&kd_mekanik=$r[kd_mekanik]
onclick=return confirm('Apakah Anda
Yakin ?');>Hapus</a>

```

```

        </tr>";

```

```

        $no++;

```

```

    }

```

```

    echo "</table>";

```

```

    if ($_SESSION[leveluser]== 'admin' OR
$_SESSION['leveluser']=='user'){

```

```

        $jmlldata      =
mysql_num_rows(mysql_query("SELECT
* FROM mekanik"));

```

```

    }

```

```

    else{

```

```

        $jmlldata      =
mysql_num_rows(mysql_query("SELECT

```

```

*      FROM      mekanik      WHERE
username='$_SESSION[namauser]')));

```

```

    }

```

```

        $jmlhalaman      =      $p-
>jumlahHalaman($jmlldata, $batas);

```

```

        $linkHalaman      =      $p-
>navHalaman($_GET[halaman],
$jmlhalaman);

```

```

        echo      "<div
id=paging>$linkHalaman</div><br>";

```

```

        break;

```

```

        case "tambahdata":

```

```

        echo "<h2>Tambah Data</h2>

```

```

        <form      method=POST
action='$aksi?module=mekanik&act=input
>

```

```

        <table>

```

```

        <tr><td>Kode Mekanik</td> <td> :
<input type=text name='kd_mekanik'
size=10></td></tr>

```

```

        <tr><td>Nama Mekanik</td> <td>
: <input type=text name='nm_mekanik'
size=50></td></tr>

```

```

        <tr><td>Alamat</td>
<td> : <input type=text name='alamat'
size=90></text></td></tr>

```

```

        <tr><td>Nomor Telepon</td> <td>
: <input type=text name='telp'
size=15></text></td></tr>

```

```

        <tr><td colspan=2><input
type=submit value=Simpan>

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

    </table>

    </form>";

    break;

```

```

case "editdata":

    $edit = mysql_query("SELECT *
FROM mekanik WHERE
kd_mekanik='$_GET[kd_mekanik]'");

    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Data Mekanik</h2>";

    <form method=POST
action=$aksi?module=mekanik&act=update>
e>

        <input type=hidden
name=kd_mekanik
value=$r[kd_mekanik]>

        <table>

            <tr><td>Kode Mekanik</td> <td> :
<input type=text name='kd_mekanik'
size=10
value='$r[kd_mekanik]'></td></tr>

            <tr><td>Nama
Mekanik</td> <td> : <input type=text
name='nm_mekanik' size=50
value='$r[nm_mekanik]'></td></tr>

```

```

        <tr><td>Alamat</td> <td> : <input
type=text name='alamat' size=90
value='$r[alamat]'></td></tr>

        <tr><td>No Telp</td>
<td> : <input type=text name='telp'
size=15 value='$r[telp]'></td></tr>

        ";

```

```

        echo "</td></tr>";

        <tr><td colspan=2><input
type=submit value=Update>

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

    </table></form>";

    break;
}

```

LP_Services

```

<?php error_reporting(E_ALL &
~E_NOTICE);

session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

    header("location:login.php");

}

else{

```

```

$aksi="modul/mod_service/act.php";
$query = mysql_query("select
max(kd_service) as nomer from service ");

$q1 = mysql_fetch_array($query);

$q2 = $q1 ['nomer'];

$q3 = (int) substr($q2,2,3);

$q3++;

$kode = "R";

$new_code = $kode.
sprintf("%03s",$q3);

switch($_GET[act]){
    // Tampil Data Penerimaan
    default:
        echo "<h2>Tambah Data Service</h2>";

        <form method=POST
action='$aksi?module=service&act=input'
>

        <table>

            <tr><td>Kode Service</td> <td> :
<input type=text name='kd_service'
disabled='disabled' size=10
value='$new_code'></td></tr>

            <tr><td>Nama
Service</td> <td> : <input type=text
name='nm_service' size=30></td></tr>

            <tr><td>Banyak Service</td> <td>
: <input type=text name='byk_service'
size=10></td></tr>

            <tr><td>Harga</td> <td>
: <input type=text name='harga'
size=10></td></tr>

            <tr><td>Tanggal</td>
<td> : <input type=date name='tanggal'
size=10></td></tr>

            echo "</td></tr>";

        </table>

        <form>";

        <table>

            <tr><td colspan=2><input
type=submit value=Simpan>

            <input type=button value=Batal
onclick=self.history.back()></td></tr>

        </table>

        <form>";

        echo "<h2>Data Service</h2>";

        <table>

            <tr><th>no</th><th>Kode
Service</th><th>Nama

```

```

Service</th><th>Banyak
Service</th><th>Harga</th><th>Tanggal
</th><th>Aksi</th></tr>";

$sp = new Paging;

$batas = 5;

$posisi = $p->cariPosisi($batas);

if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

    $stampil=mysql_query("SELECT *
FROM service ORDER BY kd_service
DESC LIMIT $posisi,$batas");

    }

    else{

        $stampil=mysql_query("SELECT *
FROM service ORDER BY kd_service
DESC LIMIT $posisi,$batas");

    }

    $no = $posisi+1;

    while ($r=mysql_fetch_array($stampil)){

        echo "<tr><td align='center'
width='20'>$no</td>

        <td
width=70>$r[kd_service]</td>

        <td
width=200>$r[nm_service]</td>

        <td
width=70>$r[byk_service]</td>

        <td align='center' width='60'><a
href=?module=service&act=editdata&kd_
service=$r[kd_service]>Edit</a> |

        <a
href=$aksi?module=service&act=hapus&k
d_service=$r[kd_service]>Hapus</a>

        </tr>";

        $no++;

    }

    echo "</table>";

    if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

        $jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM service"));

    }

    else{

        $jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM service WHERE
username='$_SESSION[namauser]'"));

    }

    $jmlhalaman = $p-
>jumlahHalaman($jmlldata, $batas);

```

```

$linkHalaman = $p-
>navHalaman($_GET[halaman],
$jmlhalaman);

```

```

echo
id=paging>$linkHalaman</div><br>";

```

```

break;

```

```

case "tambahdata":

```

```

echo "<h2>Tambah Data Service</h2>
<form method=POST
action='$aksi?module=service&act=input'
>

```

```

<table>
<tr><td>Kode Service</td> <td> :
<input type=text name='kd_service'
size=10></td></tr>

```

```

<tr><td>Nama
Service</td> <td> : <input type=text
name='nm_service' size=20></td></tr>

```

```

<tr><td>Banyak Service</td> <td>
: <input type=text name='byk_service'
size=10></td></tr>

```

```

<tr><td>Harga</td> <td>
: <input type=text name='harga'
size=10></td></tr>

```

```

";

```

```

echo "</td></tr>

```

```

<tr><td colspan=2><input
type=submit value=Simpan>

```

```

<input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

</table>

```

```

</form>";

```

```

break;

```

```

case "editdata":

```

```

$edit = mysql_query("SELECT *
FROM service WHERE
kd_service='$_GET[kd_service]'");

```

```

$r = mysql_fetch_array($edit);

```

```

echo "<h2>Edit Data Service</h2>

```

```

<form method=POST
action=$aksi?module=service&act=update
>

```

```

<input type=hidden
name=kd_service value=$r[kd_service]>

```

```

<table>

```

```

<tr><td width=50>Kode
Service</td> <td> : <input type=text
name='kd_service' size=5
value='$r[kd_service]'"></td></tr>

```

```

<tr><td width=50>Nama
Service</td> <td> : <input type=text
name='nm_service' size=30
value='$r[nm_service]'"></td></tr>

```

```

        <tr><td width=50>Banyak
Service</td> <td> : <input type=text
name='byk_service' size=5
value='$r[byk_service]'"></td></tr>

```

```

        <tr><td
width=50>Harga</td> <td> : <input
type=text name='harga' size=10
value='$r[harga]'"></td></tr>

```

```

        <tr><td
width=50>Tanggal</td> <td> : <input
type=text name='tanggal' size=15
value='$r[tanggal]'"></td></tr>

```

```

        ";

```

```

        echo "</td></tr>

```

```

        <tr><td colspan=2><input
type=submit value=Update>

```

```

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

        </table></form>";

```

```

        break;

```

```

    }

```

```

}

```

```

?>

```

LP_Sparepart

```

<?php error_reporting(E_ALL &
~E_NOTICE);

```

```

session_start();

```

```

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

```

```

        header("location:login.php");

```

```

    }

```

```

else{

```

```

    $saksi="modul/mod_sparepart/act_sparepar
t.php";

```

```

    $query = mysql_query("select
max(kd_sparepart) as nomer from
sparepart ");

```

```

    $q1 = mysql_fetch_array($query);

```

```

    $q2 = $q1 ['nomer'];

```

```

    $q3 = (int) substr($q2,2,3);

```

```

    $q3++;

```

```

    $kode = "D";

```

```

    $new_code = $kode.
sprintf("%03s",$q3);

```

```

    echo "<h2>Tambah Data Sparepart</h2>

```

```

        <form method=POST
action='$saksi?module=sparepart&act=inpu
t'>

```

```

        <table>

```

```

        <tr><td>Kode Sparepart</td> <td>
: <input type=text name='kd_sparepart'
disabled='disabled' size=10
value='$new_code'"></td></tr>

```

```

        <input type=hidden
name='kd_sparepart' size=10
value='$new_code'>

```

```

        <tr><td>Nama Sparepart</td> <td>
: <input type=text name='nm_sparepart'
size=35></td></tr>

```

```

        <tr><td>Harga
Sparepart</td> <td> : <input type=text
name='harga_sparepart'
size=10></td></tr>

```

```

        <tr><td>Stok
Sparepart</td> <td> : <input type=text
name='stok_sparepart' size=10></td></tr>

```

```

";

```

```

echo "</td></tr>

```

```

        <tr><td colspan=2><input
type=submit value=Simpan>

```

```

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

</table>

```

```

</form>";

```

```

switch($_GET[act]){

```

```

    // Tampil Penjadwalan

```

```

    default:

```

```

        echo "<h2>Sparepart</h2>

```

```

<table>

```

```

        <tr><th>no</th><th>Kode
Sparepart</th><th>Nama
Sparepart</th><th>Harga</th><th>Stok
Sparepart</th><th>Aksi</th></tr>";

```

```

        $p = new Paging;

```

```

        $batas = 5;

```

```

        $posisi = $p->cariPosisi($batas);

```

```

        if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

```

```

            $stampil=mysql_query("SELECT *
FROM sparepart ORDER BY
kd_sparepart DESC LIMIT
$posisi,$batas");

```

```

        }

```

```

        else{

```

```

            $stampil=mysql_query("SELECT *
FROM sparepart ORDER BY
kd_sparepart DESC LIMIT
$posisi,$batas");

```

```

        }

```

```

        $no = $posisi+1;

```

```

        while ($r=mysql_fetch_array($stampil)){

```

```

            echo "<tr><td align='center'
width='20'>$no</td>

```

```

                <td
width=50>$r[kd_sparepart]</td>

```

```

                <td
width=200>$r[nm_sparepart]</td>

```

```
<td width=100>$r[harga_sparepart]</td>
```

```
<td width=100>$r[stok_sparepart]</td>
```

```
<td align='center' width='10'>
```

```
<a href=$aksi?module=sparepart&act=hapus
&kd_sparepart=$r[kd_sparepart]>Hapus</a>
```

```
</tr>";
```

```
$no++;
```

```
}
```

```
echo "</table>";
```

```
if ($_SESSION[leveluser]!='admin' OR
$_SESSION['leveluser']!='user'){
```

```
$jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM sparepart"));
```

```
}
```

```
else{
```

```
$jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM sparepart WHERE
username='$_SESSION[namauser]'"));
```

```
}
```

```
$jmlhalaman = $p-
>jumlahHalaman($jmlldata, $batas);
```

```
$linkHalaman = $p-
>navHalaman($_GET[halaman],
$jmlhalaman);
```

```
echo "<div
id=paging>$linkHalaman</div><br>";
```

```
break;
```

```
case "tambahdata":
```

```
echo "<h2>Tambah Data
Sparepart</h2>
```

```
<form method=POST
action='$aksi?module=sparepart&act=inpu
t'>
```

```
<table>
```

```
<tr><td>Kode Sparepart</td> <td>
```

```
: <input type=text name='kd_sparepart'
size=10></td></tr>
```

```
<tr><td>Nama Sparepart</td> <td>
```

```
: <input type=text name='nm_sparepart'
size=10></td></tr>
```

```
<tr><td>Harga</td> <td>
```

```
: <input type=text name='harga'
size=10></td></tr>
```

```
<tr><td>Stok
```

```
Sparepart</td> <td> : <input type=text
name='stok_sparepart' size=10></td></tr>
```

```
";
```

```

echo "</td></tr>

<tr><td colspan=2><input
type=submit value=Simpan>

<input type=button value=Batal
onclick=self.history.back()></td></tr>

</table>

</form>";

break;

case "editdata":

    $edit = mysql_query("SELECT *
FROM sparepart WHERE
kd_sparepart='$_GET[kd_sparepart]'");

    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Pelajaran</h2>

    <form method=POST
action=$aksi?module=sparepart&act=update>

    <input type=hidden
name=kd_sparepart
value=$r[kd_sparepart]>

    <table>

    <tr><td>Nama Sparepart</td> <td>
: <input type=text name='nm_sparepart'
size=10
value='$r[nm_sparepart]'></td></tr>

    <tr><td>Harga Sparepart</td> <td>
: <input type=text name='harga_sparepart'
size=10
value='$r[harga_sparepart]'></td></tr>

    <tr><td>Stok
Sparepart</td> <td> : <input type=text
name='stok_sparepart' size=10
value='$r[stok_sparepart]'></td></tr>

    ";

    echo "</td></tr>

    <tr><td colspan=2><input
type=submit value=Update>

    <input type=button value=Batal
onclick=self.history.back()></td></tr>

    </table></form>";

    break;
}
}

?>

LP_Penerimaan

<?php
session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

    header("location:login.php");

}

else{

    $aksi="modul/mod_penerimaan/act_peneri
maan.php";

```

```
$query = mysql_query("select
max(no_terima) as nomer from
penerimaan ");
```

```
$q1 = mysql_fetch_array($query);
```

```
$q2 = $q1 ['nomer'];
```

```
$q3 = (int) substr($q2,2,3);
```

```
$q3++;
```

```
$kode = "T";
```

```
$new_code = $kode.
sprintf("%03s",$q3);
```

```
echo "<h2>Tambah Data
Penerimaan</h2>
```

```
<form method=POST
action='$aksi?module=penerimaan&act=in
put'>
```

```
<table>
```

```
<tr><td>Nomor Penerimaan</td>
<td> : <input type=text name='no_nota'
size=10 value='$new_code'></td></tr>
```

```
<tr><td>Kode
Sparepart</td> <td> : <select
name='kd_sparepart'>
```

```
<option value=0 selected>- Pilih
Sparepart -</option>;
```

```
$stampil=mysql_query("SELECT *
FROM sparepart ORDER BY
kd_sparepart asc");
```

```
while($r=mysql_fetch_array($stampil)){
```

```
echo "<option
value=$r[kd_sparepart]>$r[nm_sparepart]
</option>";
```

```
}
```

```
echo "<tr><td>Jumlah</td> <td> :
<input type=text name='jumlah'
size=10></td></tr>
```

```
<tr><td>Tanggal</td>
<td> : <input type=date name='tanggal'
size=10></td></tr>
```

```
<tr><td colspan=2><input
type=submit value=Simpan>
```

```
<input type=button value=Batal
onclick=self.history.back()></td></tr>
```

```
</table>
```

```
</form>;
```

```
switch($_GET[act]){
```

```
// Tampil Detail Penerimaan
```

```

default:
    echo "<h2>Data Penerimaan</h2>"

    <table>
        <tr><th>no</th><th>Nomor
Penerimaan</th><th>Kode
Sparepart</th><th>Jumlah</th><th>Tang
gal Penerimaan</th></tr>";

    $p = new Paging;

    $batas = 4;

    $posisi = $p->cariPosisi($batas);

    if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

        $stampil=mysql_query("SELECT
penerimaan.no_terima,
sparepart.kd_sparepart,
penerimaan.jumlah, penerimaan.tanggal
FROM penerimaan , sparepart
WHERE penerimaan.kd_sparepart =
sparepart.kd_sparepart
ORDER BY no_terima DESC LIMIT
$posisi,$batas");

    }

    else{

        $stampil=mysql_query("SELECT *
FROM penerimaan ORDER BY
no_terima DESC LIMIT $posisi,$batas");

    }

    $no = $posisi+1;

    while ($r=mysql_fetch_array($stampil)){

        echo "<tr><td align='center'
width='20'>$no</td>
        <td
width=20>$r[no_terima]</td>
        <td
width=20>$r[kd_sparepart]</td>
        <td
width=20>$r[jumlah]</td>
        <td
width=40>$r[tanggal]</td>
        </tr>";

        $no++;

    }

    echo "</table>";

    if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM penerimaan"));

    }

    else{

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM penerimaan WHERE
username='$_SESSION[namauser]'"));

```

```

    }

    $jmlhalaman = $p-
>jumlahHalaman($jmldata, $batas);

    $linkHalaman = $p-
>navHalaman($_GET[halaman],
$jmlhalaman);

    echo "id=paging>$linkHalaman</div><br>";

    break;

}

}

?>

```

```

break;

case "edit":

    $edit = mysql_query("SELECT *
FROM penerimaan WHERE
no_terima='$_GET[no_terima]'");

    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Penerimaan</h2>";

    <form method=POST
action=$aksi?module=penerimaan&act=up
date>

    <input type=hidden
name=no_terima value=$r[no_terima]>

    <table>

    <tr><td>Kode Sparepart</td> <td>
: <input type=text name='kd_sparepart'
size=10
value='$r[kd_sparepart]'-></td></tr>

    <tr><td>Tanggal Nota</td> <td> :
<input type=text name='tanggal' size=10
value='$r[tanggal]'-></td></tr>

    <tr><td colspan=2><input
type=submit value=Update>

    <input type=button value=Batal
onclick=self.history.back()-></td></tr>

</table></form>";

break;

}

}

?>

LP_Nota

<?php
session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

    header("location:login.php");

}

else{

    switch($_GET[act]){

        // Tampil Detail Penerimaan

        default:

            $aksi="modul/mod_notas/act_notas.php";

            $query = mysql_query("select
max(no_notas) as nomer from notas");

```

```

$Q1 = mysql_fetch_array($query);
$Q2 = $Q1 ['nomer'];
$Q3 = (int) substr($Q2,2,3);

$Q3++;

$kode = "N";

$new_code = $kode.
sprintf("%03s",$Q3);

echo "<h2>Tambah Data Nota</h2>"

<form method=POST
action='$aksi?module=nota&act=input'>

<table>

<tr><td>Nomor Nota</td> <td> :
<input type=text name='no_nota' size=10
disabled='disabled' size=10
value='$new_code'></td></tr>

<input type=hidden
name='no_nota' size=10 size=10
value='$new_code'>

<tr><td>Kode
Pelanggan</td> <td> : <select
name='kd_pelanggan'>

<option value=0 selected>- Pilih
Pelanggan -</option>";

$stampil=mysql_query("SELECT *
FROM tb_pelanggan ORDER BY
kd_pelanggan asc");

while($r=mysql_fetch_array($stampil)){

echo "<option
value=$r[kd_pelanggan]>$r[nm_pelanggan]</option>";

}

echo "

<tr><td>Kode
Sparepart</td> <td> : <select
name='kd_sparepart'>

<option value=0 selected>- Pilih
Sparepart -</option>";

$stampil=mysql_query("SELECT *
FROM sparepart ORDER BY
kd_sparepart asc");

while($r=mysql_fetch_array($stampil)){

echo "<option
value=$r[kd_sparepart]>$r[nm_sparepart]
</option>";

}

echo "

<tr><td>Jumlah</td>
<td> : <input type=text name='jml'
size=10></td></tr><br />

<tr><td>Harga</td>
<td> : <input type=text name='hrg'
size=10></td></tr>

```

```

        <tr><td>Tanggal</td>
<td> : <input type=date name='tgl'
size=10></td></tr>

```

```

        <tr><td colspan=2><input
type=submit value=Simpan>

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

</table>

</form>;

```

```

echo "<h2>Data Nota</h2>

```

```

        <div align='right'><input
type=button value='Cetak Data'
onclick=location.href='?module=nota&act
=cetaknota'></div>

```

```

        <table>

        <tr><th>no</th>

        <th>Nomor Nota</th>
        <th>Nama
Pelanggan</th>
        <th>Nama Sparepart</th>
        <th>Jumlah</th>
        <th>Harga</th>
        <th>Total</th>
        <th>Tanggal Nota</th>
        <th>aksi</th></tr>;

```

```

$pag = new Paging;

```

```

$batas = 4;

```

```

$posisi = $pag->cariPosisi($batas);

```

```

if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

```

```

        $stampil=mysql_query("SELECT
nota.no_nota,
tb_pelanggan.nm_pelanggan,
sparepart.nm_sparepart, nota.jml, nota.tgl,
nota.harga

```

```

FROM nota , tb_pelanggan , sparepart

```

```

WHERE      nota.kd_pelanggan      =
tb_pelanggan.kd_pelanggan      and
nota.kd_sparepart = sparepart.kd_sparepart

```

```

ORDER BY no_nota DESC LIMIT
$posisi,$batas");

```

```

    }

    else{

```

```

        $stampil=mysql_query("SELECT *
FROM nota inner join tb_pelanggan on
nota.kd_pelanggan=tb_pelanggan.kd_pela
nggan

```

```

        inner join sparepart on
nota.kd_sparepart=sparepart.kd_sparepart
ORDER BY nota.no_nota DESC LIMIT
$posisi,$batas");

    }

```

```

$no = $posisi+1;

```

```

while ($r=mysql_fetch_array($stampil)){

```

```

    $harga= $r[harga];

```

```

    $jml= $r[jml];

```

```

        $total= $harga * $jml;

        echo "<tr><td align='center'
width='20'>$no</td>

        <td width=20>$r[no_nota]</td>

        <td
width=20>$r[nm_pelanggan]</td>

        <td
width=20>$r[nm_sparepart]</td>

        <td
width=20>$r[jml]</td>

        <td
width=20>$r[harga]</td>

        <td
width=20>$total</td>

        <td
width=40>$r[tgl]</td>

        <td align='center' width='60'><a
href=$aksi?module=nota&act=hapus&no_
nota=$r[no_nota]>Hapus</a>

```

```

        </tr>";

        $no++;
    }

    echo "</table>";

    if ($_SESSION[leveluser]=='admin' OR
$_SESSION['leveluser']=='user'){

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM nota"));

    }

    else{

```

```

        $jmldata =
mysql_num_rows(mysql_query("SELECT
* FROM nota WHERE
username='$_SESSION[namauser]'"));

    }

    $jmlhalaman = $p-
>jumlahHalaman($jmldata, $batas);

    $linkHalaman = $p-
>navHalaman($_GET[halaman],
$jmlhalaman);

```

```

        echo "<div
id=paging>$linkHalaman</div><br>";

```

```

        break;

```

```

        case "cetaknota":

```

```

        echo "<h2>Cetak Nota</h2>

```

```

        <form action=nota_customer.php
method=get name=postform
target=_blank>

```

```

        <table>

```

```

        <tr><td>Nomor Nota</td>

```

```

        <td> : <select
name='no_nota'>

```

```

        <option value=0 selected>- Pilih
Nota -</option>";

```

```

        $stampil=mysql_query("SELECT *
FROM nota ORDER BY no_nota asc");

```

```

        while($r=mysql_fetch_array($stampil)){

```

```

        echo
        value=$r[no_nota]>$r[no_nota]</option>"
;

```

```

    }

```

```

    echo "

```

```

        <tr><td colspan=2><input
        type=submit value=Cetak target=_blank>

```

```

        <input type=button value=Batal
        onclick=self.history.back()></td></tr>

```

```

    </table>

```

```

    </form>";

```

```

    break;

```

```

case "edit":

```

```

    $edit = mysql_query("SELECT *
FROM nota WHERE
no_nota='$_GET[no_nota]'");

```

```

    $r = mysql_fetch_array($edit);

```

```

    echo "<h2>Edit Nota</h2>

```

```

        <form method=POST
        action=$aksi?module=nota&act=update>

```

```

        <input type=hidden name=no_nota
        value=$r[no_nota]>

```

```

        <table>

```

```

        <tr><td>Kode Pelanggan</td> <td>
: <input type=text name='kd_pelanggan'
size=10
value=$r[kd_pelanggan]></td></tr>

```

```

        <tr><td>Tanggal Nota</td> <td> :
<input type=text name='tgl' size=10
value=$r[tgl]></td></tr>

```

```

        <tr><td colspan=2><input
        type=submit value=Update>

```

```

        <input type=button value=Batal
        onclick=self.history.back()></td></tr>

```

```

    </table></form>";

```

```

    break;

```

```

}

```

```

}

```

```

?>

```

LP_Work Order

```

<?php error_reporting(E_ALL &
~E_NOTICE);

```

```

session_start();

```

```

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

```

```

    header("location:login.php");
}

```

```

else{

```

```

switch($_GET[act]){

```

```

    // Tampil Kelas

```

```

    default:

```

```
$saksi="modul/mod_wo/act_wo.php";
$query = mysql_query("select
max(no_wo) as nomer from wo ");
```

```
$q1 = mysql_fetch_array($query);
```

```
$q2 = $q1 ['nomer'];
```

```
$q3 = (int) substr($q2,2,3);
```

```
$q3++;
```

```
$kode = "W";
```

```
$new_code = $kode.
sprintf("%03s",$q3);
```

```
echo "<h2>Tambah Data WO</h2>
```

```
<form method=POST
action='$saksi?module=wo&act=input'>
```

```
<table>
```

```
<tr><td>Nomor Wo</td> <td> :
<input type=text name='no_wo'
disabled='disabled' size=10
value='$new_code'></td></tr>
```

```
<input type=hidden name='no_wo'
size=10 value='$new_code'>
```

```
<tr><td>Kode Pelanggan</td> <td>
: <select name='kd_pelanggan'>
```

```
<option value=0 selected>- Pilih
Pelanggan -</option>";
```

```
$stampil=mysql_query("SELECT *
FROM tb_pelanggan ORDER BY
kd_pelanggan asc");
```

```
while($r=mysql_fetch_array($stampil)){
```

```
echo "<option
value=$r[kd_pelanggan]>$r[nm_pelangga
n]</option>";
```

```
}
```

```
echo "
```

```
<tr><td>Kode
Mekanik</td> <td> : <select
name='kd_mekanik'>
```

```
<option value=0 selected>- Pilih
Mekanik -</option>";
```

```
$stampil=mysql_query("SELECT *
FROM mekanik ORDER BY kd_mekanik
asc");
```

```
while($r=mysql_fetch_array($stampil)){
```

```
echo "<option
value=$r[kd_mekanik]>$r[nm_mekanik]</
option>";
```

```
}
```

```
echo "
```

```
<tr><td>Nomor
Polisi</td> <td> : <input type=text
name='no_kendaraan'
size=10></text></td></tr>
```

```
<tr><td>Tanggal
WO</td> <td> : <input type=date
name='tgl_wo' size=8></text></td></tr>
```

```
<tr><td>Keluhan
Pelanggan</td> <td> : <input type=text
```

```
name='keluhan_pelanggan'
size=100></text></td></tr>
```

```
    ";
```

```
echo "</td></tr>
```

```
    <tr><td colspan=2><input
type=submit value=Simpan>
```

```
    <input type=button value=Batal
onclick=self.history.back()></td></tr>
```

```
</table>
```

```
</form>";
```

```
echo "<h2>Data Work Order</h2>
```

```
    <div align='right'><input
type=button value='Cetak Data'
onclick=location.href='?module=wo&act=
cetakwo'></div>
```

```
<table>
```

```
<tr><th>no</th><th>Nomor
Wo</th><th>Nama
Pelanggan</th><th>Nama
Mekanik</th><th>Nomor
Kendaraan</th><th>Tanggal
Wo</th><th>Keluhan
Pelanggan</th><th>Aksi</th></tr>";
```

```
$p = new Paging;
```

```
$batas = 2;
```

```
$posisi = $p->cariPosisi($batas);
```

```
if ($_SESSION[leveluser]=='admin'){
```

```
    $stampil=mysql_query("SELECT
wo.no_wo, tb_pelanggan.nm_pelanggan,
mekanik.nm_mekanik, wo.no_kendaraan,
wo.tgl_wo, wo.keluhan_pelanggan
```

```
    FROM wo, tb_pelanggan,
mekanik
```

```
    WHERE wo.kd_pelanggan =
tb_pelanggan.kd_pelanggan and
wo.kd_mekanik = mekanik.kd_mekanik
```

```
    ORDER BY no_wo DESC
LIMIT $posisi,$batas");
```

```
}
```

```
else{
```

```
    $stampil=mysql_query("SELECT *
FROM wo inner join tb_pelanggan on
wo.kd_pelanggan=tb_pelanggan.kd_pelan
ggan
```

```
    inner join mekanik on
wo.kd_mekanik=mekanik.kd_mekanik
```

```
    ORDER BY no_wo DESC LIMIT
$posisi,$batas");
```

```
}
```

```
$no = $posisi+1;
```

```
while ($r=mysql_fetch_array($stampil)){
```

```
    echo "<tr><td align='center'
width='20'>$no</td>
```

```
<td width=70>$r[no_wo]</td>
```

```
<td
width=70>$r[nm_pelanggan]</td>
```

```

                                <td
width=70>$r[nm_mekanik]</td>
                                <td
width=70>$r[no_kendaraan]</td>
                                <td
width=70>$r[tgl_wo]</td>
                                <td
width=70>$r[keluhan_pelanggan]</td>
                                <td align='center' width='60'><a
href=?module=wo&act=editwo&no_wo=$
r[no_wo]>Edit</a> |
                                <a
href=$aksi?module=wo&act=hapus&no_
wo=$r[no_wo]          onclick=return
confirm('Apakah Anda Yakin Ingin
Menghapus Data ?');>Hapus</a>
                                </tr>";
                                $no++;
                                }
                                echo "</table>";

                                if ($_SESSION[leveluser]=='admin'){
                                    $jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM wo"));
                                }
                                else{
                                    $jmlldata =
mysql_num_rows(mysql_query("SELECT
* FROM wo WHERE
username=$_SESSION[namauser]"));
                                }

                                $jmlhalaman =
>jumlahHalaman($jmlldata, $batas);
                                $linkHalaman =
>navHalaman($_GET[halaman],
$jmlhalaman);
                                echo
                                "<div
id=paging>$linkHalaman</div><br>";
                                break;
                                case "cetakwo":
                                    echo "<h2>Cetak WO</h2>
                                    <form action=wo_customer.php
method=get name=postform>
                                    <table>
                                    <tr><td>Nomor Wo</td> <td> :
                                    <select name='no_wo'>
                                    <option value=0 selected>- Pilih
WO -</option>";
                                    $stampil=mysql_query("SELECT *
FROM wo ORDER BY no_wo asc");
                                    while($r=mysql_fetch_array($stampil)){
                                        echo
                                        "<option
value=$r[no_wo]>$r[no_wo]</option>";
                                    }
                                    echo "

```

```

        <tr><td colspan=2><input
type=submit value=Cetak>

```

```

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

    </table>

```

```

    </form>;

```

```

break;

```

```

case "editwo":

```

```

    $aksi="modul/mod_wo/act_wo.php";

```

```

    $edit = mysql_query("SELECT *
FROM wo WHERE
no_wo='$_GET[no_wo]'");

```

```

    $r = mysql_fetch_array($edit);

```

```

    echo "<h2>Edit Data WO</h2>

```

```

        <form method=POST break;
action=$aksi?module=wo&act=update>

```

```

        <input type=HIDDEN name=no_wo
value=$r[no_wo]>

```

```

    <table>

```

```

        <tr><td>Kode Pelanggan</td> <td>
: <input type=text name='kd_pelanggan'
size=5
value=$r[kd_pelanggan]></td></tr>

```

```

        <tr><td>Kode Mekanik</td> <td> :
<input type=text name='kd_mekanik'
size=5 value=$r[kd_mekanik]></td></tr>

```

```

        <tr><td>Nomor
Polisi</td> <td> : <input type=text

```

```

name='no_kendaraan' size=8
value=$r[no_kendaraan]></td></tr>

```

```

        <tr><td>Tanggal
WO</td> <td> : <input type=date
name='tgl_wo' size=10
value=$r[tgl_wo]></td></tr>

```

```

        <tr><td>Keluhan
Pelanggan</td> <td> : <input type=text
name='keluhan_pelanggan' size=75
value=$r[keluhan_pelanggan]></td></tr>

```

```

";

```

```

    echo "</td></tr>

```

```

        <tr><td colspan=2><input
type=submit value=Update>

```

```

        <input type=button value=Batal
onclick=self.history.back()></td></tr>

```

```

    </table></form>;

```

```

?>

```

LP_Laporan Nota

```

<?php

```

```

session_start();

```

```

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

```

```

    header("location:login.php");

```

```

}

```

```

else{
}

?>

echo "<table> <h2>Pilih Periode Laporan
Nota</h2>

        <form        action=laporan_nota.php
method=get          name=postform
target=_blank>

        <table class=datatable>

        <tr>

                <td>Dari    Tanggal

: </td>

                <td><input        type=date
name=dari></a></td></tr>

        <tr><td>S/D    Tanggal

: </td>

                <td><input
type=date name=sampai></a></td>

        <table class=datatable>

        <tr>

        <td>Tanggal
Pertama :</td>

                <td><input        type=date
name=dari></a></td></tr>

        <tr><td>S/D    Tanggal

: </td>

                <td><input
type=date name=sampai></a></td>

        <tr>

        </tr>

        </table>

        <div align=center><input
type=submit        value=Tampilkan></div>

        </form>

        ";

        LP_Work Order

        <?php
session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

        header("location:login.php");

}

else{

echo "<table> <h2>Pilih Periode laporan
WO</h2>

        <form        action=laporan_wo.php
method=get          name=postform
target=_blank>

        <table class=datatable>

        <tr>

        <td>Tanggal
Pertama :</td>

                <td><input        type=date
name=dari></a></td></tr>

        <tr><td>S/D    Tanggal

: </td>

                <td><input
type=date name=sampai></a></td>

        <tr>

        </tr>

        </table>

        <div align=center><input
type=submit        value=Tampilkan></div>

        </form>

        ";

```

```

        </table>

        <div align=center><input
type=submit value=Tampilkan ></div>

</form>

";

```

```

        <td>Tanggal
Pertama :</td>

        <td><input type=date
name=dari></a></td></tr>

        <tr><td>S/D Tanggal
:</td>

```

```

        <td><input
type=date name=sampai></a></td>

```

```

    }

?>

        </tr>

        </table>

        <div align=center><input
type=submit value=Tampilkan></div>

        </form>

";

```

LP_Services

```

<?php
session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){
    header("location:login.php");
}

else{
    ?>

```

```

    echo "<table> <h2>Pilih Periode Laporan
Service</h2>

```

```

        <form action=laporan_service.php
method=get name=postform
style=_blank>

        <table class=datatable>

        <tr>

```

LP_Mekanik

```

<?php
session_start();

if (empty($_SESSION['username']) AND
empty($_SESSION['pass'])){

    header("location:login.php");
}

```

```

}

else{

    echo "<table> <h2>Pilih Periode Laporan
Mekanik</h2>

    <form
action=laporan_mekanik.php method=get
name=postform target=_blank>

        <table class=datatable>

            <tr>

                <td>Dari Tanggal
: </td>

                <td><input type=date
name=dari></a></td></tr>

            <tr><td>S/D Tanggal
: </td>

                <td><input
type=date name=sampai></a></td>

            </tr>
        </table>

        <div align=center><input
type=submit value=Tampilkan></div>

    </form>

";

```

```

}

?>

LP_Logout

<?php
    session_start();
    session_destroy();

?>

<link rel="stylesheet"
href="../css/jquery.alerts.css" />

<script src="../js/jquery-1.7.2.min.js"
language="javascript"></script>

<script src="../js/jquery.alerts.js"
language="javascript"></script>

<script src="../js/func.js"
language="javascript"></script>

<script language="javascript">
$(document).ready(function(){
    FDirect("Anda telah keluar dari
halaman administrator","login.php");

});

</script>

```