



**APLIKASI SISTIM MONITORING PENGGUNAAN ALAT TULIS  
KANTOR PADA PT ABC BERBASIS WEB**

SONI AGUS BASARIANTO  
41506110069

PROGRAM STUDI TEKNIK INFORMATIKA  
FAKULTAS ILMU KOMPUTER  
UNIVERSITAS MERCU BUANA  
JAKARTA  
2011



**APLIKASI SISTIM MONITORING PENGGUNAAN ALAT TULIS  
KANTOR PADA PT ABC BERBASIS WEB**

*Laporan Tugas akhir*

Diajukan Untuk Melengkapi Salah Satu Syarat  
Memperoleh Gelar Sarjana Komputer

Oleh

SONI AGUS BASARIANTO

41506110069

PROGRAM STUDI TEKNIK INFORMATIKA  
FAKULTAS ILMU KOMPUTER  
UNIVERSITAS MERCU BUANA  
JAKARTA  
2011

## **LEMBAR PERNYATAAN**

Yang bertanda tangan dibawah ini:

NIM : 41506110069

Nama : SONI AGUS BASARIANTO

Judul Skripsi : APLIKASI SISTIM NONITORING PENGGUNAAN  
ALAT TULIS KANTOR

Menyatakan bahwa skripsi tersebut diatas adalah hasil karya saya sendiri dan bukan plagiat. Apabila ternyata ditemukan didalam laporan skripsi saya terdapat unsur plagiat, maka saya siap untuk mendapatkan sanksi akademik yang terkait dengan hal tersebut.

Jakarta, 10 Maret 2011

(Soni Agus Basariantto)

## **LEMBAR PERSETUJUAN**

NIM : 41506110069

Nama : SONI AGUS BASARIANTO

Judul Skripsi : APLIKASI SISTIM NONITORING PENGGUNAAN  
ALAT TULIS KANTOR

SKRIPSIINI TELAH DIPERIKSA DAN DISETUJUI

JAKARTA, .....

Rapelino Ferdiansyah, ST, MKom

Pembimbing

Ida Nurhaida ST, MT

Koord. Tugas Akhir Teknik Informatika

Devi Fitrianah, S.Kom. MTI

KaProdi Teknik Informatika

## **KATA PENGANTAR**

Puji syukur Alhamdulillah kehadirat Allah SWT yang telah melimpahkan segala rahmat dan karuniaNya, sehingga penulis dapat menyelesaikan laporan tugas akhir yang merupakan salah satu persyaratan untuk menyelesaikan program studi strata satu (S1) pada Jurusan Teknik Informatika Universitas Mercu Buana.

Penulis menyadari bahwa laporan tugas akhir ini masih jauh dari sempurna. Karena itu, kritik dan saran akan senantiasa penulis terima dengan senang hati.

Dengan segala keterbatasan, penulis menyadari pula bahwa laporan tugas akhir ini takkan terwujud tanpa bantuan, bimbingan, dan dorongan dari berbagai pihak. Untuk itu, dengan segala kerendahan hati, penulis menyampaikan ucapan terima kasih kepada:

1. Bapak Rapelino Ferdiansyah, ST, M.Kom selaku pembimbing tugas akhir pada Jurusan Teknik Informatika Universitas Mercu Buana.
2. Ibu Ida Nurhaida, ST, MT selaku koordinator tugas akhir pada Jurusan Teknik Informatika.
3. Ibu Devi Fitrianah, Skom. MTI selaku KapProdi Teknik Informatika.
4. Isteriku tercinta yang selalu terus menerus memberikan spirit maupun pengertian dan kebijakan untuk menyelesaikan tugas akhir ini.
5. Anak-anakku tercinta yang telah memberikan pengorbanannya dalam memberikan waktu, semangat dan pengertiannya.

Semoga Allah SWT membalas kebaikan dan selalu mencurahkan hidayah serta taufikNya, Amin.

Jakarta, Maret 2011

Penulis

## **ABSTRACT**

In order to carry out functions as a supporting business activities and operations in PT.ABC, then the general section (GS), running multiple job functions, one of them is to manage and supervise the use of stationery. In the exercise of supervision on the use of stationery is generally involve the staff of other divisions, named the secretary. Regarding the case of the secretary is due to all the needs of its staff to support business activities and operations examined by the secretary, one of which is to serve the demand for office stationery needs. Every secretary of the handle 2 to 4 divisions. Monitoring or supervision regarding the use of stationery is needed so that all expenses have been issued can be controlled very well and can quickly be accounted for, not only up there, the information can be used for planning costs well. . Based on the observations show that supervision can not be employed optimally. This is because the required information is not easily available, although it can, the information was too late.

therefore, to help ease the task,speed up and simplify the management of the use of stationery.

Designed a system monitoring application usage of stationery.(ATK) research method used is the method of software engineering waterfall model.

This research will produce an information system application that is easy, fast and accurate, so as to assist the company in managing and supervising the use of finestationery.

Design and implementation is limited to one process module, namely the presentation of information on the use of stationery.during the final stage of software development conducted an evaluation of process and information produced software.what things that have and have not done on this software development will be reviewed the last part of this essay.

**Keywords :** control system applications the use of stationery, software engineering, PHP, MySQL

xiii+133 pages; 152 figures; 13 tables; 1 attachments  
Bibliography: 9(2008 -2010)

## **ABSTRAK**

Untuk dapat melaksanakan fungsi sebagai pendukung kegiatan bisnis dan operasional di PT.ABC, maka bagian umum (GS) menjalankan beberapa fungsi pekerjaan, satu diantaranya adalah mengelola dan mengawasi penggunaan alat tulis kantor. Dalam pelaksanaan pengawasan terhadap penggunaan alat tulis kantor ini bagian umum melibatkan staff divisi lain, yaitu para sekretaris. Mengenai hal keterlibatan sekretaris ini lebih disebabkan karena seluruh kebutuhan para staff untuk menunjang kegiatan bisnis dan operasionalnya di layani oleh sekretaris, salah satunya adalah melayani permintaan kebutuhan alat tulis kantor. Setiap sekretaris menangani 2 sampai 4 divisi. *Monitoring* atau pengawasan mengenai penggunaan alat tulis kantor sangat perlu dilakukan agar semua biaya yang sudah dikeluarkan dapat terkendali dengan baik dan dapat cepat dipertanggung jawabkan, tidak hanya sampai disitu, informasinya dapat digunakan untuk membuat perencanaan biaya dengan baik. Berdasarkan pengamatan menunjukan bahwa pengawasan belum dapat dilakukan dengan optimal. Hal ini disebabkan karena informasi yang diperlukan tidak mudah didapat, meskipun bisa, informasinya sudah terlambat.

Oleh karena itu untuk membantu meringankan tugas, mempercepat dan mempermudah pengelolaan penggunaan alat tulis kantor, dirancanglah suatu aplikasi sistem monitoring pemakaian alat tulis kantor(ATK).

Metode penelitian yang digunakan adalah metode rekayasa perangkat lunak model Waterfall,

Penelitian ini akan menghasilkan suatu aplikasi sistem informasi yang mudah, cepat dan akurat, sehingga dapat membantu bagian umum dalam mengelola dan mengawasi penggunaan alat tulis kantor dengan baik.

Desain dan implementasi dibatasi pada salah satu modul proses, yaitu penyajian informasi penggunaan alat tulis kantor. Pada tahap akhir pengembangan perangkat lunak dilakukan evaluasi terhadap proses dan informasi yang dihasilkan perangkat lunak. Hal-hal apa yang telah dan belum dilakukan pada pengembangan perangkat lunak ini akan diulas pada bagian akhir skripsi ini.

Kata kunci: Aplikasi Sistem Monitoring Penggunaan Alat Tulis Kantor, Rekayasa Perangkat Lunak, PHP, MySQL

xiii+133 halaman; 152 gambar; 13 tabel; 1 lampiran

Daftar acuan: 9(2008-2010)

## DAFTAR ISI

	Halaman
<b>LEMBAR PERNYATAAN .....</b>	i
<b>LEMBAR PERSETUJUAN .....</b>	ii
<b>KATA PENGANTAR.....</b>	iii
<b>ABSTRACTION .....</b>	iv
<b>ABSTRAKSI .....</b>	v
<b>DAFTAR ISI.....</b>	vi
<b>DAFTAR GAMBAR.....</b>	vii
<b>DAFTAR TABEL .....</b>	viii
<b>BAB I PENDAHULUAN</b>	
1.1 Latar Belakang .....	1
1.2 Maksud dan Tujuan.....	2
1.3 Perumusan Masalah .....	2
1.4 Batasan Masalah .....	3
1.5 Metode Penelitian .....	6
1.6 Sistematika Penulisan .....	7
<b>BAB II LANDASAN TEORI</b>	
2.1 Rekayasa Perangkat Lunak .....	9
2.2 Pemodelan Data .....	15
2.3 World Wide Web .....	22
2.4 PHP .....	24
2.5 XAMPP .....	26
2.6 MySql.....	26
2.7 Diagram Arus.....	28
2.8 Struktur Navigasi .....	30
<b>BAB III ANALISA PERANCANGAN SISTEM</b>	
3.1 Gambaran Umum Peusahaan (Company Prrofile).....	35
3.2 Gambaran Prosedur Saat ini.....	36

3.3	Identifikasi Masalah.....	38
3.4	Gambaran Umum Usulan Sistem.....	38
3.5	Topologi Sistem .....	41
3.6	Data Flow Diagram.....	43
3.7	Data Base Relational .....	47
3.8	Diagram ER (Entity Relationship Diagram).....	48
3.9	Basis Data .....	51
3.10	Perancangan Antar Muka.....	55
3.11	Diagram Navigasi .....	76
3.12	Diagram Arus (Flowchart) .....	78

#### **BAB IV IMPLEMENTASI DAN PENGUJIAN**

4.1	Implementasi.....	89
4.2	Pengujian.....	128

#### **BAB V PENUTUP**

5.1	Kesimpulan .....	139
5.2	Saran.....	140

#### **DAFTAR ACUAN**

#### **LAMPIRAN**

## DAFTAR GAMBAR

	Halaman
GAMBAR 2.1 Air Terjun (Waterfall) .....	9
GAMBAR 2.2 Notasi menurut Yourdan dan Demarco .....	10
GAMBAR 2.3 Notasi menurut Gene dan Serson .....	10
GAMBAR 2.4 Terminator Tujuan.....	11
GAMBAR 2.5 Notasi Input Output.....	11
GAMBAR 2.6 Notasi Proses Read/Write/Update.....	12
GAMBAR 2.7 Notasi Packet of Data.....	13
GAMBAR 2.8 Diverging data flow.....	13
GAMBAR 2.9 Converging data flow.....	13
GAMBAR 2.10 Dari Proses ke bukan proses dan kebalikannya .....	14
GAMBAR 2.11 Dari Proses ke Proses .....	14
GAMBAR 2.12 Level DFD.....	14
GAMBAR 2.13 Notasi pada model ER.....	15
GAMBAR 2.14 Contoh model ER.....	16
GAMBAR 2.15 Gambaran Entitas model ER.....	16
GAMBAR 2.16 Gambaran Atribut model ER .....	17
GAMBAR 2.17 Gambaran Entitas dan Atribut.....	17
GAMBAR 2.18 Atribut bernilai tunggal .....	18
GAMBAR 2.19 Atribut bernilai banyak .....	18
GAMBAR 2.20 Atribut Turunan.....	19
GAMBAR 2.21 Contoh hubungan Entitas .....	19
GAMBAR 2.22 Topologi Web Statis.....	22
GAMBAR 2.23 Topologi Web Dinamis.....	23
GAMBAR 2.24 Simbol Diagram Arus (Flowchart) .....	29
GAMBAR 2.25 Struktur Navigasi Linier.....	30
GAMBAR 2.26 Struktur Navigasi Hirarki.....	30
GAMBAR 2.27 Struktur Navigasi non Linier.....	31
GAMBAR 2.28 Struktur Navigasi Campuran.....	31
GAMBAR 3.1 Proses penggunaan Alat Tulis Kantor.....	37

GAMBAR 3.2 Gambaran umum aplikasi .....	39
GAMBAR 3.3 Topologi Sistem .....	41
GAMBAR 3.4 Diagram Context.....	43
GAMBAR 3.5 DFD Level 0.....	44
GAMBAR 3.6 DFD Level 1.....	46
GAMBAR 3.7 Relasi Database .....	47
GAMBAR 3.8 Entitas Relasional Diagram (ERD) .....	49
GAMBAR 3.9 Halaman Utama Login .....	56
GAMBAR 3.10 Halaman Menu Admin.....	56
GAMBAR 3.11 Halaman Menu Pemeliharaan Data Divisi.....	57
GAMBAR 3.12 Halaman Tambah Data Divisi.....	57
GAMBAR 3.13 Halaman Update Data Divisi .....	58
GAMBAR 3.14 Halaman Menu Pemeliharaan Data User .....	58
GAMBAR 3.15 Halaman Tambah Data User .....	59
GAMBAR 3.16 Halaman Rubah Data User.....	59
GAMBAR 3.17 Rancangan Menu User .....	60
GAMBAR 3.18 Rancangan Informasi Permintaan .....	61
GAMBAR 3.19 Halaman Permintaan Barang ke Sekertaris.....	61
GAMBAR 3.20 Halaman Rubah Password .....	61
GAMBAR 3.21 Halaman Menu Sekretaris.....	62
GAMBAR 3.22 Halaman List Permintaan.....	63
GAMBAR 3.23 Halaman List Stok Sekretaris.....	63
GAMBAR 3.24 Halaman Permintaan ke sesama Sekretaris.....	64
GAMBAR 3.25 Halaman Permintaan Barang ke GS.....	64
GAMBAR 3.26 Halaman Persetujuan.....	65
GAMBAR 3.27 Halaman Rubah Password .....	65
GAMBAR 3.28 Halaman Menu Bagian Umum(GS).....	66
GAMBAR 3.29 Halaman Submenu (GS) Pemeliharaan Data.....	66
GAMBAR 3.30 Halaman Submenu(GS) Pemakaian ATK.....	66
GAMBAR 3.31 Halaman Submenu(GS) Grafik Pemakaian ATK .....	67
GAMBAR 3.32 Halaman Menu Pemeliharaan Kategori Barang.....	67
GAMBAR 3.33 Halaman Input Data Kategori Barang.....	67

GAMBAR 3.34 Halaman Edit Data Kategori Barang .....	68
GAMBAR 3.35 Halaman Menu Pemeliharaan Data Master Barang .....	68
GAMBAR 3.36 Halaman Input Data Master Barang.....	69
GAMBAR 3.37 Halaman Edit Data Master Barang .....	69
GAMBAR 3.38 Halaman Menu Data Vendor.....	70
GAMBAR 3.39 Halaman Input Data Vendor .....	70
GAMBAR 3.40 Halaman Edit Data Vendor .....	71
GAMBAR 3.41 Halaman Menu Pemakaian ATK .....	72
GAMBAR 3.42 Halaman Menu Grafik Pemakaian ATK.....	73
GAMBAR 3.43 Halaman Menu Barang Masuk .....	73
GAMBAR 3.44 Halaman Input Penerimaan Barang .....	74
GAMBAR 3.45 Halaman Persetujuan.....	74
GAMBAR 3.46 Halaman Rubah Password .....	75
GAMBAR 3.47 Halaman Informasi Grafik .....	76
GAMBAR 3.48 Diagram Navigasi .....	77
GAMBAR 3.49 Diagram Arus Halaman Admin .....	78
GAMBAR 3.50 Diagram Arus Halaman User.....	79
GAMBAR 3.51 Diagram Arus Halaman Sekretaris .....	81
GAMBAR 3.52 Diagram Arus Halaman Bagian Umum (GS) .....	83
GAMBAR 3.53 Diagram Arus Halaman Pemeliharaan Data Vendor .....	84
GAMBAR 3.54 Diagram Arus Halaman Informasi Pemakian barang .....	85
GAMBAR 3.55 Diagram Arus Halaman Grafik Pemakaian Barang .....	86
GAMBAR 3.56 Diagram Arus Pemasuka Barang .....	87
GAMBAR 4.1 Tampilan Pilihan Bahasa .....	90
GAMBAR 4.2 Mulai Install XAMPP .....	90
GAMBAR 4.3 Menentukan Lokasi Program .....	91
GAMBAR 4.4 Menentukan Program yang di Install .....	91
GAMBAR 4.5 Informasi Selesai Instalasi .....	92
GAMBAR 4.6 Informasi Software Server .....	92
GAMBAR 4.7 URL untuk menjalankan PHPMYADMIN .....	93
GAMBAR 4.8 Membuat Database dengan PHPMYADMIN.....	93
GAMBAR 4.9 Script Pembuatan Tabel User.....	94

GAMBAR 4.10 Tampilan Tabel User.....	95
GAMBAR 4.11 Script Pembuatan Tabel Divisi .....	95
GAMBAR 4.12 Basis Data Tabel Divisi.....	95
GAMBAR 4.13 Script Pembuatan Tabel Vendor .....	96
GAMBAR 4.14 Basis Data Tabel Vendor .....	96
GAMBAR 4.15 Script Pembuatan Tabel Kategori Barang.....	96
GAMBAR 4.16 Basis Data Tabel Kategori Barang.....	97
GAMBAR 4.17 Script Pembuatan Tabel Penerimaan .....	97
GAMBAR 4.18 Basis Data Tabel Penerimaan .....	98
GAMBAR 4.19 Script Pembuatan Tabel Master Barang.....	98
GAMBAR 4.20 Basis Data Tabel Master Barang.....	99
GAMBAR 4.21 Script Pembuatan Tabel Stok Sekretaris .....	99
GAMBAR 4.22 Basis Data Tabel Stok Sekretaris .....	100
GAMBAR 4.23 Script Pembuatan Tabel Request .....	100
GAMBAR 4.24 Basis Data Tabel Request .....	101
GAMBAR 4.25 Halaman Login Utama.....	102
GAMBAR 4.26 Potongan Program Login Utama.....	102
GAMBAR 4.27 Halaman Menu Admin.....	103
GAMBAR 4.28 Potongan Program Menu Admin .....	103
GAMBAR 4.29 Menu Pemeliharaan Data Divisi .....	104
GAMBAR 4.30 Input Data Divisi.....	104
GAMBAR 4.31 Edit Data Divisi.....	105
GAMBAR 4.32 Menu Pemeliharaan Data User .....	105
GAMBAR 4.33 Input Data User .....	106
GAMBAR 4.34 Edit Data User .....	106
GAMBAR 4.35 Halaman Menu User .....	107
GAMBAR 4.36 Potongan Program Menu User .....	107
GAMBAR 4.37 Halaman Informasi Permintaan Barang.....	108
GAMBAR 4.38 Halaman Permintaan Barang .....	109
GAMBAR 4.39 Halaman Rubah Password .....	109
GAMBAR 4.40 Halaman Menu Sekretaris .....	110
GAMBAR 4.41 Potongan Program Menu Sekretaris .....	110


GAMBAR 4.42 Informasi List Permintaan Barang .....	111
GAMBAR 4.43 Informasi Stok Barang di Sekertaris .....	112
GAMBAR 4.44 Permintaan Barang ke sesama Sekretaris.....	113
GAMBAR 4.45 Permintaan Barang ke Bagian Umum (GS) .....	113
GAMBAR 4.46 Halaman Persetujuan.....	114
GAMBAR 4.47 Halaman Menu GS.....	115
GAMBAR 4.48 Pemeliharaan Kategori Barang .....	116
GAMBAR 4.49 Input Kategori Barang.....	116
GAMBAR 4.50 Edit Kategori Barang .....	117
GAMBAR 4.51 Pemeliharaan Master Barang .....	117
GAMBAR 4.52 Input Master Barang .....	118
GAMBAR 4.53 Edit Master Barang .....	118
GAMBAR 4.54 Pemeliharaan Data Vendor .....	119
GAMBAR 4.55 Input Data Vendor .....	119
GAMBAR 4.56 Edit Data VEndor.....	120
GAMBAR 4.57 Input Pilihan Periode Pemakaian Barang.....	121
GAMBAR 4.58 Informasi Pemakaian Barang Perperiode .....	121
GAMBAR 4.59 Informasi Pemakaian Perkategori Perperiode.....	122
GAMBAR 4.60 Input Pilihan Periode Pemakaian Perdivisi .....	123
GAMBAR 4.61 Informasi Pemakaian Barang Perdivisi Perperiode .....	123
GAMBAR 4.62 Input Pilihan Periode Pemakaian Peruser .....	124
GAMBAR 4.63 Informasi Pemakaian Barang Peruser Perperiode.....	124
GAMBAR 4.64 Grafik Pemakaian Barang Perperiode .....	125
GAMBAR 4.65 Grafik Pemakaian Barang Perkategori Perperiode .....	125
GAMBAR 4.66 Grafik Pemakaian Barang Perdivisi Perperiode .....	126
GAMBAR 4.67 Grafik Pemakaian Barang Peruser Perperiode .....	126
GAMBAR 4.68 Halaman Penerimaan Barang .....	127
GAMBAR 4.69 Input Penerimaan Barang.....	127

## **DAFTAR TABEL**


Halaman

TABEL 3.1 Struktur Data Tabel User .....	52
TABEL 3.2 Struktur Data Tabel Divisi .....	52
TABEL 3.3 Struktur Data Tabel Kategori .....	52
TABEL 3.4 Struktur Data Tabel Master Barang .....	53
TABEL 3.5 Struktur Data Tabel Stok Sekretaris.....	53
TABEL 3.6 Struktur Data Tabel Request .....	54
TABEL 3.7 Struktur Data Tabel Penerimaan .....	54
TABEL 3.8 Struktur Data Tabel Vendor .....	55
TABEL 4.1 Skenario Pengujian Login Awal .....	129
TABEL 4.2 Skenario Pengujian Fungsi Admin .....	130
TABEL 4.3 Skenario Pengujian Fungsi User .....	132
TABEL 4.4 Skenario Pengujian Fungsi Sekretaris.....	133
TABEL 4.5 Skenario Pengujian Fungsi Bagian Umum (GS) .....	135

## Struktur organisasi PT. ABC



## Struktur Divisi Sekretaris Lembaga dan cakupan layanan Sekretaris



## Formulir permintaan barang

PERMINTAAN ATK		
Tanggal : ___/___/20___		
NO	BARANG	JUMLAH
1		
2		
3		
4		
5		

Penerima,  
Tgl.



```

Index.php
<?php include
"cek_session.php"; if($_SESSION[ 'KD_GROUP' ] == 'SEK' ){
    include
'menuSek.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'ADMIN') {   include
'menuAdmin.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'USER' ) {      include
'menuUser.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'GS') {      /*include
'menuGs.php'; */      include
'menuGspulldown.php'; } ?>

Cek_session_modul.php
<?php include
"cek_session.php"; if($_SESSION[ 'KD_GROUP' ] == 'SEK' ){
    include
'menuSek.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'ADMIN') {   include
'menuAdmin.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'USER' ) {      include
'menuUser.php'; } else
if($_SESSION[ 'KD_GROUP' ] ==
'GS') {      /*include
'menuGs.php'; */      include
'menuGspulldown.php'; } ?>

Cek_session.php
<?php
session_start();
if($_SESSION[ 'KD_USER' ] ==
' ' || $_SESSION[ 'NM_USER' ]
== ' ' || $_SESSION[ 'KD_GROUP' ] ==
' ' )
{
    header( 'location:
login.php' );
}
?>

Login.php
BODY BGCOLOR=#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="images/bg.gif">
<center><br>
<div id="nav">
<table border="2"
width="650" align="center"
bgcolor="#66ffff>
<tr><td
align="center"><h2>APLIKASI
MONITORING PENGGUNAAN
ATK</h2></td></tr>
</table>

</div>
<table border="2"
width="650" height="350"
align="center"
bgcolor="#99ffff>
<tr><td>
<table border="1"
align="center"
bgcolor="#E6FFCC>
<tr><td><br><br>
```

```

<form id="form1"
method="post"
action="proses_login.php">
    <table width="350"
border="0">
        <tr>
            <td
width="16%"><span
class="style7"></span></td>
            <td
colspan="2" align="left"
valign="middle"><strong>Log
in</strong></td>
        </tr>
        <tr>
            <td><span
class="style7"></span></td>
            <td
width="21%" align="left"
valign="middle"><span
class="style6">User
ID</span></td>
            <td
width="63%" align="left"
valign="top"><span
class="style6">
                <label>
                    <input
name="username" type="text"
id="username" />
                </label>
            </span></td>
        </tr>
        <tr>
            <td><span
class="style7"></span></td>
            <td
align="left"
valign="top"><span
class="style6">
                <label>
                    <input
type="submit"
value="Login"/>
                </label>
            </span></td>
        </tr>
        <tr>
            <td><span
class="style7"></span></td>
            <td

```

```

colspan="2">><div $err4 =
align="left"><font size="1"      $_REQUEST[ "err4" ];
color="#FF0000"                                if ($err4 !=
face="Verdana, Arial,
Helvetica, sans-serif">                      " ")
<input echo $err4;
type="hidden"                                     ?>
value="simpan" id="action"                         </font>
name="action"/>                                 </div></td>
                                                </tr>
                                                </table>
<?php                                         </form>
$err =                                         </td><br>
$_REQUEST[ "err" ];                           </tr>
                                                </td></tr>
if ($err != "")                                <table>
                                                </body>
echo                                         $err;

```

```

$err2 =
$_REQUEST[ "err2" ];

```

```

if ($err2 != " ")
echo
$err2;

```

```

$err3 =
$_REQUEST[ "err3" ];

```

```

if ($err3 != " ")
echo
$err3;

```

```

Logout.php
<?php
session_start();
session_destroy();
header('location:
index.php');

*** MENU ADMIN.php *****
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="images/bg.gif">
<center><br><h2>Menu
Admin</h2><hr><table
border="2" align="center"
><tr><td
bgcolor="#66ffff">&nbsp &nbsp
PEMELIHARAAN DATA&nbsp
&nbsp</td></tr><tr><td
align="center"
bgcolor="#99ffff"><br><br><a
href="tbl_divisi/list.php">
DATA DIVISI</a><br><br><a
href="tbl_user/list.php">DA
TA
USER</a><br><br><br><br><br
></td></tr><br><tr><td
align="center"
bgcolor="#66ffff"><a
href="logout.php"><b>Log
Out</b></a><br
/></td></tr></td></tr></body
>

***** MENUGSPULLDOWN.php
***
```

```

<html>
<head>

<meta http-equiv="Content-
Type" content="text/html;
charset=utf-8"/>
<script
src="lib/js/blink.js"></scr
ipt>

<style type="text/css">

#dropmenudiv{
position:absolute;
border:2px solid black;
border-bottom-width: 0;
font:normal 12px Verdana;
}

#dropmenudiv a{
width: 100%;
display: block;
text-indent: 2px;
border-bottom: 1px solid
black;
padding: 1px 0;
text-decoration: none;
font-weight: bold;
}

#dropmenudiv a:hover{
/*hover background color*/
background-color: yellow;
}

</style>

<script
type="text/javascript">
```

```

        User</a>'

//kalo mau tambah atau
kurangi menu disini

//Isi dari menu1

var menu1=new Array()
menu1[0]='<a
href="tbl_kategori/list.php
">Data Kategori Barang</a>'
// menu1[1]='<a
href="tbl_jenis_barang/list
.php">Data Jenis
Barang</a>'
menu1[1]='<a
href="tbl_master_barang/lis
t.php">Data Master
Barang</a>'
menu1[2]='<a
href="tbl_vendor/list.php">
Data Vendor</a>

//Isi dari menu2

var menu2=new Array()
menu2[0]='<a
href="report/formList_perba
rang.php">Pemakaian
Barang</a>'
menu2[1]='<a
href="report/formList_perka
tegori.php">Pemakaian
Perkategorii</a>'
menu2[2]='<a
href="report/formList_perDi
visi.php">Pemakaian Per
Divisi</a>'
menu2[3]='<a
href="report/formList_perUs
er.php">Pemakaian Per
User</a>'

//Isi dari menu3

var menu3=new Array()
menu3[0]='<a
href="report/FormGraph_perb
arang.php">Pemakaian
Barang</a>'
menu3[1]='<a
href="report/FormGraph_perk
ategori.php">Pemakaian
Perkategorii</a>'
menu3[2]='<a
href="report/formGraph_perD
ivisi.php">Pemakaian Per
Divisi</a>'
menu3[3]='<a
href="report/formGraph_perU
ser.php">Pemakaian Per
User</a>'

//Isi dari menu4

//var menu4=new Array()
//menu4[0]='<a
href="tbl_penerimaan/list.p
hp">Penerimaan Barang</a>'


//Isi dari menu5

//var menu5=new Array()
//menu5[0]='<a
href="tbl_request/listBelum
Approve.php">Persetujuan
untuk //Sekertaris</a>'


//Isi dari menu6

//var menu6=new Array()
//menu6[0]='<a
href="logout.php">Logout</a
>'
```

```

var menuwidth='165px'
//default menu width
var
menubgcolor='lightyellow'
//menu bgcolor
var disappeardelay=250
//menu disappear speed
onMouseout (in miliseconds)
var hidemenu_onclick="yes"
//hide menu when user
clicks within menu?

////No further editting
needed

var ie4=document.all
var
ns6=document.getElementById
&&!document.all

if (ie4||ns6)
document.write('<div
id="dropmenudiv"
style="visibility:hidden;wi
dth:' +menuwidth+';backgroun
d-color:' +menubgcolor+'"
onMouseover="clearhidemenu(
)"
onMouseout="dynamichide(eve
nt)"></div>')

function getposOffset(what,
offsettype){
var
totaloffset=(offsettype=="l
eft")? what.offsetLeft :
what.offsetTop;
var
parentEl=what.offsetParent;
while (parentEl!=null){
totaloffset=(offsettype=="l
eft")?
totaloffset+parentEl.offset
Left :
totaloffset+parentEl.offset
Top;
parentEl=parentEl.offsetPar
ent;
}
return totaloffset;
}

function showhide(obj, e,
visible, hidden,
menuwidth){
if (ie4||ns6)
dropmenuobj.style.left=drop
menuobj.style.top=-500
if (menuwidth!=""){
dropmenuobj.widthobj=dropme
nuobj.style
dropmenuobj.widthobj.width=
menuwidth
}
if (e.type=="click" &&
obj.visibility==hidden ||
e.type=="mouseover")
obj.visibility=visible
else if (e.type=="click")
obj.visibility=hidden
}

function iecompattest(){
return (document.compatMode
&&
document.compatMode!="BackC

```

```

        ompat" )?
document.documentElement : dropmenuobj.offsetHeight
document.body if (windowedge-
} dropmenuobj.y <
dropmenuobj.contentmeasure)
function clearbrowseredge( obj, dropmenuobj.contentmeasure )
whichedge) {
var edgeoffset=0 { //move up?
if (whichedge=="rightedge") {
var windowedge=ie4 && edgeoffset=dropmenuobj.con
!window.opera? entmeasure+obj.offsetHeight
iecompattest().scrollLeft+i if ((dropmenuobj.y-
eccompattest().clientWidth- topedge)<dropmenuobj.con
15 : tmeasure) //up no good
window.pageXOffset+window.i either?
nnerWidth-15 edgeoffset=dropmenuobj.y+ob
dropmenuobj.contentmeasure= j.offsetHeight-topedge
dropmenuobj.offsetWidth }
if (windowedge- } }
dropmenuobj.x < dropmenuobj.contentmeasure)
dropmenuobj.contentmeasure-edgeoffset=dropmenuobj.con
entmeasure-obj.offsetWidth entmeasure
}
else{ edgeoffset=dropmenuobj.y+ob
var topedge=ie4 && j.offsetHeight-topedge
!window.opera? iecompattest().scrollTop : dropmenuobj.contentmeasure
window.pageYOffset if (ie4||ns6)
var windowedge=ie4 && dropmenuobj.innerHTML=what.
!window.opera? join(" ")
iecompattest().scrollTop+ie
compattest().clientHeight- function dropdownmenu( obj,
15 : menucontents,
window.pageYOffset+window.i menuwidth) {
nnerHeight-18 if (ie4||ns6){
dropmenuobj.contentmeasure= dropmenuobj=document.getEle
dropmenuobj=document.getElementById("dr
dropmenudiv" ) : dropmenudiv
populatemenu(menucontents)
if (ie4||ns6){

```

```

showhide(dropmenuobj.style,
e, "visible", "hidden",
menuwidth)
dropmenuobj.x=getposOffset(
obj, "left")
dropmenuobj.y=getposOffset(
obj, "top")
dropmenuobj.style.left=drop
menuobj.x-
clearbrowseredge(obj,
"rightedge")+"px"
dropmenuobj.style.top=dropm
enuobj.y-
clearbrowseredge(obj,
"bottomedge")+obj.offsetHeight
ght+"px"
}

return clickreturnValue()
}

function
clickreturnValue(){
if (ie4||ns6) return false
else return true
}

function contains_ns6(a, b)
{
while (b.parentNode)
if ((b = b.parentNode) ==
a)
return true;
return false;
}

function dynamichide(e){
if
(ie4&&!dropmenuobj.contains
(e.toElement))
delayhidemenu()
else if
(ns6&&e.currentTarget!=
e.relatedTarget&&
!contains_ns6(e.currentTarget
, e.relatedTarget))
delayhidemenu()
}

function hidemenu(e){
if (typeof
dropmenuobj!="undefined"){
if (ie4||ns6)
dropmenuobj.style.visibility=
"hidden"
}
}

function delayhidemenu(){
if (ie4||ns6)
delayhide=setTimeout("hidem
enu()", disappeardelay)
}

function clearhidemenu(){
if (typeof
delayhide!="undefined")
clearTimeout(delayhide)
}

if
(hidemenu_onclick=="yes")
document.onclick=hidemenu

</script>
</head>
<BODY BGCOLOR="#FFFFFF"

```

```

LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="images/bg.gif">
<center><br>
<table border="1"
width="490" bgcolor="#66ffff
>
<tr><td align="center">
<h2>Menu GS</h2>
</td></tr>

<!-- pada saat cursor
melewati link ini maka akan
dijalankan fungsi
onMouseover yang akan men-
trigger dropdownmenu -->

<table border="2"
align="center"
bgcolor="#99ffff">
<tr><td>

<table border="2"
align="center"
bgcolor="#ffcc99">
<tr>
<td>
<a href="default.htm"
onClick="return
clickreturnValue()"
onMouseover="dropdownmenu(t
his, event, menu1,
'150px')"
onMouseout="delayhidemenu()
">&nbsp &nbsp Pemeliharaan
Data &nbsp &nbsp</a>
</td>
<td>
<a href="default.htm"
onClick="return
clickreturnValue()"
onMouseover="dropdownmenu(t
his, event, menu2,
'170px')"
onMouseout="delayhidemenu()
">&nbsp &nbsp Pemakaian ATK
&nbsp &nbsp</a>
</td>
<td>
<a href="default.htm"
onClick="return
clickreturnValue()"
onMouseover="dropdownmenu(t
his, event, menu3,
'170px')"
onMouseout="delayhidemenu()
">&nbsp &nbsp Grafik
pemakaian ATK &nbsp
&nbsp</a>
</td>
</tr>
</table>

<table align="center"
width="200">
<tr><tr><tr><tr><tr>
<td>
<?php //Untuk memberikan
warna lain pada tombol
persetujuan jika ada
request
include 'db\opendb.php';
$query = "SELECT count(*)
hasil FROM `tbl_request`"

```

```

        WHERE
STATUS = 0
        AND
REQ_TO =
'$_SESSION[KD_USER]' ;
$result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
$hasil=$list['hasil'];
}

if ($hasil >= 1) {
?>


*
Ada Permintaan *
<script
language="javascript">Blink
('prem_hint');</script>
</div>
?>
}

</td></tr></tr></tr></tr></tr>
</table>



14


```

```
</body>  
</html>
```

```

***** Proseslogin.php *****


<?php
session_start();
include "db\opendb.php";

$user = $_POST['username'];
$pass = $_POST['password'];

$user =
mysql_real_escape_string($user);

$pass =
md5(mysql_real_escape_string($pass));

$query = sprintf("SELECT *
FROM tbl_user WHERE KD_USER
= '$user' AND password =
'$pass'"); // anti sql
injection

$result =
mysql_query($query);
$baris =
mysql_fetch_array($result);

if ($user == "" || $pass ==
"") {
    echo "<meta http-
equiv='refresh'
content='0;URL=../login.php?
err2=username/password
cannot be empty'>";
} else {
    if ($baris[aktif]==
N) {
        echo "<meta
http-equiv='refresh'
content='0;URL=../login.php?
err=username/password

```

err4=Your Account is Not Active '>;

```

    } else{
        // Meregister
        kode user, nama user, group
        kedalam session
        if ($pass ==
"$baris[PASSWORD]" and
$user == "$baris[KD_USER]")
        {

            session_start();

            session_register("KD_
USER");

            session_register("NM_
USER");

            session_register("KD_
GROUP");

```

\$\_SESSION['KD\_USER'] =
\$baris[KD\_USER];

```

            $_SESSION['NM_USER']
= $baris[NM_USER];

            $_SESSION['KD_GROUP']
= $baris[KD_GROUP];
            echo
"<script>location.href='ind
ex.php'</script>";
        } else {
            echo
"<meta http-equiv='refresh'
content='0;URL=../login.php?
err=username/password

```

```
failed' >" ;  
        }  
    }  
?>
```

**\*\*\* Menusek.php \*\*\***

```
<head>    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>    <script
src="lib/js/blink.js"></scr
ipt></head><BODY
bgcolor=#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="images/bg.gif">
<center><br><table
align="center" border="2"
width="500"><tr><td
align="center"
bgcolor="#66ffff"><h3>MENU
SEKERTARIS</h3></td></tr></
table><table border="1"
width="500" align="center"
bgcolor="#99ffff"><tr><td
align="center"><br><a
href="tbl_request/list.php"
>List Permintaan</a><br
/><a
href="tbl_stok_sek/list.php"
>List Stock</a><br /><br
/><br /><a
href="tbl_request/create.ph
p">Permintaan Barang ke
Sekertaris</a><br /><a
href="tbl_request/createToG
S.php">Permintaan Barang ke
GS</a><br /><br /><br
/><?php //Cek ada request
tidak include
'db\opendb.php'; $query =
"SELECT count(*) hasil FROM
```

`tbl\_request`

```
WHERE STATUS
= 0
AND
REQ_TO =
'$_SESSION[KD_USER]' ;
$result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
$hasil=$list['hasil'];
}?><?phpif ( $hasil >= 1 ) {
?>    <div
id="prem_hint"
style="position:relative;
left:0; visibility:hidden"
class="prem_hint">*
Ada Permintaan *
<script
language="javascript">Blink
('prem_hint');</script>
</div>    <?    }?><a
href="tbl_request/listBelum
Approve.php">Persetujuan</a
><br /><br /><a
href="tbl_user/edit_passwor
d.php">Rubah
Password</a><br><br></td></
tr><tr><td align="center"
bgcolor="#66ffff"><a
href="logout.php"><b>Log
Out</b></a><br
/></td></tr></td></tr><tabl
e border="0" align="center"
width="500"><tr><td
```

```
align="center"><? echo  
$_SESSION[ 'NM_USER' ] ;?></td  
></tr></table></table></body  
y>
```

**\*\*\*\*\* Menuuser.php \*\*\*\*\***

```
<BODY BGCOLOR="#FFFFFF"
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="images/bg.gif">
<center><br><table
align="center" border="2"
width="500"><tr><td
align="center"
bgcolor="#66ffff"><h3>MENU
USER</h3></td></tr></table>
<table border="2"
height="300"
width="500"><tr><td
align="center"
bgcolor="#99ffff"><br /><a
href="tbl_request/list.php"
>Informasi
Permintaan</a><br /><br
/><br /><a
href="tbl_request/create.ph
p">Permintaan Barang</a><br
/><br /><br /><a
href="tbl_user/edit_passwor
d.php">Rubah
Password</a><br></td></tr><
tr><td align="center"
bgcolor="#66ffff"><a
href="logout.php"><b>Log
Out</b></a><br
/></td></tr></td></tr><tabl
e border="0" align="center"
width="500"><tr><td
align="center"><? echo
$_SESSION[ 'NM_USER' ] ; ?></td
></tr></table></table></body
y>
```

**\*\*\*\*\* .htaccess \*\*\*\*\***

```
RewriteEngine on
DirectoryIndex login.php
Options All -Indexes
```

**\*\*\*\*\* Conndb.php \*\*\*\*\***

```
<?php

$dbhost = 'localhost';
$dbuser = 'root';
$dbpass = '';
$dbname = 'atk';

$conn =
mysql_connect($dbhost,
$dbuser, $dbpass) or
die('Error connecting to
mysql');
mysql_select_db($dbname);
?>
```

**\*\*\*\*\* Opendb.php \*\*\*\*\***

```
<?php
//include 'config.php';
$dbhost = 'localhost';
$dbuser = 'root';
$dbpass = '';
$dbname = 'atk';

//echo 'sadadasdadasdada';
//echo $dbhost;
$conn =
mysql_connect($dbhost,
$dbuser, $dbpass) or
die('Error connecting to

```

```
mysql' );
mysql_select_db($dbname);
?>

***** Closedb.php *****
<?php
mysql_close($conn);
?>

***** config.php *****
?php
$dbhost = 'localhost';
$dbuser = 'root';
$dbpass = '';
$dbname = 'atk';
?>
```

```

*** Report ***

*****
Formgraph_perbarang.php
*****



<?php include

" ../cek_session_modul.php" ; ?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>

    <style type="text/css"
media="all"> @import
" ../style.css";</style>
    <title>CRUD</title>
    <title>jQuery UI
Datepicker - Default
functionality</title>
    <script
type="text/javascript"
src=" ../lib/js/jquery.min.j
s"></script>
    <script
type="text/javascript"
src=" ../lib/js/ui.core.js">
</script>
    <script
type="text/javascript"
src=" ../lib/js/ui.datepicke
r.js"></script>

    <link
type="text/css"
href=" ../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>

        <script
type="text/javascript">
$(function() {
    $('#PERIODE_1').datepicker(
    {
        changeMonth: true,
        changeYear: true
    });
    $('#PERIODE_2').datepicker(
    {
        changeMonth: true,
        changeYear: true
    });
}) ;
</script>

</head>

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background=" ../images/bg.gi
f">
<center><br>
<h3>PEMAKAIAN PER
BARANG</h3>
<HR>
<div id="nav">
```

```

Menu: [ <a href="..../index.php">Menu</a>
      > ] </div>

      <br><br>
      <form action="Graph_Perbarang.php" method="post" >
      <div class="form_item">
      <table border="1" align="center">
      <tr><td><label id="REPORT1">PERIODE
      </label></td>
      <td><input type="text" name="PERIODE_1" size="10" id="PERIODE_1" >
      <label id="PERIODE_1"></td>
      </tr>
      </table>

      <table border="0" align="center">
      <tr><td>sd</td></tr>
      </table>

      <table border="1" align="center">
      <tr><td><label id="REPORT1">PERIODE
      </label></td>
      <td><input type="text" name="PERIODE_2" size="10" id="PERIODE_2" >
      <label id="PERIODE_2"></td>
      </tr>
      </table>
      </div>
      </table>
      <br><br>
      <input type="submit" value="Submit" class="submit button" />
      </div>
      </form>
      </body>
      </html>

```

---

\*\*\* formGraph\_perdivisi.php

---

```

**_
<?php include
"../cek_session_modul.php" ;
?>

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"
lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=utf-8"/>
<style type="text/css" media="all"> @import
"../style.css" ;</style>
<title>CRUD</title>
<title>jQuery UI Datepicker - Default
functionality</title>
<script type="text/javascript" src="../lib/js/jquery.min.js"></script>
<script

```

```

type="text/javascript"
src="../lib/js/ui.core.js">>           </head>
</script>
    <script
type="text/javascript"
src="../lib/js/ui.datepicker
r.js"></script>

        <!-- <link
type="text/css"
href=" ../lib/css/demo.css"
rel="stylesheet" />
-->
    <link
type="text/css"
href=" ../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>
    <script
type="text/javascript">
$(function() {
    $('#PERIODE_1').datepicker(
{
    changeMonth: true,
    changeYear: true
}) ;

    $('#PERIODE_2').datepicker(
{
    changeMonth: true,
    changeYear: true
}) ;
</script>

```

```

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
<center><br>
<h3>PEMAKAIAN
PERDIVISI</h3>
<HR>
<div id="nav">
Menu: [ <a
href=" ../index.php">Menu</a
> ] </div>
<form
action="Graph_PerDivisi.php
" method="post">
<div class="form_item">
<table border="1"
align="center">
<tr><td><label
id="REPORT1">PERIODE
</label></td>
<td><input
type="text"
name="PERIODE_1" size="10"
id="PERIODE_1"
label="PERIODE_1"></td>
</tr>
</table>
<table border="0"

```

```

align="center">
    <tr><td>sd</td></tr>
</table>

<table border="1"
align="center">
    <tr><td><label
id="REPORT1">PERIODE
</label></td>
    <td><input
type="text"
name="PERIODE_2" size="10"
id="PERIODE_2"
label="PERIODE_2">
    </td>
</tr>
</table>
<br><br>
<table border="1"
align="center">
    <tr>
        <td><label
id="tbl_user_KD_DIVISI">DIV
ISI</label>
        <td><select
name="KD_DIVISI">
            <?php
                include
'.. \db\opendb.php';
                $query =
"SELECT * FROM
`tbl_divisi`";
                $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
            while
($list =
mysql_fetch_array($result))
{
                echo '<option
value=" ' .
$list[ 'KD_DIVISI' ] . ' ">' .
$list[ 'NM_DIVISI' ] .
'</option>';
}
                include
'.. \db\closedb.php';
            ?>
            </select></td>
        </tr>
    </table>
    <br>
    <input type="submit"
value="Submit"
class="submit button" />
</div>
</form>
</body>
</html>

```

```

*****
FormGraph_perkategorii.php
****

<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">@import
"../style.css";</style>
    <title>CRUD</title>
        <title>jQuery UI
Datepicker - Default
functionality</title>
        <script
type="text/javascript"
src="../lib/js/jquery.min.j
s"></script>
        <script
type="text/javascript"
src="../lib/js/ui.core.js">
</script>
        <script
type="text/javascript"
src="../lib/js/ui.datepicke
r.js"></script>

        <link
type="text/css"
href="../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>
        <script
type="text/javascript">
$(function() {
    $('#PERIODE_1').datepicker(
    {
        changeMonth: true,
        changeYear: true
    });
    $('#PERIODE_2').date
picker({
        changeMonth: true,
        changeYear: true
    });
})>
    </script>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h3>PEMAKAIAN PER
KATEGORI</h3>
<HR>
<div id="nav">

```

```

Menu: [ <a href="..../index.php">Menu</a> ] </div>
<form action="Graph_Perkategori.php" method="post" >
<table border="1" align="center">
<tr><td><label id="REPORT1">PERIODE</label></td>
<td><input type="text" name="PERIODE_1" size="10" id="PERIODE_1" label="PERIODE_1"></td>
</tr>
</table>

<table border="0" align="center">
<tr><td>sd</td></tr>
</table>

<table border="1" align="center">
<tr><td><label id="REPORT1">PERIODE</label></td>
<td><input type="text" name="PERIODE_2" size="10" id="PERIODE_2" label="PERIODE_2"></td>
</tr>

```

```

***** FormGraph_peruser.php
***_
<?php include
"../cek_session_modul.php" ;
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
        ...
        ...
        ...
    </style>
    <title>CRUD</title>
    <title>jQuery UI
Datepicker - Default
functionality</title>
    <script
type="text/javascript"
src="../lib/js/jquery.min.j
s"></script>
    <script
type="text/javascript"
src="../lib/js/ui.core.js">
</script>
    <script
type="text/javascript"
src="../lib/js/ui.datepicke
r.js"></script>

        <!-- <link
type="text/css"
href="../lib/css/demo.css"
rel="stylesheet" />
        -->
<link
type="text/css"
href="../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>
<script
type="text/javascript">
$(function() {
    $('#PERIODE_1').datepicker(
    {
        changeMonth: true,
        changeYear: true
    });
    $('#PERIODE_2').datepicker(
    {
        changeMonth: true,
        changeYear: true
    });
}) ;
</script>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h2>Laporan Per USER</h2>
<HR>
<div id="nav">

```

```

label="PERIODE_2">

```

Menu: [ <a href="..../index.php">Menu</a> ] </div>	</td>
--	-------

```

<form action="Graph_PerUser.php" method="post">

<div class="form_item">
<table border="1" align="center">


|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| label="PERIODE_1"></td> | <br><br> <table border="1" align="center"> <tr&gt;&lt;td&gt;&lt;label "="" \$(query="SELECT * FROM `tbl_user` " \$list['nm_user']="" \$result="mysql_query(\$query)" &gt;="" &gt;'="" &gt;user&lt;="" &lt;="" &lt;?php="" &lt;td&gt;&lt;select="" '="" '&lt;="" '&lt;option="" (\$list="mysql_fetch_array(\$result))" .="" ..="" ;="" ?&gt;="" \db\closedb.php';="" \db\opendb.php'="" die("sql="" echo="" error:="" id="tbl_user_KD_USER" include="" label&gt;="" mysql_error());="" name="KD_USER" option&gt;';="" or="" select&gt;&lt;="" td="" td&gt;<="" value="' . \$list['KD_USER'] . '" while="" {="" }=""> </tr&gt;&lt;td&gt;&lt;label> |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


```

<table border="0" align="center">


<table border="1" align="center"> <tr&gt;&lt;td&gt;&lt;label &gt;="" &gt;periode&lt;="" &lt;td&gt;&lt;input="" <="" id="PERIODE_2" label&gt;&lt;="" name="PERIODE_2" size="10" td="" td&gt;="" type="text"> </tr&gt;&lt;td&gt;&lt;label>
--


```


```

```

</tr>
</table>
<br>
<input type="submit"
value="Submit"
class="submit button" />
</div>
</form>

</body>
</html>

*** FormList_peruser.php
****

<?php include
"../cek_session_modul.php" ;
?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
        ...
<.../style.css";</style>
    <title>CRUD</title>
    <title>jQuery UI
Datepicker - Default
            functionality</title>
        <script
type="text/javascript"
src="../lib/js/jquery.min.j
s"></script>
        <script
type="text/javascript"
src="../lib/js/ui.core.js">
</script>
        <script
type="text/javascript"
src="../lib/js/ui.datepicke
r.js"></script>

        <link
type="text/css"
href="../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>
        <script
type="text/javascript">
            $(function() {
                $('#PERIODE_1').datepicker(
{
                changeMonth: true,
                changeYear: true
            });
                $('#PERIODE_2').datepicker(
{
                changeMonth: true,
                changeYear: true
            });
            });
        </script>
    </head>
    <body>
        <h1>CRUD</h1>
        <h2>jQuery UI Datepicker - Default</h2>
        <div>
            <table border="1">
                <thead>
                    <tr>
                        <th>Period</th>
                        <th>Value</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>Periode 1</td>
                        <td>1990-01-01</td>
                    </tr>
                    <tr>
                        <td>Periode 2</td>
                        <td>1990-01-01</td>
                    </tr>
                </tbody>
            </table>
        </div>
    </body>
</html>

```

```

        </script>                               align="center">
                                                <tr><td>sd</td></tr>
</head>                                         </table>

<BODY BGCOLOR="#FFFFFF"                         <table border="1"
LEFTMARGIN=0 TOPMARGIN=0                      align="center">
MARGINWIDTH=0                                <tr><td><label
MARGINHEIGHT=0                               id="REPORT1">PERIODE
background=".../images/bg.gi                  </label></td>
f">                                            <td><input
                                                type="text"
                                                name="PERIODE_2" size="10"
                                                id="PERIODE_2"
                                                label="PERIODE_2">
                                                </td>
                                                </tr>
                                                </table>

                                                <br><br>
                                                <input type="submit"
value="Submit"
class="submit button" />

                                                </form>
                                                </body>
                                                </html>

*** FormList_perbarang.php
****

<?php include
"../cek_session_modul.php";
?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
<meta http-

```

```

equiv="Content-Type" } ) ;
content="text/html;
charset=utf-8"/> $(' #PERIODE_2' ).datepicker( {
<style type="text/css" media="all"> changeMonth: true,
"../style.css";</style> changeYear: true
<title>CRUD</title>
<title>jQuery UI
Datepicker - Default
functionality</title>
<script
type="text/javascript"
src="../lib/js/jquery.min.js"></script>
<script
type="text/javascript"
src="../lib/js/ui.core.js">
</script>
<script
type="text/javascript"
src="../lib/js/ui.datepicker.js"></script>
<link
type="text/css"
href="../lib/css/ui.datepicker.css" rel="stylesheet"
/>
<script
type="text/javascript">
$(function() {
$( '#PERIODE_1' ).datepicker( {
changeMonth: true,
changeYear: true
} );
} );
</script>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gif">
<center><br>
<h3>PEMAKAIAN BARANG</h3>
<HR>
<div id="nav">
Menu: [ <a href="../index.php">Menu</a> ] </div>
<form
action="ReportList_Perbarang.php" method="post">
<table border="1"
align="center">
<tr><td><label
id="REPORT1">PERIODE
</label></td>

```

```

        <td><input
type="text"
name="PERIODE_1" size="10"
id="PERIODE_1"

label="PERIODE_1"></td>
    </tr>
</table>

<table border="0"
align="center">
    <tr><td>sd</td></tr>
</table>

<table border="1"
align="center">
    <tr><td><label
id="REPORT1">PERIODE
</label></td>
    <td><input
type="text"
name="PERIODE_2" size="10"
id="PERIODE_2"

label="PERIODE_2">
    </td>
    </tr>
</table>

<br><br>
<input type="submit"
value="Submit"
class="submit button" />

</form>
</body>
</html>

```

---

```

*** Graph_perbarang.php ***
<?php include
"../cek_session_modul.php";
?><?php include
( "../lib/jpgraph/src/jpgraph
h.php" );include
( "../lib/jpgraph/src/jpgraph
h_bar.php" );include
( "../lib/jpgraph/src/jpgraph
h_line.php" );$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql');mysql_select_db('at
k');$datay=array();$datax=a
rray();$query = "SELECT
D.NM_BARANG NM_BARANG, SUM(
A.JML_REQ ) jml_reqFROM
tbl_request A, tbl_user B,
tbl_master_barang DWHERE
A.KD_USER = B.KD_USERAND
A.ID_BARANG =
D.ID_BARANGAND A.JENIS_REQ
= 'BIASA' AND A.STATUS =
'1' GROUP BY
D.NM_BARANG";$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_BARANG']);}//
Setup the graph. $graph =
new Graph(700,600,"auto");
$graph->img-
>SetMargin(60,20,30,80);$gr

```

```

aph-
>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph$graph->title-
>Set("Pemakaian Barang
". $_POST[KD_DIVISI]. "
PER: ". $_POST[PERIODE_1]. "
S/D
".$_POST[PERIODE_2]);$graph
->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");// 
Setup font for axis$graph-
>xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,10);$graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,10);// Show 0 label on
Y-axis (default is not to
show)$graph->yscale->ticks-
>SupressZeroLabel(false);// 
Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);// 
Create the bar pot$bplot =
new BarPlot($datay);$bplot-
>setWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy", "#E
EEEE", GRAD_LEFT_REFLECTION
);// Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot);// Finally
send the graph to the
browser$graph->Stroke();?>

*** Graph_perdivisi.php ***
<?php include
"../cek_session_modul.php" ;
?><?php include
("../lib/jpgraph/src/jpgrap
h.php") ;include
("../lib/jpgraph/src/jpgrap
h_bar.php") ;include
("../lib/jpgraph/src/jpgrap
h_line.php") ;$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql') ;mysql_select_db('at
k') ;$datay=array() ;$datax=a
rray() ;$query = "SELECT
D.ID_BARANG, D.NM_BARANG
NM_BARANG,
C.KD_DIVISI,C.NM_DIVISI
NM_DIVISI, SUM( A.JML_REQ )
jml_req FROM tbl_request A,
tbl_user B, tbl_divisi C,
tbl_master_barang DWHERE
A.TGL_DELIVER BETWEEN
'$_POST[PERIODE_1]' AND
'$_POST[PERIODE_2]' AND
A.KD_USER = B.KD_USER AND
B.KD_DIVISI =
C.KD_DIVISI AND A.ID_BARANG
= D.ID_BARANG AND
C.KD_DIVISI =
'$_POST[KD_DIVISI]' AND
A.JENIS_REQ = 'BIASA' AND

```

```

A.STATUS = '1' GROUP BY
D.NM_BARANG";$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_BARANG']);
    $NAMA =
$list['NM_DIVISI'];//  

Setup the graph. $graph =
new Graph(700,600,"auto");
    $graph->img-
>SetMargin(60,20,30,80);$gr
aph-
>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph$graph->title-
>Set("Pemakaian Divisi
". $NAMA. " PER:
".$_POST[PERIODE_1]. " S/D
".$_POST[PERIODE_2]);$graph
->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");//  

Setup font for axis$graph-
>xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);$graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);// Show 0 label on Y-
axis (default is not to
show)$graph->yscale->ticks-
>SupressZeroLabel(false);//
Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);//  

Create the bar pot$bplot =
new BarPlot($datay);$bplot-
>SetWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy", "#E
EEEE",GRAD_LEFT_REFLECTION
);/// Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot); // Finally
send the graph to the
browser$graph->Stroke();?>

***** Graph_Perkatehori*****
<?php include
"../cek_session_modul.php";
?>
<?php

include
("../lib/jpgraph/src/jpgrap
h.php");

include
("../lib/jpgraph/src/jpgrap
h_bar.php");

include
("../lib/jpgraph/src/jpgrap
h_line.php");

```

```

$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to mysql');
mysql_select_db('atk');

$datay=array();
$datax=array();

$query = "SELECT
C.NM_KATEGORI NM_KATEGORI,
SUM( A.JML_REQ ) jml_req
FROM tbl_request A,
tbl_master_barang D,
tbl_kategori C
WHERE A.ID_BARANG =
D.ID_BARANG
AND A.JENIS_REQ='BIASA'
AND D.KD_CAT= C.KD_CAT
AND A.STATUS = '1'
GROUP BY C.KD_CAT";

$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());

while ($list =
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_KATEGORI']);
}

// Setup the graph.
$graph = new

```

```

Graph(700,600,"auto");
$graph->img-
>SetMargin(60,20,30,80);
$graph-
>SetScale("textlin");
$graph-
>SetMarginColor("lightblue"
);
$graph->SetShadow();

// Set up the title for the
graph
$graph->title-
>Set("Pemakaian Perkategori
" . $_POST[KD_DIVISI]. "
PER: " . $_POST[PERIODE_1]. "
S/D " . $_POST[PERIODE_2]);

$graph->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12);
$graph->title-
>SetColor("darkred");

// Setup font for axis
$graph->xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,10);
$graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,10);

// Show 0 label on Y-axis
(default is not to show)
$graph->yscale->ticks-
>SupressZeroLabel(false);

// Setup X-axis labels
$graph->xaxis-

```

```

>SetTickLabels($datax);
$graph->xaxis-
>SetLabelAngle(50);

// Create the bar pot
$bplot = new
BarPlot($datay);
$bplot->SetWidth(0.6);

// Setup color for gradient
fill style
$bplot-
>SetFillGradient("navy", "#E
EEEEEE", GRAD_LEFT_REFLECTION
);

// Set color for the frame
of each bar
$bplot->SetColor("white");
$graph->Add($bplot);

// Finally send the graph
to the browser
$graph->Stroke();
?>

***** Graph_peruser.php
*****
<?php include
"../cek_session_modul.php";
?><?php include
("../lib/jpgraph/src/jpgrap
h.php");include
("../lib/jpgraph/src/jpgrap
h_bar.php");include
("../lib/jpgraph/src/jpgrap
h_line.php");$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql');mysql_select_db('at
k');$datay=array();$datax=a
rray();$query = "SELECT
C.ID_BARANG, C.NM_BARANG
NM_BARANG,
B.KD_USER,B.NM_USER
NM_USER, SUM( A.JML_REQ )
jml_req FROM tbl_request A,
tbl_user B,
tbl_master_barang C WHERE
A.TGL_DELIVER BETWEEN
'$$_POST[PERIODE_1]' AND
'$$_POST[PERIODE_2]' AND
A.KD_USER =
'$$_POST[KD_USER]' AND
B.KD_USER =
'$$_POST[KD_USER]' AND
A.ID_BARANG =
C.ID_BARANGAND A.JENIS_REQ
= 'BIASA' AND A.STATUS =
'1' GROUP BY
C.NM_BARANG";$result =
mysql_query($query) or
die("SQL Error: ".
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_BARANG']);
    $NAMA =
$list['NM_USER'];}// Setup
the graph. $graph = new
Graph(1500,500,"auto");
$graph->img-
>SetMargin(60,20,30,80);$gr
aph-

```

```

>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph$graph->title-
>Set("Pemakaian user
".$NAMA. " PER:
".$_POST[PERIODE_1]. " S/D
".$_POST[PERIODE_2]);$graph
->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");// 
Setup font for axis$graph-
>xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);$graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);// Show 0 label on Y-
axis (default is not to
show)$graph->yscale->ticks-
>SupressZeroLabel(false);// 
Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);// 
Create the bar pot$bplot =
new BarPlot($datay);$bplot-
>setWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy","#E
EEEEEE",GRAD_LEFT_REFLECTION
);// Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot);// Finally

```

*send the graph to the  
browser\$graph->Stroke();?>*

\*\*\*

### ReportList\_Perbarang.ph

p

```

<?php include
"../cek_session_modul.php";
?><?php include
("../lib/jpgraph/src/jpgrap
h.php");include
("../lib/jpgraph/src/jpgrap
h_bar.php");include
("../lib/jpgraph/src/jpgrap
h_line.php");$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql');mysql_select_db('at
k');$datay=array();$datax=a
rray();$query = "SELECT
C.ID_BARANG, C.NM_BARANG
NM_BARANG,
B.KD_USER,B.NM_USER
NM_USER, SUM( A.JML_REQ )
jml_req FROM tbl_request A,
tbl_user B,
tbl_master_barang C WHERE
A.TGL_DELIVER BETWEEN
'$_POST[PERIODE_1]' AND
'$_POST[PERIODE_2]' AND
A.KD_USER =
'$_POST[KD_USER]' AND
B.KD_USER =
'$_POST[KD_USER]' AND
A.ID_BARANG =
C.ID_BARANG AND A.JENIS_REQ
= 'BIASA' AND A.STATUS =
'1' GROUP BY

```

```

C.NM_BARANG";$result =
mysql_query($query) or
die("SQL Error: ".
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list[ 'jml_req' ]);
    array_push($datax,
$list[ 'NM_BARANG' ]);
    $NAMA =
$list[ 'NM_USER' ];}// Setup
the graph. $graph = new
Graph(1500,500,"auto");
$graph->img-
>SetMargin(60,20,30,80);$gr
aph-
>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph$graph->title-
>Set("Pemakaian user
".$NAMA. " PER:
".$_POST[PERIODE_1]. " S/D
".$_POST[PERIODE_2]);$graph
->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");//
Setup font for axis$graph-
>xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);$graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7);// Show 0 label on Y-
axis (default is not to
show)$graph->yscale->ticks-
>SuppressZeroLabel(false);//
Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);//
Create the bar plot$bplot =
new BarPlot($datay);$bplot-
>SetWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy", "#E
EEEEEE",GRAD_LEFT_REFLECTION
);// Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot);// Finally
send the graph to the
browser$graph->Stroke();?>

*****ReportList_Perdivis
i.php
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
        ...
    </style>
    .../style.css";</style>

```

```

<title>CRUD</title>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background=".../images/bg.gif">

<center><br>

<h3>PEMAKAIAN PERDIVISI
</h3>

PERIODE :<?echo " ";echo
$_POST[PERIODE_1];echo "
s/d      ";echo
$_POST[PERIODE_2];?>
<BR>
<?php
include
'.. \db\opendb.php';
$query =
"SELECT * FROM `tbl_divisi` WHERE
KD_DIVISI='$_POST[KD_DIVISI]
]'";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
$baris =
mysql_fetch_array($result);
$NM=$baris['NM_DIVISI
'];
include
'.. \db\closedb.php';
?>
DIVISI :<? echo " ";echo
$NM;?>
<HR>
<div id="nav">
Menu: [ <a
href=".../index.php">Menu</a>
]</div>
<?php
$batas = 10;
$halaman = $_GET['page'];
if (empty($halaman)) {
    $posisi = 0;
    $halaman = 1;
} else {
    $posisi = ($halaman -
1) * $batas;
}
$limit = " LIMIT $posisi,
$batas";
?>
<table border="1">
<thead><tr>
<td bgcolor="#FFCC99">NAMA
BARANG</td>
<td
bgcolor="#FFCC99">PEMAKAIAN
</td>
<td
bgcolor="#FFCC99">GRAFIK</t
d>
</tr></thead>
<tbody>

```

```

<?php
$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to mysql');
mysql_select_db('atk');

$query = "SELECT
D.ID_BARANG, D.NM_BARANG
NM_BARANG,
C.KD_DIVISI,C.NM_DIVISI
NM_DIVISI, SUM( A.JML_REQ )
jml_req FROM tbl_request A,
tbl_user B, tbl_divisi C,
tbl_master_barang D
WHERE A.TGL_DELIVER BETWEEN
'$_POST[PERIODE_1]' AND
'$_POST[PERIODE_2]'
AND A.KD_USER = B.KD_USER
AND B.KD_DIVISI =
C.KD_DIVISI
AND A.ID_BARANG =
D.ID_BARANG
AND C.KD_DIVISI =
'$_POST[KD_DIVISI]'
AND A.JENIS_REQ = 'BIAZA'
AND A.STATUS = '1'
GROUP BY D.NM_BARANG";

$result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
    $NAMA =
$list['NM_DIVISI'];
    echo '<tr>';
    echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] .
'</td>';
    echo '<td
bgcolor="#B3CAE3"><center>' .
$list['jml_req'] .
'</td>';
    echo '<td
bgcolor="#B3CAE3">' ;
echo '<table
border="0" width=' .
$list['jml_req'] *10 . '>';
    echo '<tr>';
    echo '<td
bgcolor="#336633">' .
$list['jml_req']. '</td>';
    echo '</tr>';
    echo
'</table>';
    echo '</td>';
    echo '<td>';
    echo '</td>';
    echo '</tr>';
}
?>
</tbody>
</table>
<?php
echo "<p>Pages : ";

$hasil2 =
mysql_query($query);
$jmldata =
mysql_num_rows($hasil2);
$jmlhalaman = ceil($jmldata
/ $batas);

```

```

for ($i = 1; $i <=
$jmlhalaman; $i++)
{
    if ($i != $halaman) {
        echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / ";
    } else {
        echo "
<b>$i</b> / ";
    }
}

?>
</body>
</html>

***_
ReportList_Perkategori.
php ***
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
"../style.css";</style>
    <title>CRUD</title>
</head>

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
<center><br>

<h3>PEMAKAIAN PER KATEGORI
</h3>
PERIODE :<?echo " ";echo
$_POST[PERIODE_1];echo "
s/d      ";echo
$_POST[PERIODE_2]?>

<HR>
<div id="nav">
Menu: [ <a
href="../index.php">Menu</a
> ]</div>
<?php
$batas = 10;
$halaman = $_GET['page'];
if (empty($halaman)) {
    $posisi = 0;
    $halaman = 1;
} else {
    $posisi = ($halaman -
1) * $batas;
}
$limit = " LIMIT $posisi,
$batas";
?>

<table border="1">
<thead><tr>
<td
bgcolor="#FFCC99">KATEGORI<
/td>
<td
bgcolor="#FFCC99">PEMAKAIAN

```

```

</td>
<td
bgcolor="#FFCC99">GRAFIK</td>

```

</td>	<b>echo</b> '<td bgcolor="#B3CAE3">' . <b>\$list</b> [ 'NM_KATEGORI' ] . '</td>' ;
<?php \$conn = mysql_connect( 'localhost' , 'root' , '' ) or die ( 'Error connecting to mysql' ); mysql_select_db( 'atk' );	<b>echo</b> '<td bgcolor="#B3CAE3"><center>' . <b>\$list</b> [ 'jml_req' ] . '</td>' ;
<b>\$query</b> = "SELECT C.NM_KATEGORI NM_KATEGORI , SUM( A.JML_REQ ) jml_req FROM tbl_request A, tbl_master_barang D, tbl_kategori C WHERE A.TGL_DELIVER BETWEEN '\$_POST[PERIODE_1]' AND '\$_POST[PERIODE_2]' AND A.ID_BARANG = D.ID_BARANG AND D.KD_CAT = C.KD_CAT AND A.JENIS_REQ='BIASA' AND A.STATUS = '1' GROUP BY C.KD_CAT" ;	<b>echo</b> '<td bgcolor="#336633">&nbsp' . <b>\$list</b> [ 'jml_req' ]. '</td>' ; <b>echo</b> '</tr>' ; <b>echo</b> '<td bgcolor="#336633">&nbsp' . <b>\$list</b> [ 'jml_req' ]. '</td>' ; <b>echo</b> '</tr>' ; <b>echo</b> '</table>' ; <b>echo</b> '</td>' ; <b>echo</b> '<td>' ; <b>echo</b> '</td>' ; <b>echo</b> '</td>' ; <b>echo</b> '?> </tbody> </table> <?php <b>echo</b> "<p>Pages : " ; <b>\$result</b> = mysql_query(\$query . \$limit) or die( "SQL Error: " . mysql_error() ); <b>while</b> (\$list = mysql_fetch_array(\$result)) { <b>echo</b> '<tr>' ; <b>echo</b> '<td>' . <b>echo</b> \$list[ 'NM_KATEGORI' ] . <b>echo</b> '</td>' ; <b>echo</b> '<td>' . <b>echo</b> \$list[ 'jml_req' ] . <b>echo</b> '</td>' ; <b>echo</b> '<td>' . <b>echo</b> \$list[ 'jml_req' ] *10 . '>' ; <b>echo</b> '</td>' ; <b>echo</b> '</tr>' ; }

```

$jmlhalaman; $i++)
    if ($i != $halaman) {
        echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / " ;
    } else {
        echo "
<b>$i</b> / " ;
    }
}

?>

</body>
</html>

_____
***

ReportList_Peruser.php
_____
**

<?php include
" ../cek_session_modul.php" ;
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
" ../style.css" ;</style>
    <title>CRUD</title>
</head>

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
<center><br>

<h3>PEMAKAIAN PERUSER</h3>
PERIODE :<?echo " " ;echo
$_POST[PERIODE_1] ;echo " "
s/d      " ;echo
$_POST[PERIODE_2] ?>
<BR>
<?php
include
' .. \db\opendb.php' ;
$query = "SELECT * FROM
`tbl_user` WHERE
KD_USER='$_POST[KD_USER]' " ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
$baris =
mysql_fetch_array($result);
$NM=$baris['NM_USER'];
include
' .. \db\closedb.php' ;
?>

USER :<? echo " " ;echo
$NM ;?>
<hr>
<div id="nav">
Menu: [ <a
href=" ../index.php">Menu</a
> ]</div>

```

```

<?php
$batas = 10;
$halaman = $_GET['page'];
if (empty($halaman)) {
    $posisi = 0;
    $halaman = 1;
} else {
    $posisi = ($halaman -
1) * $batas;
}
$limit = " LIMIT $posisi,
$batas";
?>



|                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BARANG</t d> <td bgcolor="#FFCC99">PEMAKAIAN &lt;/td&gt; <td bgcolor="#FFCC99">GRAFIK&lt;/t d&gt; &lt;/tr&gt;  &lt;?php \$conn = mysql_connect('localhost', 'root', '') or die ('Error connecting to mysql'); mysql_select_db('atk');  \$query = "SELECT C.ID_BARANG, C.NM_BARANG NM_BARANG, B.KD_USER,B.NM_USER NM_USER, SUM( A.JML_REQ ) </td></td> | PEMAKAIAN </td> <td bgcolor="#FFCC99">GRAFIK&lt;/t d&gt; &lt;/tr&gt;  &lt;?php \$conn = mysql_connect('localhost', 'root', '') or die ('Error connecting to mysql'); mysql_select_db('atk');  \$query = "SELECT C.ID_BARANG, C.NM_BARANG NM_BARANG, B.KD_USER,B.NM_USER NM_USER, SUM( A.JML_REQ ) </td> | GRAFIK</t d> </tr>  <?php \$conn = mysql_connect('localhost', 'root', '') or die ('Error connecting to mysql'); mysql_select_db('atk');  \$query = "SELECT C.ID_BARANG, C.NM_BARANG NM_BARANG, B.KD_USER,B.NM_USER NM_USER, SUM( A.JML_REQ ) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


```

jml\_req FROM tbl\_request A,
tbl\_user B,
tbl\_master\_barang C
WHERE A.TGL\_DELIVER BETWEEN
'\$\_POST[PERIODE\_1]' AND
'\$\_POST[PERIODE\_2]'
AND A.KD\_USER =
'\$\_POST[KD\_USER]'
AND B.KD\_USER =
'\$\_POST[KD\_USER]'
AND A.ID\_BARANG =
C.ID\_BARANG
AND A.JENIS\_REQ = 'BIASA'
AND A.STATUS = '1'
GROUP BY C.NM\_BARANG";

```

$result =
mysql_query($query .
$limit) or die ("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
    echo '<tr>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] .
'</td>';
        echo '<td
bgcolor="#B3CAE3"><center>' .
$list['jml_req'] .
'</td>';
        echo '<td
bgcolor="#B3CAE3">' ;
    echo '<table
border="0" width=' .

```

```

$list['jml_req'] *10 . '>' ; ?>

echo '<tr>' ;
echo '<td
bgcolor=#336633">&nbsp' .
$list['jml_req']. '</td>' ;

echo '</tr>' ;

echo '</table>' ;
echo
'</td>' ;
echo '</tr>' ;
}

?>
</table>

<?php
echo "<p>Pages : " ;

$hasil2 =
mysql_query($query);
$jmldata =
mysql_num_rows($hasil2);
$jmlhalaman = ceil($jmldata
/ $batas);

for ($i = 1; $i <=
$jmlhalaman; $i++)
{
if ($i != $halaman) {
echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / ";
} else {
echo "
<b>$i</b> / ";
}
}

```

\*\*\*

**Report Penggunaan Perbaruan.php**

```

<?php include
"../cek_session_modul.php";
?><?php include
("../lib/jpgraph/src/jpgraph
h.php") ; include
("../lib/jpgraph/src/jpgraph
h_bar.php") ; include
("../lib/jpgraph/src/jpgraph
h_line.php") ; $conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql') ; mysql_select_db('at
k') ; $datay=array() ; $datax=a
rray() ; $query = "SELECT
D.NM_BARANG NM_BARANG, SUM(
A.JML_REQ ) jml_reqFROM
tbl_request A, tbl_user B,
tbl_master_barang DWHERE
A.KD_USER = B.KD_USERAND
A.ID_BARANG =
D.ID_BARANGAND A.JENIS_REQ
= 'BIASA' AND A.STATUS =
'1' GROUP BY
D.NM_BARANG" ; $result =

```

```

mysql_query($query) or
die("SQL Error: " .
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_BARANG']);}//  

Setup the graph. $graph =
new Graph(700,600,"auto");
$graph->img-
>SetMargin(60,20,30,80);$gr
aph-
>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph$graph->title-
>Set("Pemakaian Semua
Barang");$graph->title-
>SetFont(FF_VARDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");//  

Setup font for axis$graph-
>xaxis-
>SetFont(FF_VARDANA,FS_NORM
AL,10);$graph->yaxis-
>SetFont(FF_VARDANA,FS_NORM
AL,10);// Show 0 label on
Y-axis (default is not to
show)$graph->yscale->ticks-
>SupressZeroLabel(false);//  

Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);//

Create the bar pot$bplot =
new BarPlot($datay);$bplot-
>SetWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy","#E
EEEEEE",GRAD_LEFT_REFLECTION
);// Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot);// Finally
send the graph to the
browser$graph->Stroke();?>

***  

Report Penggunaan Perdivisi.php****  

<?php include
"../cek_session_modul.php";
?><?php include
("./lib/jpgraph/src/jpgrap
h.php");include
("./lib/jpgraph/src/jpgrap
h_bar.php");include
("./lib/jpgraph/src/jpgrap
h_line.php");$conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql');mysql_select_db('at
k');$datay=array();$datax=a
rray();$query = "SELECT
D.ID_BARANG, D.NM_BARANG
NM_BARANG,
C.KD_DIVISI,C.NM_DIVISI
NM_DVISI, SUM( A.JML_REQ )
jml_req FROM tbl_request A,
tbl_user B, tbl_divisi C,
tbl_master_barang DWHERE

```

```

A.KD_USER = B.KD_USERAND
B.KD_DIVISI =
C.KD_DIVISIAND A.ID_BARANG
= D.ID_BARANGAND
C.KD_DIVISI =
'$_POST[KD_DIVISI]' AND
A.JENIS_REQ = 'BIASA' AND
A.STATUS = '1' GROUP BY
D.NM_BARANG"; $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error()); while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list['jml_req']);
    array_push($datax,
$list['NM_BARANG']);
    $NAMA =
$list['NM_DIVISI']; } //-
Setup the graph. $graph =
new Graph(700,600,"auto");
$graph->img-
>SetMargin(60,20,30,80); $gr
aph-
>SetScale("textlin"); $graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow(); //-
Set up the title for the
graph$graph->title-
>Set("Pemakaian Divisi
".$_POST[KD_DIVISI]); $graph
->title-
>SetFont(FF_VERDANA,FS_NORM
AL,12); $graph->title-
>SetColor("darkred"); //-
Setup font for axis$graph-
>xaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7); $graph->yaxis-
>SetFont(FF_VERDANA,FS_NORM
AL,7); // Show 0 label on Y-
axis (default is not to
show) $graph->yscale->ticks-
>SuppressZeroLabel(false); //-
Setup X-axis labels $graph-
>xaxis-
>SetTickLabels($datax); $gra
ph->xaxis-
>SetLabelAngle(50); //-
Create the bar plot $bplot =
new BarPlot($datay); $bplot-
>SetWidth(0.6); // Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy", "#E
EEEE", GRAD_LEFT_REFLECTION
); // Set color for the
frame of each bar $bplot-
>SetColor("white"); $graph-
>Add($bplot); // Finally
send the graph to the
browser $graph->Stroke(); ?>

ReportPenggunaanPeruser.php
<?php include
("../lib/jpgraph/src/jpgra
ph.php"); include
("../lib/jpgraph/src/jpgra
h_bar.php"); include
("../lib/jpgraph/src/jpgra
h_line.php"); $conn =
mysql_connect('localhost',
'root', '') or die ('Error
connecting to
mysql'); mysql_select_db('at
k'); $datay=array(); $datax=a

```

```

rray( );$query = "SELECT
D.NM_BARANG NM_BARANG,
B.NM_USER NM_USER, SUM(
A.JML_REQ ) jml_reqFROM
tbl_request A, tbl_user B,
tbl_master_barang DWHERE
A.KD_USER = B.KD_USERAND
A.ID_BARANG =
D.ID_BARANGAND A.JENIS_REQ
= 'BIASA' AND A.STATUS =
'1' AND A.KD_USER =
'$_POST[KD_USER]' GROUP BY
D.NM_BARANG";$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());while ($list
=
mysql_fetch_array($result))
{
    array_push($datay,
$list[ 'jml_req' ]);
    array_push($datax,
$list[ 'NM_BARANG' ]);
    $NAMA =
$list[ 'NM_USER' ];}// Setup
the graph. $graph = new
Graph(700,600,"auto");
$graph->img-
>SetMargin(60,20,30,80);$gr
aph-
>SetScale("textlin");$graph
-
>SetMarginColor("lightblue"
);$graph->SetShadow();//
Set up the title for the
graph// $graph->title-
>Set("Pemakaian Barang User
$_POST[KD_USER]");$graph-
>title->Set("Pemakaian
Barang $NAMA");$graph-
>title-
>SetFont(FF_VARDANA,FS_NORM
AL,12);$graph->title-
>SetColor("darkred");//
Setup font for axis$graph-
>xaxis-
>SetFont(FF_VARDANA,FS_NORM
AL,10);$graph->yaxis-
>SetFont(FF_VARDANA,FS_NORM
AL,10);// Show 0 label on
Y-axis (default is not to
show)$graph->yscale->ticks-
>SuppressZeroLabel(false);//
Setup X-axis labels$graph-
>xaxis-
>SetTickLabels($datax);$gra
ph->xaxis-
>SetLabelAngle(50);//
Create the bar plot$bplot =
new BarPlot($datay);$bplot-
>SetWidth(0.6);// Setup
color for gradient fill
style $bplot-
>SetFillGradient("navy","#E
EEEEEE",GRAD_LEFT_REFLECTION
); // Set color for the
frame of each bar$bplot-
>SetColor("white");$graph-
>Add($bplot); // Finally
send the graph to the
browser$graph->Stroke();?>

```

```

        <style type="text/css"
media="all"> @import url(
"../style.css");
</style>
<title>CRUD</title>

</head>

<BODY BGCOLOR="#FFFFFF"
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gif">
<center><br>
<h2>PEMELIHARAAN DATA
DIVISI</h2>
<HR>
<div id="nav">

Menu: [ <a
href="list.php">Kembali</a>
]

<form
action="create.php?table=tb
l_divisi" method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_divisi_KD_DIVISI">K
ode Divisi</label></td>
<td><input
type="text"
name="KD_DIVISI" size="5"
id="KD_DIVISI"
label="KD_DIVISI"
value="<?php echo
$_POST['KD_DIVISI']; ?>">
</td>
</tr>
</table>
</div>
</form>

```

**\*\* Tabel Divisi \*\***

**\*\* Create.php \*\*\***

```

<?php include
"../cek_session_modul.php"; ?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
<meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>

```

```

?>" /></td>
      </tr>
<tr>
      <td><label
id="tbl_divisi_NM_DIVISI">N
ama Divisi</label></td>
      <td><input
type="text" id="NM_DIVISI"
name="NM_DIVISI"
label="NM_DIVISI"
value="<?php echo
$_POST[ 'NM_DIVISI' ] ;
?>"></td>
      </tr>
</table>
<br>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Add" class="submit
button" />

</div>
</form>
<?php
    include
' .. \db\opendb.php' ;
    if ($_POST[ 'action' ]
== 'add' ) {
        //echo 'data =
' . $_POST[ 'KD_DIVISI' ] .
' -' . $_POST[ 'NM_DIVISI' ];
$kd_div=$_POST[ 'KD_DIVISI' ]
;
$nm_div=$_POST[ 'NM_DIVISI' ];
if (empty($kd_div) ||
empty($nm_div) )
{
echo
"<script>alert( 'Data belum
 lengkap' );</script>" ;
} else {
$query =
"INSERT INTO
`atk`.`tbl_divisi`(
`KD_DIVISI` , `NM_DIVISI` )
VALUES
('$_POST[KD_DIVISI]' ,
'$_POST[NM_DIVISI]' ) ;
$result =
mysql_query($query) or
die( "SQL Error: " .
mysql_error());
if ($result ==
'1' ) {
echo
"<script>location.href='lis
t.php'</script>" ;
}
}
?>
</body>
</html>

```

[Edit.php](#)

```

<?php include
" ../cek_session_modul.php" ;

```

```

?>                                     "UPDATE `atk`.`tbl_divisi` 
<html                                         SET `KD_DIVISI` =
xmlns="http://www.w3.org/1999/xhtml"  xml:lang="en"      '$_POST[KD_DIVISI]' ,
lang="en">
<head>                                         `NM_DIVISI` =
<meta http-                                     '$_POST[NM_DIVISI]' 
equiv="Content-Type" WHERE
content="text/html;                               `tbl_divisi`.`KD_DIVISI` =
charset=utf-8"/>                               '$_POST[id]' ";
<style type="text/css"                         $result =
media="all">                                mysql_query($query) or
"style.css";</style>                           die("SQL Error: " .
<title>CRUD</title>                           mysql_error());
</head>                                         if ($result ==
<BODY BGCOLOR="#FFFFFF"                         '1' ) {
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gif"
f">
<center><br>
<h2>PEMELIHARAAN DATA
DIVISI</h2>
<HR>
<div id="nav">
Menu: [ <a
href="list.php">Kembali</a>
]

<?php
    include
'..\\db\\opendb.php';
    if ($_POST['action'] ==
== 'update') {
        $query =

```

```

mysql_error();
    $row =
mysql_fetch_array($result);
    include
'..\db\closedb.php';
?>

<form action="edit.php"
method="post">
<div>
<table border="0">
<thead><tr>
<div class="form_item">
<table border="1"
align="center">
    <tr>
        <td><label
id="tbl_divisi_KD_DIVISI">K
ode Divisi</label></td>
        <td><input
type="text"
name="KD_DIVISI"
value="<?php echo
$_GET['KD_DIVISI']?>">
        <input type="hidden"
id="tbl_divisi_KD_DIVISI"
size="5"
readonly="readonly"
label="KD_DIVISI"
class="text" /></td>
    <tr>
        <td><label
id="tbl_divisi_NM_DIVISI">N
ama Divisi</label></td>
        <td><input
type="text"
name="NM_DIVISI"
value="<?php echo
$row['NM_DIVISI']?>">
        <td><input
type="hidden" name="id"
value="<?php echo
$id?>">
        <td><input
type="text" /></td>
    </tr>
<tr>
    <td><input
type="hidden"
name="action"
value="update"
id="action"/>
    <td><input
type="submit"
value="Update"
class="submit button" />
</td>
</tr></thead>
</table>
<br>
<tr>
    <td><input type="hidden"
name="action"
value="destroy"
id="action"/>
    <td><input
type="button"
value="Delete"
class="button" />
</td>
</tr>
</table>
</div>
</form>
</body>
</html>

```

**\*\*\*\*\* Destroy.php \*\*\*\*\***

```

<?php include
"../cek_session_modul.php";
?>
<?php

```

```

    include
'..\db\opendb.php';

        $query = "DELETE FROM
`atk`.`tbl_divisi` WHERE
`tbl_divisi`.`KD_DIVISI` =
'$_GET[KD_DIVISI]' ";
        $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
        if ($result == '1') {
            echo
"<script>location.href='lis
t.php'</script>";
        }
        include
'..\db\closedb.php';
?>

*** List.php ***
<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">      <link href=
"../style.css";</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h2>PEMELIHA
RAAN DATA
DIVISI</h2><HR><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Input
Data Divisi
]</a></div><?php$batas =
10;$halaman =
$_GET['page'];if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1;} else {
    $posisi = ($halaman -
1) * $batas;}$limit =
"LIMIT $posisi,
$batas";?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">KODE
DIVISI</td><td
bgcolor="#FFCC99">NAMA
DIVISI</td><td
bgcolor="#FFCC99">Action</t
d></tr></thead><tbody><?php
        include
'..\db\opendb.php';
        $query = "SELECT *
FROM `tbl_divisi` ";
        $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
        while ($list =
mysql_fetch_array($result))
{
            echo '<tr>';
            echo '<td

```

```

bgcolor="#B3CAE3">> .
$list[ 'KD_DIVISI' ] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">> .
$list[ 'NM_DIVISI' ] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">> ;
echo '<a
href="edit.php?KD_DIVISI='
. $list[ 'KD_DIVISI' ] .
'">edit</a> ';
echo '<a
href="destroy.php?KD_DIVISI=
. $list[ 'KD_DIVISI' ] .
'" onclick="return
confirm('Are your
sure?')">delete</a>';
echo '</td>';
echo '</tr>';
} ?></tbody></table><?
phpecho "<p>Pages :
";$hasil2 =
mysql_query($query);$jmldata
a =
mysql_num_rows($hasil2);$jml
halaman = ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++) if
($i != $halaman) {
echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / " ; } else {
echo "
<b>$i</b> / ";
} ?></body></html>
** TABEL JENIS BARANG **
** Create.php***
<?php include
" ../cek_session_modul.php";
?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
<meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
<style type="text/css"
media="all"> @import
"../style.css";</style>
<title>CRUD</title>

</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h1>PEMELIHARAAN DATA JENIS
BARANG</h1>
<hr>
<div id="nav">
Menu: [ <a
href="..../index.php">Menu</a
> | <a
href="list.php?table=tbl_je
nis_barang">"Records for
List";</a> ]</div>

```

```

<?php
    include
'.. \db\opendb.php' ;
    if ( $_POST[ 'action' ]
== 'add' ) {
        $query =
" INSERT INTO
`atk`.`tbl_jenis_barang`
(`KD_JENIS` , `KD_CAT` ,
`NM_JENIS` )
VALUES
( '$_POST[KD_JENIS]' ,
'$_POST[KD_CAT]' ,
'$_POST[NM_JENIS]' );
        $result =
mysql_query($query) or
die( "SQL Error: " .
mysql_error());
        if ($result ==
'1' ) {
            echo
"<script>location.href='lis
t.php'</script>" ;
        }
        include
'.. \db\closedb.php' ;
?>

<form
action="create.php?table=tb
l_jenis_barang"
method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>

```

<td><label  
id="tbl\_jenis\_barang\_KD\_CAT  
>Kategori</label></td>  
<td><select  
name="KD\_CAT">

```

        <?php
            include
'.. \db\opendb.php' ;

            $query = "SELECT *
FROM `tbl_kategori` ";

            $result =
mysql_query($query) or
die( "SQL Error: " .
mysql_error());
            while ($list =
mysql_fetch_array($result))
{
            echo '<option
value="' . $list[ 'KD_CAT' ]
. '">' .
$list[ 'NM_KATEGORI' ] .
'</option>' ;
}

            include
'.. \db\closedb.php' ;
?>
        </td></tr>
        <tr>
            <td><label
id="tbl_jenis_barang_KD_JEN
```

```

IS">Kode Jenis</label></td>
        <td><input
type="text" name="KD_JENIS"
value="" size="5"
id="tbl_jenis_barang_KD_JEN
IS" label="KD_JENIS"
class="text" /></td>
        </tr>
        <tr>
            <td><label
id="tbl_jenis_barang_NM_JEN
IS">Nama Jenis</label></td>
            <td><input
type="text"
id="tbl_jenis_barang_NM_JEN
IS" label="NM_JENIS"
type="text"
class="text"></td>
            </tr>
        </table>
        <br>
        <input type="hidden"
name="action" value="add"
id="action"/>
        <input type="submit"
value="Add" class="submit
button" />

    </div>
</form>
</body>
</html>

*** Edit.prg ***
<?php include
" ../cek_session_modul.php";
?>

```

```

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
    <head>
        <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
        <style type="text/css"
media="all"> @import
"../style.css";</style>
        <title>CRUD</title>
    </head>

    <BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
        <center><br>
        <h1>PEMELIHARAAN DATA JENIS
BARANG</h1>
        <hr>
        <div id="nav">
            Menu: [ <a
                href="..../index.php">Menu</a
                > | <a
                href="list.php">Records for
                "List";</a>
            ]</div>

```

```

<?php
        include
' ..\db\opendb.php';

```

```

    if ($_POST['action'] == 'update') {
        $query = "UPDATE `atk`.`tbl_jenis_barang` SET `KD_JENIS` =
'$_POST[KD_JENIS]', `KD_CAT` =
'$_POST[KD_CAT]' , `NM_JENIS` =
'$_POST[NM_JENIS]'

WHERE `tbl_jenis_barang`.`KD_JENI
S` = '$_POST[id]' ;"

        $result =
mysql_query($query) or die("SQL Error: " .
mysql_error());
        if ($result ==
'1') {
            echo "<script>location.href='lis
t.php'</script>";
        }
    }
?>

<?php
include
'.. \db\opendb.php';
$query = "SELECT *
FROM `tbl_kategori`";
$result =
mysql_query($query) or die("SQL Error: " .
mysql_error());
while ($list =

```

```

mysql_fetch_array($result))
{
    if($list['KD_CAT'] ==
$row['KD_CAT']){
        echo '<option
value="" . $list['KD_CAT']
. '" selected>' .
$list['NM_KATEGORI'] .
'</option>';

    } else {
        echo '<option
value="" . $list['KD_CAT']
. '">' .
$list['NM_KATEGORI'] .
'</option>';
    }
}

include
'..\db\closedb.php';
?>
</select></td>
</tr>
<tr>
    <td><label
id="tbl_jenis_barang_KD_JEN
IS">Kode Jenis</label></td>
    <td><input
type="text" name="KD_JENIS"
value="<?php echo
$row['KD_JENIS']; ?>"
```

IS" label="KD\_JENIS"  
class="text" /></td>  
</tr>  
<tr>  
 <td><label  
id="tbl\_jenis\_barang\_NM\_JEN
IS">Nama Jenis</label></td>  
 <td><input  
type="text" name="NM\_JENIS"
value="<?php echo  
\$row['NM\_JENIS'] ?>"  
id="tbl\_jenis\_barang\_NM\_JEN
IS" label="NM\_JENIS"  
class="text"></td>  
</tr>  
</table>  
<br>  
<input type="hidden"
name="id" value="<?php echo  
\$row['KD\_JENIS']; ?>"  
id="id"/>  
  
<input type="hidden"
name="action"
value="update"
id="action"/>  
<input type="submit"
value="Update"
class="submit button" />  
</div>  
</form>  
</body>  
</html>  

---

**\*\*\* Destroy.php \*\*\***

```

<?php include
"../cek_session_modul.php";
?>
<?php
    include
'..\db\opendb.php';
$query = "DELETE FROM
`atk`.`tbl_jenis_barang`
WHERE
`tbl_jenis_barang`.`KD_JENIS`
S` = '".$_GET['KD_JENIS']."' ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result == '1') {
    echo
"<script>location.href='lis
t.php'</script>" ;
}
include
'..\db\closedb.php';
?>

*** List.php ***
<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">      import
"../style.css";</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h1>PEMELIH
RAAN DATA JENIS
BARANG</h1><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Create
new "Jenis
Barang" record</a>
]</div><?php$batas =
10;$halaman =
$_GET['page'];if
(empty($halaman)) {
$posisi = 0;
$halaman = 1;} else {
$posisi = ($halaman -
1) * $batas;}$limit = "
LIMIT $posisi,
$batas";?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">Kategori<
/td><td
bgcolor="#FFCC99">Kode</td>
<td
bgcolor="#FFCC99">Jenis</td
><td
bgcolor="#FFCC99">Action</t
d></tr></thead><tbody><?php
    include
'..\db\opendb.php';
    $query = "SELECT A.*,
B.NM_KATEGORI FROM
`tbl_jenis_barang` A,
`tbl_kategori` B

```

```

        WHERE A.KD_CAT =
B.KD_CAT" ; $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
    echo '<tr>';
    echo '<td
bgcolor="#B3CAE3"><center>' .
$list['NM_KATEGORI'] .
'</td>' ;           echo '<td
bgcolor="#B3CAE3"><center>' .
$list['KD_JENIS'] .
'</td>' ;           echo '<td
bgcolor="#B3CAE3">' .
$list['NM_JENIS'] .
'</td>' ;           echo '<td
bgcolor="#B3CAE3">' ;
    echo '<a
href="edit.php?KD_JENIS=' .
$list['KD_JENIS'] .
'">edit</a>' ;
    echo '<a
href="destroy.php?KD_JENIS=
' . $list['KD_JENIS'] . '"'
onclick="return
confirm('Are your
sure?')">delete</a>' ;
    echo '</td>';
    echo '</tr>' ;
}
?></tbody></table>
<?phpecho "<p>Pages :
";$hasil2 =
mysql_query($query);$jmldata
a =
mysql_num_rows($hasil2);$jml
halaman = ceil($jmldata /
$batas);for ($i = 1; $i <=

```

```

$jmlhalaman; $i++)      if
($i != $halaman) {
    echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / " ; } else {
    echo "
<b>$i</b> / " ;
}
?></body></html>

*** TABEL KATEGORI ***
**** Create.php ****
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
    ...
    ".../style.css";</style>
    <title>CRUD</title>
</head>

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
```

```

<center><br>
<h3>PEMELIHARAAN DATA
KATEGORI BARANG</h3>
<hr>
<div id="nav">

Menu: [ <a
href="list.php">Kembali
]</a> </div>

<form
action="create.php?table=tb
1_kategori" method="post">
<div class="form_item">
<table border="1">
<tr>
<td><label
id="tbl_kategori_KD_CAT">Ko
de Kategori</label></td>
<td><input
type="text" name="KD_CAT"
size="2" id="KD_CAT"
label="KD_CAT"
value=<?php
echo
$_POST[ 'KD_CAT' ] ; ?>"></td>
</tr>
<tr>
<td><label
id="tbl_kategori_NM_KATEGOR
I">Nama
Kategori</label></td>
<td><input
type="text"
name="NM_KATEGORI"
id="NM_KATEGORI"
label="NM_KATEGORI"
value=<?php echo
$_POST[ 'NM_KATEGORI' ] ;
?>" /></td>
?>" /></td>
</tr>
</table>
</div>
<br>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Add" class="submit
button" />
</div>
</form>

<?php
include
'.. \db\opendb.php' ;
if ( $_POST[ 'action' ]
== 'add' ) {
$kd_catx=$_POST[ 'KD_CAT' ] ;
$nm_catx=$_POST[ 'NM_K
ATEGORI' ] ;

if( empty($kd_catx) || |
empty($nm_catx) ) {
echo
"<script>alert('Data belum
 lengkap');</script>" ;
} else {
$query = "INSERT
INTO `atk`.'tbl_kategori'
(`KD_CAT` ,`NM_KATEGORI`)
VALUES
( '$_POST[KD_CAT]' ,
'$_POST[NM_KATEGORI]' ) ;
}
}

```

```

        ' .. \db\closedb.php' ;
    ?>

    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result
== '1') {
    echo
"<script>location.href='lis
t.php'</script>" ;
}
}

?>
</body>
</html>

*** Destroy.php ***
<?php include
"../cek_session_modul.php";
?>
<?php
include
'.. \db\opendb.php';
$query = "DELETE FROM
`atk`.`tbl_kategori` WHERE
`KD_CAT` =
'$_GET[KD_CAT]' ";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result == '1') {
    echo
"<script>location.href='lis
t.php'</script>" ;
}
include

```

---

```

***** Edit.php *****
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
        ...
    </style>
    <title>CRUD</title>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h3>PEMELIHARAAN DATA
KATEGORI BARANG</h3>
<hr>
<div id="nav">
    Menu: [ <a
        href="list.php">Kembali</a>
    ]</div>

```

```

<?php
    include
'.. \db\opendb.php';

    if ($_POST['action']
== 'update') {
        $query =
"UPDATE
`atk`.`tbl_kategori`"

        SET `KD_CAT` =
'$_POST[KD_CAT]' ,
`NM_KATEGORI` =
'$_POST[NM_KATEGORI]'

        WHERE
`tbl_kategori`.`KD_CAT` =
'$_POST[id]' ";

        $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
        if ($result ==
'1') {
            echo
"<script>location.href='lis
t.php'</script>";
        }
    }
    include
'.. \db\closedb.php';
?>

<?php
    include
'.. \db\opendb.php';

    $query = "SELECT *
FROM `tbl_kategori` WHERE
KD_CAT = '$_GET[KD_CAT]'"
LIMIT 0 , 30 ";
        $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
        $row =
mysql_fetch_array($result);
        include
'.. \db\closedb.php';
?>

<form action="edit.php"
method="post">
<div class="form_item">
<table border="1">
<tr>
<td><label
id="KD_CAT">Kode
Kategori</label></td>
<td><input
type="text" name="KD_CAT"
size="2" value="<?php echo
$row[ 'KD_CAT' ] ; ?>">
id="KD_CAT" label="KD_CAT"
class="text"
readonly="readonly" /></td>
</tr>
<td><label
id="NM_KATEGORI">>Nama
Kategori</label></td>
<td><input type="text"
name="NM_KATEGORI"
value="<?php echo
$row[ 'NM_KATEGORI' ] ?>">
id="NM_KATEGORI"

```

```

label="NM_KATEGORI"
class="text" /></td>
</tr>
</table>

<input type="hidden"
name="id" value="<?php echo
$_GET[ 'KD_CAT' ] ; ?>"
id="id"
readonly="readonly"/>
<br>
<input type="hidden"
name="action"
value="update"
id="action"/>
<input type="submit"
value="Update"
class="submit button" />
</div>
</form>

</body>
</html>

*** List.php ***
<?php include
" ../cek_session_modul.php" ;
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">        <!--
" ../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h2>PEMELIHA
RAAN DATA KATEGORI
BARANG</h2><hr><div
id="nav">Menu: [ <a
href="..../index.php">Menu</a
> | <a
href="create.php">Input
Data "Record";</a>
]</div><?php $batas =
10; $halaman =
$_GET[ 'page' ]; if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1; } else {
    $posisi = ($halaman -
1) * $batas; } $limit =
"LIMIT $posisi,
$batas" ; ?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">Kode</td>
<td
bgcolor="#FFCC99">Nama</td>
<td
bgcolor="#FFCC99">Action</t
d></tr></thead><tbody><?php
        include
' .. \db\connDb.php' ;
        $query = "SELECT *
FROM `tbl_kategori` " ;
        $result =
mysql_query($query .
$query) or die("SQL Error:
" . mysql_error());
        while ($list =
mysql_fetch_array($result))

```

```

{
    echo '<tr>';
    echo '<td
bgcolor="#B3CAE3"><center>' .
    $list[ 'KD_CAT' ] .
'</td>';           echo '<td
bgcolor="#B3CAE3">' .
$list[ 'NM_KATEGORI' ] .
'</td>';           echo '<td
bgcolor="#B3CAE3">' ;
    echo '<a
href="edit.php?KD_CAT=' .
$list[ 'KD_CAT' ] .
'">edit</a> ' ;
    echo '<a
href="destroy.php?KD_CAT=' .
$list[ 'KD_CAT' ] . '"'
onclick="return
confirm('Are your
sure?')">delete</a>';
    echo '</td>';
    echo '</tr>';
} ?></tbody></table><?
phpecho "<p>Pages :
";$hasil2 =
mysql_query($query);$jmldat
a =
mysql_num_rows($hasil2);$jm
lhalaman = ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++)      if
($i != $halaman) {
    echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</A> / " ; } else {
    echo "
<b>$i</b> / " ;
} ?></body></html>

```

**\*\*\*\* TABEL MASTER**

**BARANG \*\*\***

**\*\*\* Create.php \*\*\***

```

<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
"../style.css";</style>
    <title>CRUD</title>

```

</head>

```

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
<center><br>
<h3>PEMELIHARAAN DATA
MASTER BARANG</h3>
<hr>
<div id="nav">

```

Menu: [ <a href="list.php">Kembali</a> ]</div>

```

<?php

```

```

        include
'..\db\opendb.php';
if ($_POST['action']
== 'add') {
$nm_brg=$_POST['NM_BARANG']
;
if(empty($nm_brg))
{echo
"<script>alert('Data belum
lengkap');</script>";}
else {
$query =
"INSERT INTO
`atk`.`tbl_master_barang`
(`KD_CAT`, `NM_BARANG`)
VALUES
('$_POST[KD_CAT]',
'$_POST[NM_BARANG]' );
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
}
echo
"<script>location.href='lis
t.php'</script>" ;
}
}
include
$ido=mysql_insert_id()
;
if ($result ==
'1') {
$querySek
= "SELECT * FROM `tbl_user`"
WHERE KD_GROUP = 'SEK' ";
$resultSek =
mysql_query($querySek) or
die("SQL Error: " .
mysql_error());
while
($list =
mysql_fetch_array($resultSe
k)) {
mysql_query( "INSERT
INTO tbl_stok_sek (KD_USER,
ID_BARANG, JML_STOK)
VALUES
('$list[KD_USER]', $id,
0)" ) or die("SQL Error: " .
mysql_error());
}
}
echo
"<script>location.href='lis
t.php'</script>" ;
}
}
include
'..\db\closedb.php';
?>

if ($result ==
'1') {
$querySek
= "SELECT * FROM `tbl_user`"
WHERE KD_GROUP = 'SEK' ";
<form
action="create.php?table=tb
l_master_barang"
method="post">
<div class="form_item">
<table border="1"

```

```

align="center">
<tr>
    <td><label id="tbl_master_barang_KD_CAT">Kode Kategori</label></td>
    <td><select name="KD_CAT">
        <?php
            include ' .. \db\opendb.php' ;
            $query = "SELECT * FROM `tbl_kategori` GROUP BY `NM_KATEGORI` ";
            $result =
            mysql_query($query) or die("SQL Error: " . mysql_error());
        while ($list =
            mysql_fetch_array($result))
        {
            echo '<option value="" . $list['KD_CAT'] . '">' .
            $list['NM_KATEGORI'] .
            '</option>';
        }
        include ' .. \db\closedb.php' ;
        ?>
    </select></td>
    </tr>
    <tr>
        <td><label id="tbl_master_barang_NM_BARANG">>Nama Barang</label></td>
        <td><input type="text" id="tbl_master_barang_NM_BARANG" name="NM_BARANG" label="NM_BARANG"></td>
    </tr>
</table>
<br>
<input type="hidden" name="action" value="add" id="action"/>
<input type="submit" value="Add" class="submit button" />
</div>
</form>

</body>
</html>

***** Destroy.php *****
<?php
    include " .. \cek_session_modul.php" ;
?>
<?php
    include ' .. \db\opendb.php' ;
    $query = "DELETE FROM `atk`.`tbl_master_barang` WHERE `ID_BARANG` = '$_GET[ID_BARANG]' ";
    $result =
    mysql_query($query) or

```

```

die("SQL Error: " .
mysql_error());
if ($result == '1') {
    echo
"<script>location.href='lis
t.php'</script>" ;
}
include
'..\\db\\closedb.php';
?>

*** Edit.php ***
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
"../style.css";</style>
    <title>CRUD</title>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..\\images\\bg.gi
f">
<center><br>
<h3>PEMELIHARAAN DATA
MASTER BARANG</h3>
<hr>
<div id="nav">
Menu: [ <a
href="list.php">Kembali</a>
| <a
href="list.php">Records for
"List Master
Barang" </a> ]</div>

<?php
include
'..\\db\\opendb.php';
if ($_POST['action'] ==
'add') {
    $query =
"UPDATE
`atk`.`tbl_master_barang`"
        SET `KD_CAT` =
'$_POST[KD_CAT]' ,
`NM_BARANG` =
'$_POST[NM_BARANG]' ;

WHERE
`tbl_master_barang`.`ID_BAR
ANG` = '$_POST[id]' ";

$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result ==
'1') {
    echo
"<script>location.href='lis
t.php'</script>" ;
}
}

```

```

        }
    }

?>                                $query = "SELECT *
FROM `tbl_kategori`;

<?php
    include
'..\\db\\opendb.php';
    $query = "SELECT *
FROM `tbl_master_barang`
WHERE ID_BARANG =
'$_GET[ID_BARANG]' LIMIT 0
, 30 ";
    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
    $row =
mysql_fetch_array($result);
    include
'..\\db\\closedb.php';
?>

<form action="edit.php"
method="post">


70


```

```

        </tr>
        <tr>
            <td><label
id="tbl_master_barang_NM_BA
RANG">Nama
Barang</label></td>
            <td><input
type="text"
name="NM_BARANG"
value="<?php echo
$row[ 'NM_BARANG' ] ?>">
            <td><label
id="tbl_master_barang_NM_BA
RANG" label="NM_BARANG"
class="text"></td>
        </tr>
        <tr>
</table>
<input type="hidden"
name="id" value="<?php echo
$_GET[ 'ID_BARANG' ] ; ?>">
        id="id"
readonly="readonly"/>
<br>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Update"
class="submit button" />
        </div>
</form>
</body>
</html>

*** List.php ***

```

```

<?php include
"../cek_session_modul.php" ;
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>    <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>    <style
type="text/css"
media="all">        <!-- CSS -->
"../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h2>PEMELIHA
RAAN DATA MASTER
BARANG</h2><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Input
Data &quot;MASTER
BARANG&quot </a>
]</div><?php $batas =
10; $halaman =
$_GET[ 'page' ] ; if
( empty($halaman) ) {
    $posisi = 0;
    $halaman = 1; } else {
    $posisi = ($halaman -
1) * $batas; } $limit = "
LIMIT $posisi,
$batas" ; ?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">KATEGORI<

```

```

/td><!-- <td
bgcolor="#FFCC99">JENIS</td
--><td
bgcolor="#FFCC99">NAMA
BARANG</td><td
bgcolor="#FFCC99">STOK
BARANG</td><td
bgcolor="#FFCC99">Action</td
></tr></thead><tbody><?php
    include
'..\\db\\opendb.php' ;//
        $query = "SELECT A.* ,
B.NM_JENIS,C.NM_KATEGORI
FROM `tbl_master_barang` 
A,`tbl_jenis_barang` B,
`tbl_kategori` C //
        WHERE
A.KD_JENIS = B.KD_JENIS AND
B.KD_CAT=C.KD_CAT" ;
        $query = "SELECT A.* ,
C.NM_KATEGORI FROM
`tbl_master_barang` A,
`tbl_kategori` C
WHERE A.KD_CAT=C.KD_CAT" ;
        $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
        while ($list =
mysql_fetch_array($result))
{
        echo '<tr>';
        echo
'<td bgcolor="#B3CAE3">' .
$list['NM_KATEGORI'] .
'</td>' ; // echo
'<td
bgcolor="#B3CAE3"><center>' .
$list['NM_JENIS'] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] .
'</td>' ; echo '<td
bgcolor="#B3CAE3"><center>' .
$list['STOK'] .
'</td>' ;
        echo '<td
bgcolor="#B3CAE3">' ;
        echo '<a
href="edit.php?ID_BARANG=' .
$list['ID_BARANG'] .
'">edit</a>' ;
        echo '<a
href="destroy.php?ID_BARANG=
' . $list['ID_BARANG'] .
'" onclick="return
confirm('Are your
sure?')">delete</a>' ;
        echo '</td>';
        echo '</tr>';
    }?></tbody></table><?
phpecho "<p>Pages :
";$hasil2 =
mysql_query($query);$jmldata
a =
mysql_num_rows($hasil2);$jmlhalaman =
ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++)      if
($i != $halaman) {
        echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</a> | " ; } else {
        echo "
<b>$i</b> | ";
    }?></body></html>

```

**\*\*\* TABEL PENERIMAAN**

**\*\*\*\*\***

```

        type="text/javascript">
*** Create.php ***
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
"../style.css";</style>
    <title>CRUD</title>
    <title>jQuery UI
Datepicker - Default
functionality</title>
    <script
type="text/javascript"
src="../lib/js/jquery.min.j
s"></script>
    <script
type="text/javascript"
src="../lib/js/ui.core.js">
</script>
    <script
type="text/javascript"
src="../lib/js/ui.datepicke
r.js"></script>
    <link
type="text/css"
href="../lib/css/ui.datepic
ker.css" rel="stylesheet"
/>
    <script
$(function() {
    $('#TGL_DO').datepicker({
        changeMonth: true,
        changeYear: true
    });
    </script>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f">
<center><br>
<h2>PENERIMAAN BARANG</h2>
<hr>
<div id="nav">
Menu: [ <a
href="list.php">Kembali</a>
]
<?php
    include
'..\db\opendb.php';
    if ($_POST['action']
== 'add') {
        $no_dox=$_POST['NO_DO
'];
        $tgl_dox=$_POST['TGL_'
;
```

```

DO' ] ;

                WHERE
`ID_BARANG` =
'$_POST[ID_BARANG]' " ;

        if(empty($no_dox) ||
empty($tgl_dox) ||
empty($jml_brgx) ||
$jml_brgx<=0)
{
echo
"<script>alert('Data belum
lengkap');</script>" ;
}
else {
    $query =
"INSERT INTO
`atk`.`tbl_penerimaan`(
`NO_DO` , `TGL_INPUT` ,
`TGL_DO` , `KD_VENDOR` ,
`ID_BARANG` , `JML_BARANG` )
VALUES
('$_POST[NO_DO]' , now() ,
'$_POST[TGL_DO]' ,
'$_POST[KD_VENDOR]' ,
'$_POST[ID_BARANG]' ,
'$_POST[JML_BARANG]' ) ;

    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
    if ($result ==
'1') {
        $query2 =
"UPDATE
`atk`.`tbl_master_barang` SET `STOK` = `STOK` +
'$_POST[JML_BARANG]' WHERE
`ID_BARANG` =
'$_POST[ID_BARANG]' " ;

        $result2
= mysql_query($query2) or
die("SQL Error: " .
mysql_error());
    if
($result2 == '1') {
        echo
"<script>location.href='lis
t.php'</script>" ;
    }
}
}
}
include
'..\db\closedb.php' ;
?>

<form
action="create.php?table=tb
l_penerimaan"
method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_penerimaan_NO_DO">N
omor DO</label></td>
<td><input
type="text" name="NO_DO"
size="10px"

```

```

        value=" ' .
      id="tbl_penerimaan_NO
      _DO" label="NO_DO">></td>
    </tr>

    <tr>
      <td><label
      id="tbl_penerimaan_NO_DO">T
      anggal DO</label></td>
      <td><input
      type="text" name="TGL_DO"
      size="10" id="TGL_DO"
      readonly="readonly"/></td>
    </tr>
    <tr>
      <td><label
      id="tbl_penerimaan_KD_VENDO
      R">Vendor</label></td>
      <td><select
      name="KD_VENDOR">
        <?php
          include
          ' .. \db\opendb.php' ;
        $query =
        "SELECT * FROM
        `tbl_master_barang` GROUP
        BY `NM_BARANG` " ;
        $result =
        mysql_query($query) or
        die("SQL Error: " .
        mysql_error());
      <option value=" ' .
      $list[ 'ID_BARANG' ] . ' ">' .
      $list[ 'NM_BARANG' ] .
      '</option>' ;
    }
    echo '<option
      include
      ' .. \db\closedb.php' ;
      ?>
      </select></td>
    </tr>
    <tr>
      <td><label
      id="tbl_penerimaan_ID_BARAN
      G">BARANG</label></td>
      <td><select
      name="ID_BARANG">
        <?php
          include
          ' .. \db\opendb.php' ;
        $query =
        "SELECT * FROM
        `tbl_vendor` " ;
        $result =
        mysql_query($query) or
        die("SQL Error: " .
        mysql_error());
      <option value=" ' .
      $list[ 'ID_BARANG' ] . ' ">' .
      $list[ 'NM_BARANG' ] .
      '</option>' ;
    }
    echo '<option
      include
      ' .. \db\closedb.php' ;
      ?>
      </select></td>
    </tr>
  
```

```

'..\db\closedb.php';

    ?>
    </select></td>
    </tr>
<tr>
    <td><label
id="tbl_penerimaan_JML_BARANG">Jumlah
Barang</label></td>
    <td><input
type="text"
name="JML_BARANG"
size="5px" value=""
id="tbl_penerimaan_JML_BARANG"
NG" label="JML_BARANG"
class="text"/><td>
    </tr>

</table>
</div>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Add" class="submit
button" />

</form>
</body>
</html>

*** Destroy.php ***
<?php include
"../cek_session_modul.php";
?>
<?php
    include
'..\db\opendb.php';
    $query = "DELETE FROM
`atk`.`tbl_penerimaan`
WHERE `ID` = '$_GET[ID]'";
    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
    if ($result == '1') {
        $query2 =
"UPDATE
`atk`.`tbl_master_barang`
SET `STOK` = `STOK` -
'$_GET[JML_BARANG]'

WHERE `ID_BARANG` =
'$_GET[ID_BARANG]'";

        $result2 =
mysql_query($query2) or
die("SQL Error: " .
mysql_error());
    if ($result2 ==
'1') {
        echo
"<script>location.href='lis
t.php'</script>";
    }
}
include
'..\db\closedb.php';

```

```

?>

***** List.php ****
_____
<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">        <!--
"../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f"><center><br><h2>PENERIMA
AN BARANG</h2><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Input
penerimaan
"Barang"</a>
]</div><?php $batas =
10; $halaman =
$_GET['page']; if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1;} else {
    $posisi = ($halaman -
1) * $batas;} $limit = "
LIMIT $posisi,
$batas" ;?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">NO.DO</td
><td bgcolor="#FFCC99">TGL
INPUT</td><td
bgcolor="#FFCC99">TGL
DO</td><td
bgcolor="#FFCC99">VENDOR</t
d><td
bgcolor="#FFCC99">NAMA
BARANG</td><td
bgcolor="#FFCC99">JUMLAH</t
d><td
bgcolor="#FFCC99">Action</t
d></tr></thead><tbody><?php
        include
'..\\db\\opendb.php';
        $query = "SELECT A.*,
B.NM_BARANG,C.*
FROM
`tbl_penerimaan` A,
`tbl_master_barang` B,
`tbl_vendor` C
WHERE A.ID_BARANG
= B.ID_BARANG AND
A.KD_VENDOR=C.KD_VENDOR";
        $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
        while ($list =
mysql_fetch_array($result))
{
            echo '<tr>';
            echo '<td
bgcolor="#B3CAE3">' .
$list['NO_DO'] . '</td>';
            echo '<td

```

```

bgcolor="#B3CAE3">> .
$list[ 'TGL_INPUT' ] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">> .
$list[ 'TGL_DO' ] . '</td>' ;
echo '<td
bgcolor="#B3CAE3">> .
$list[ 'NM_VENDOR' ] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">> .
$list[ 'NM_BARANG' ] .
'</td>' ; echo '<td
bgcolor="#B3CAE3">> .
$list[ 'JML_BARANG' ] .
'</td>' ; echo '<a
href="destroy.php?ID=' .
$list[ 'ID' ] .
'&JML_BARANG=' .
$list[ 'JML_BARANG' ] .
'&ID_BARANG=' .
$list[ 'ID_BARANG' ] . ''"

onclick="return
confirm( \ 'Are your
sure?\ ')>delete</a>';
echo '</td>';
echo '</tr>';
} ?></tbody></table><?
phpecho "<p>Pages :
";$hasil2 =
mysql_query($query);$jmldata
a =
mysql_num_rows($hasil2);$jm
lhalaman = ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++) if
($i != $halaman) {
echo " <a

```

**\*\*\*\*\* REQUEST BARANG**  
**\*\*\*\*\***

```

*** Approve.php ***
<BODY BGCOLOR="#FFFFFF"
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gif">
<center><br>
<!-- <?php include
"../cek_session_modul.php";
?>-->
<?php
    include
'..\db\opendb.php';
    if
    ($_GET['JENIS_REQ'] ==
'BIASA') { //request dari
user ke sekretaris

$cek_stok =
"SELECT * FROM
`atk`.`tbl_stok_sek` WHERE
ID_BARANG =
'$_GET[ID_BARANG]' AND
KD_USER = '$_GET[REQ_TO]' AND
JML_STOK >=
'$_GET[JML_REQ]' ";
}

$result =
mysql_query($cek_stok) or
die("SQL Error: " .
mysql_error());
$row =
mysql_fetch_array($result);

if
($row['JML_STOK'] >=
$_GET['JML_REQ']) {
    $query =
"UPDATE
`atk`.`tbl_stok_sek` SET
`JML_STOK` = `JML_STOK` -
'$_GET[JML_REQ]'

WHERE ID_BARANG =
'$_GET[ID_BARANG]' AND
KD_USER = '$_GET[REQ_TO]' AND
JML_STOK >=
'$_GET[JML_REQ]' ;
} else { echo
"<script>alert('Stok
Sekertaris tidak
cukup')</script>";
echo
"<script>location.href='lis
tBelumApprove.php'</script>
" ; }

} else { //request
dari sekretaris ke GS

$cek_stok =
"SELECT * FROM
`atk`.`tbl_master_barang` WHERE
ID_BARANG =
'$_GET[ID_BARANG]' AND
`STOK` >=
'$_GET[JML_REQ]' ;
}

$result =
mysql_query($cek_stok) or
die("SQL Error: " .
mysql_error());
$row =

```

```

mysql_fetch_array($result);

        if
        ($row['STOK'] <
        $_GET['JML_REQ']){

            echo
            "<script>alert('Stok GS
tidak cukup')</script>" ;
            echo
            "<script>location.href='lis
tBelumApprove.php'</script>
" ;
            return;
        }

        $queryA =
"UPDATE
`atk`.`tbl_master_barang`
SET `STOK` = `STOK` -
'$_GET[JML_REQ]'

        WHERE ID_BARANG =
'$_GET[ID_BARANG]'

        AND `STOK` >=
'$_GET[JML_REQ]' ;

        $resultA =
mysql_query($queryA) or
die("SQL Error: " .
mysql_error());
        if ($resultA ==

'1') {
            $query =
"UPDATE
`atk`.`tbl_stok_sek` SET
`JML_STOK` = `JML_STOK` +
'$_GET[JML_REQ]'

        WHERE ID_BARANG =
'$_GET[ID_BARANG]' AND `STOK` >=
'$_GET[JML_REQ]' ;
            $result2 =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
            if ($result2 ==

'1') {
                echo
                "<script>location.href='lis
tBelumApprove.php'</script>
" ;
            } else {
                return;
            }
        }
// include
'..\db\closedb.php';
?>
</body>

```

```

*** Create.php ***
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
    ".../style.css";</style>
    <title>CRUD</title>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background=".../images/bg.gi
f">
<center><br>
<div id="nav">
<h2>Permintaan Barang ke
Sekertaris</h2>
</div>
<hr>
Menu: [ <a
href="../index.php">Menu</a
> ]
<!-- <a
href="list.php">Records for
"tbl_request"</a>
]</div> -->
<?php
include
'..\db\opendb.php';
if ($_POST['action']
== 'add') {
$jml=$_POST['JML_REQ'];
if(empty($jml)
|| $jml<=0 )
{echo
"<script>alert('Jumlah
salah');</script>";
} else {
$query =
"INSERT INTO
`atk`.`tbl_request`
(`TGL_REQ`, `KD_USER`,
`ID_BARANG`, `JML_REQ`,
`REQ_TO`, `STATUS`,
`JENIS_REQ`)
VALUES (now(),
'$_POST[KD_USER]',
'$_POST[ID_BARANG]',
'$_POST[JML_REQ]',
'$_POST[REQ_TO]',
'$_POST[STATUS]',
'BIASA')";
```

```

        echo
"<script>location.href='lis
t.php'</script>" ;
    }
}
include
'.. \db\closedb.php' ;
?>

<form
action="create.php?table=tb
l_request" method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_request_KD_USER">NA
MA USER</label></td>
<td><select
name="KD_USER">
<?php
include
'.. \db\opendb.php' ;
$query = "SELECT *
FROM `tbl_user` WHERE
KD_GROUP IN ('USER',
'SEK') AND KD_USER =
'$_SESSION[KD_USER]' ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
while ($list =
mysql_fetch_array($result))
{
echo '<option
value="" . $list['KD_USER'
. '">' . $list['NM_USER'] . "
'</option>' ;
}
</td>
</tr>
<tr>
<td><label
id="tbl_request_ID_BARANG">
BARANG</label></td>
<td><select
name="ID_BARANG">
<?php
include
'.. \db\opendb.php' ;
$query = "SELECT *
FROM `tbl_master_barang`(
GROUP BY `NM_BARANG`" ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());

```

```

        while ($list =
mysql_fetch_array($result))
{

    echo '<option
value=" ' .
$list[ 'ID_BARANG' ] . ' ">' .
$list[ 'NM_BARANG' ] .

'</option>';
}

include
'..\db\closedb.php';
?>

</select></td>
</tr>
<tr>
<td><label
id="tbl_request_JML_REQ">JU
MLAH</label></td>
<td><input
type="text" name="JML_REQ"
value="" SIZE="5"
id="tbl_request_JML_REQ"
label="JML_REQ"
class="text" /></td>
</tr>
<tr>
<td><label
id="tbl_request_REQ_TO">SEK
ERTARIS</label></td>
<td><select
name="REQ_TO">
<?php
include
'..\db\opendb.php';
$query = "SELECT * FROM `tbl_user` WHERE
KD_GROUP = 'SEK' ";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
while ($list =
mysql_fetch_array($result))
{
    echo '<option
value=" ' .
$list[ 'KD_USER' ] . ' ">' .
$list[ 'NM_USER' ] .

'</option>';
}

include
'..\db\closedb.php';
?>

</select></td>
</tr>
</table>
</div>
<br>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Add" class="submit
button" />
</div>
</form>
</body>

```

```

</html>
] </div> -->

<?php
include
'..\\db\\opendb.php';
if ($_POST['action']
== 'add') {
}

$jm1=$_POST['JML_REQ'];
if(empty($jm1)
|| $jm1<=0)
{echo
"<script>alert('Jumlah
salah');</script>";
} else {
$query =
"INSERT INTO
`atk`.`tbl_request`
(`TGL_REQ` , `KD_USER` ,
`ID_BARANG` , `JML_REQ` ,
`REQ_TO` , `STATUS` ,
`JENIS_REQ` )

VALUES (now(),
'$_POST[KD_USER]' ,
'$_POST[ID_BARANG]' ,
'$_POST[JML_REQ]' ,
'$_POST[REQ_TO]' ,
'$_POST[STATUS]' , 'GS')";

$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result ==
'1') {
echo
"<script>location.href='lis

```

```

t.php'</script>" ;
}
}
}
include
'..\db\closedb.php';
?>
include
'..\db\closedb.php';
?>
<form
action="createToGS.php?tbl
e=tbl_request"
method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_request_KD_USER">US
ER</label></td>
<td><select
name="KD_USER">
<?php
include
'..\db\opendb.php';
$query =
"SELECT * FROM `tbl_user`"
WHERE KD_GROUP = 'SEK' AND
KD_USER =
'$_SESSION[KD_USER]' ";

```

```

$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());

```

```

while
($list =
mysql_fetch_array($result))
{

```

```

echo '<option
value=" ' .
$list[ 'ID_BARANG' ] . ' ">' .
$list[ 'NM_BARANG' ] . '
```

```

'</option>' ;
}
include
'..\db\closedb.php' ;
?>
</select></td>
<tr>
<td><label
id="tbl_request_JML_REQ">JU
MLAH</label></td>
<td><input
type="text" name="JML_REQ"
value="" size="5"
id="tbl_request_JML_REQ"
label="JML_REQ"
class="text" /></td>
</tr>
<tr>
</td><label
id="tbl_request_REQ_TO">GS<
/label></td>
<td><select
name="REQ_TO">
<?php
include
'..\db\opendb.php' ;
$query = "SELECT *
FROM `tbl_user` WHERE
KD_GROUP = 'GS'" ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
while ($list =
mysql_fetch_array($result))
{
echo '<option
value="' . $list['KD_USER']
. '">' . $list['NM_USER'] .
'</option>' ;
}
include
'..\db\closedb.php' ;
?>
</select></td>
</tr>
</table>
<br>
<input type="hidden"
name="action" value="add"
id="action"/>
<input type="submit"
value="Add" class="submit
button" />
</div>
</form>
</body>
</html>
Destroy.php
<?php include
"../cek_session_modul.php" ;
?>

```

```

<?php
    include
'..\db\opendb.php';
    $query = "DELETE FROM
`atk`.`tbl_request` WHERE
`ID_REQ` =
'$_GET[ID_REQ]' ;
    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
    if ($result == '1') {
        echo
"<script>location.href='lis
t.php'</script>" ;
    }
    include
'..\db\closedb.php';
?>

```

### List.php

```

<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">      <link
"../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><div
id="nav"><h2>PERMINTAAN
BARANG</h2><hr>Menu: [ <a
href="../index.php">Menu</a
> ]</div><?php$batas =
20;$halaman =
$_GET['page'];if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1;} else {
    $posisi = ($halaman -
1) * $batas;}$limit = "
LIMIT $posisi,
$batas" ;?><table
border="1"><thead><tr><!--
<td
bgcolor="#FFCC99">ID</td> -
-><td bgcolor="#FFCC99">TGL
REQ</td><!-- <td
bgcolor="#FFCC99">KD
USER</td> --><td
bgcolor="#FFCC99">NAMA
BARANG</td><td
bgcolor="#FFCC99">JML</td><
!-- <td
bgcolor="#FFCC99">REQ_TO</td
d> --><!-- <td
bgcolor="#FFCC99">STATUS</td
d> --><!-- <td
bgcolor="#FFCC99">JENIS
REQ</td> --><td
bgcolor="#FFCC99">TGL
DELIVER</td><td
bgcolor="#FFCC99">Action</td
d></tr></thead><tbody><?php
        include
'..\db\opendb.php';$query =

```

```

"SELECT A.* , B.NM_BARANG
NM_BARANG , C.NM_USER
NM_USER
FROM `tbl_request` A,
`tbl_master_barang`
B,`tbl_user` C
WHERE A.KD_USER =
'$_SESSION[KD_USER]'
AND
A.ID_BARANG = B.ID_BARANG

AND A.REQ_TO = C.KD_USER" ;
$result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
    echo '<tr>';
    echo '<td
bgcolor="#B3CAE3">' .
$list['TGL_REQ'] . '</td>';
    echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] . '</td>';
    echo '<td
bgcolor="#B3CAE3">' .
$list['JML_REQ'] . '</td>';
    echo '<td
bgcolor="#B3CAE3">' .
$list['TGL_DELIVER'] . '</td>';
    echo '<td
bgcolor="#B3CAE3">' ;
    if
($list['TGL_DELIVER'] ==
null) {
        echo '<a
href="destroy.php?ID_REQ='
. $list['ID_REQ'] . '"'
onclick="return
confirm('Are your
sure?')>delete</a>' ;
    }
    echo
'</td>' ;
    echo
'</tr>' ;
} ?></tbody></table><?
phpecho "<p>Pages :
" ;$hasil2 =
mysql_query($query);$jmldat
a =
mysql_num_rows($hasil2);$jm
lhalaman = ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++)      if
($i != $halaman) {
    echo " <a
href=$_SERVER[PHP_SELF]?pag
e=$i>$i</a> / " ; } else {
    echo " <b>$i</b> / " ;
} ?></body></html>

** listBelumApprove.php
**
<?php include
"../cek_session_modul.php"
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">@import
"../style.css";</style>
<title>CRUD</title></head><

```

```

BODY BGCOLOR="#FFFFFF"
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gif"><center><br><h2>PERSETUJUAN</h2><hr><div id="nav">
Menu: [ <a href="index.php">Menu</a> ]</div><?php $batas =
10; $halaman =
$_GET['page']; if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1;} else {
    $posisi = ($halaman -
1) * $batas; } $limit = "
LIMIT $posisi,
$batas"; ?><div class="paged_navigation"></div><table border="1"><thead><tr><td bgcolor="#FFCC99">TGL REQUEST</td><td bgcolor="#FFCC99">NAMA USER</td><td bgcolor="#FFCC99">NAMA BARANG</td><td bgcolor="#FFCC99">JML REQUEST</td><td bgcolor="#FFCC99">TGL DELIVER</td><td bgcolor="#FFCC99">Action</td></tr></thead><tbody><?php
    include
'.. \db\opendb.php';
    $query = "SELECT A.* ,B.NM_BARANG
NM_BARANG ,C.NM_USER NM_USER
FROM `tbl_request` A,`tbl_master_barang` B,
`tbl_user` C WHERE
A.STATUS = 0 AND
A.REQ_TO =
'$_SESSION[KD_USER]' AND
A.KD_USER=C.KD_USER AND
A.ID_BARANG=B.ID_BARANG";
    $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
    while ($list =
mysql_fetch_array($result))
{
        echo '<tr>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['TGL_REQ'] . '</td>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['NM_USER'] . '</td>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] . '</td>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['JML_REQ'] . '</td>';
        echo '<td
bgcolor="#B3CAE3">' .
$list['TGL_DELIVER'] . '</td>';
        echo '<td
bgcolor="#B3CAE3">' ;
        if
($list['TGL_DELIVER'] ==
null) {
            echo '<a

```

```

href="approve.php?ID_REQ='
. $list['ID_REQ'] .
'&JML_REQ=' .
$list['JML_REQ'] .
'&ID_BARANG=' .
$list['ID_BARANG'] .
'&REQ_TO=' .
$list['REQ_TO'] .
'&JENIS_REQ=' .
$list['JENIS_REQ'] .
'&KD_USER=' .
$list['KD_USER'] . ''"

        onclick="return
confirm('Are your
sure?')>approve</a> '
    }
echo '</td>';
echo '</tr>' ; }//
include
'.. \db\closedb.php';?></tbody></table><?php echo
"<p>Pages : " ;$hasil2 =
mysql_query($query);$jmldata =
mysql_num_rows($hasil2);$jumlah =
ceil($jmldata / $batas);for ($i = 1; $i <=
$jmlhalaman; $i++) if
($i != $halaman) {
    echo " <a
href=$_SERVER[PHP_SELF]?page=$i>$i</A> | " ; } else {
    echo "
<b>$i</b> | ";
} ?></body></html>

```

---

**\*\*\*\*\* TABEL STOK SEKERTARIS**

---

**\*\*\*\***

**\*\*\* List.php \*\*\***

---

```

<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">        <!--
"../style.css";</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h2>Stok
Sekertaris</h2><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> ]</div><?php $batas =
12; $halaman =
$_GET['page']; if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1; } else {
    $posisi = ($halaman -

```

```

1) * $batas;}$limit = "
LIMIT $posisi,
$batas";?><table
border="1"><thead><tr><!--
<td
bgcolor="#FFCC99">ID</td><t
d bgcolor="#FFCC99">Kode
USER</td> --><td
bgcolor="#FFCC99">NAMA
BARANG</td><td
bgcolor="#FFCC99">STOK</td>
</tr></thead><tbody><?php
include
'..\\db\\opendb.php';
$query = "SELECT A.*,
, B.NM_BARANG NM_BARANG,
C.NM_USER NM_USER
FROM
`tbl_stok_sek` A,
`tbl_master_barang` B,
`tbl_user` C
WHERE A.KD_USER =
'$_SESSION[KD_USER]'
AND
A.ID_BARANG = B.ID_BARANG
AND A.KD_USER = C.KD_USER
ORDER
BY B.NM_BARANG "; $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
echo '<tr>';
//echo '<td
bgcolor="#B3CAE3">' .
$list['ID'] . '</td>';
//echo '<td
bgcolor="#B3CAE3">' .
$list['KD_USER'] . '</td>';
echo '<td
bgcolor="#B3CAE3">' .
$list['NM_BARANG'] . '</td>';
echo '<td
bgcolor="#B3CAE3">' .
$list['JML_STOK'] . '</td>';
echo '<td
bgcolor="#B3CAE3">' .
$list['NM_USER'] . '</td>';
echo '</tr>'; } //include
'..\\db\\closedb.php';?></tbody>
</table><?phpecho
"<p>Pages : ";$hasil2 =
mysql_query($query);$jmldata =
mysql_num_rows($hasil2);$jml
halaman = ceil($jmldata /
$batas);for ($i = 1; $i <=
$jmlhalaman; $i++) if
($i != $halaman) {
echo " <a
href=$_SERVER[PHP_SELF]?page=$i>$i</A> | ";
} else {
echo "
<b>$i</b> | ";
}
?></body></html>

** TABEL USER **
*** Create.php ***
<?php include
"../cek_session_modul.php";
?>
<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
```

```

<meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>

<style type="text/css"
media="all"> @import
"../style.css";</style>
<title>CRUD</title>

</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h2>Pemeliharaan Data
User</h2>
<hr>
Menu: [ <a
href="list.php">Kembali</a>
]
<div id="nav">
<form
action="create.php?table=tb
l_user" method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_user_KD_USER">ID
User</label></td>
<td><input
type="text" name="KD_USER"
size="9" id="KD_USER"
label="KD_USER"
value="<?php echo
$_POST['KD_USER']; ?>" />
</td>
</tr>
<tr>
<td><label
id="tbl_user_PASSWORD">PASS
WORD</label></td>
<td><input
type="password"
name="PASSWORD" value=""
id="PASSWORD" size="10"
label="PASSWORD"
class="text" /></td>
</tr>
<tr>
<td><label
id="tbl_user_KD_GROUP">Grou
p</label></td>
<td><select
name="KD_GROUP">
<option
value="ADMIN">Administrator
</option>
<option
value="GS">GS</option>
<option
value="SEK">Sekertaris</opt
ion>
<option
value="USER">User
Biasa</option>
</select></td>
</tr>
<tr>
<td><label
id="tbl_user_NM_USER">>Nama<
/label></td>
<td><input
type="text" name="NM_USER"

```

```

id="tbl_user_NM_USER"                                ' .. \db\closedb.php' ;
label="NM_USER"                                     ?>
value="php echo
$_POST[ 'NM_USER' ] ; ?&gt;" /&gt;
&lt;/td&gt;
&lt;/tr&gt;
&lt;tr&gt;
&lt;td&gt;&lt;label
id="tbl_user_KD_DIVISI"&gt;Div
isi&lt;/label&gt;&lt;/td&gt;
&lt;td&gt;&lt;select
name="KD_DIVISI"&gt;
&lt;?php
include
' .. \db\opendb.php' ;
$query = "SELECT *
FROM `tbl_divisi`" ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
while ($list =
mysql_fetch_array($result))
{
echo '&lt;option
value=" ' .
$list[ 'KD_DIVISI' ] . ' "&gt;' .
$list[ 'NM_DIVISI' ] .
'&lt;/option&gt;' ;
}
include
' .. \db\opendb.php' ;
if ($_POST[ 'action' ]
== 'add' ) {
$kd_user=$_POST[ 'KD_USER' ] ;
$nm_user=$_POST[ 'NM_U
SER' ] ;
$password=$_POST[ 'PAS
WORD' ] ;
if(empty($kd_user) ||
empty($password) ||
empty($nm_user))
{
echo
"&lt;script&gt;alert('Data belum
lengkap');&lt;/script&gt;" ;
}
else {
$pass =
}
}
</pre

```

```

md5( $_POST[ PASSWORD ] );
$query =
" INSERT INTO
`atk`.`tbl_user`(`KD_USER`
,`PASSWORD`, `KD_GROUP`,
NM_USER, `KD_DIVISI`)
VALUES
('$_POST[KD_USER]' ,
'$pass',
'$_POST[KD_GROUP]' ,
'$_POST[NM_USER]' ,
'$_POST[KD_DIVISI]' );
VALUES
($result =
mysql_query($query) or
die("SQL Error: " .
mysql_error()));
if ($result == '1') {
    if
($_POST[ 'KD_GROUP' ] ==
'SEK') {
        $queryBrg = "SELECT *
FROM `tbl_master_barang` ";
$resultBrg =
mysql_query($queryBrg) or
die("SQL Error: " .
mysql_error());
while ($list =
mysql_fetch_array($resultBr
g)) {
    mysql_query("INSERT
INTO `tbl_stok_sek` (KD_USER,
ID_BARANG, JML_STOK)
VALUES
('$_POST[KD_USER]' ,
'$list[ID_BARANG]', 0)" )or
die("SQL Error: " .
mysql_error());
}
}
echo
"<script>location.href='lis
t.php'</script>";
}
}
?>
</body>
</html>
*** Destroy.php ***
<?php include
"../cek_session_modul.php";
?>
<?php
include
'..\db\opendb.php';
$query = "DELETE FROM
`atk`.`tbl_user` WHERE
`KD_USER` =
'$_GET[KD_USER]' ";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result == '1') {
    echo

```

```

    "<script>location.href='lis
t.php'</script>" ;
}

include
'.. \db\closedb.php' ;
?>

*** Edit.php ***

<?php include
"../cek_session_modul.php" ;
?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
<meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
<style type="text/css"
media="all">
"../style.css";</style>
<title>CRUD</title>
</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h2>Pemeliharaan Data
User</h2>
<div id="nav">
Menu: [ <a href="list.php">Kembali</a>
]</div>
<?php
include
'.. \db\opendb.php' ;
if ($_POST['action'] ==
'add') {
$pass =
md5($_POST[PASSWORD]) ;
$query =
"UPDATE tbl_user
SET NM_USER =
'$_POST[NM_USER]' ,
KD_DIVISI =
'$_POST[KD_DIVISI]' ;
WHERE KD_USER =
'$_POST[id]' ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result ==
'1') {
echo
"<script>location.href='lis
t.php'</script>" ;
}
?>
<?php
include
'.. \db\opendb.php' ;
$query = "SELECT *

```

```

FROM `tbl_user` WHERE
KD_USER = '$_GET[KD_USER]'
LIMIT 0 , 30 ";

$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
$row =
mysql_fetch_array($result);
include
'..\\db\\closedb.php';
?>

<form action="edit.php"
method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<!-- <td><input
type="text" name="KD_USER"
value="<?php echo
$row['KD_USER']; ?>">
<td>
<!--
-->
<td><label
id="tbl_user_NM_USER">Nama
User</label></td>
<td><input
type="text" name="NM_USER"
value="<?php echo
$row['NM_USER']; ?>">
<td>
<label
id="tbl_user_NM_USER"
label="NM_USER"
class="text" /></td>
</tr>
<tr>
<td><label
id="tbl_user_KD_GROUP">Grou
p</label></td>
<td><select
name="KD_GROUP">
<option
value="ADMIN">Administrator
</option>
<option
value="GS">GS</option>
<option
value="SEK">Sekertaris</opt
ion>
<option
value="USER">User
Biasa</option>
</select>
</td>
<tr>
<td><label
id="tbl_user_KD_DIVISI">Div
isi&ampnbsp</label></td>
<td><select
name="KD_DIVISI">
<?php
include
'..\\db\\opendb.php';
$query =
"SELECT * FROM
`tbl_divisi` ";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
while
($list =

```

```

mysql_fetch_array($result))
{
    if($list['KD_DIVISI']
== $row['KD_DIVISI']){
        echo '<option
value="" .
$list['KD_DIVISI'] . '"'
selected>' .
$list['NM_DIVISI'] .
'</option>';
    }
    else {
        echo '<option
value="" .
$list['KD_DIVISI'] . '">' .
$list['NM_DIVISI'] .
'</option>';
    }
}
include
'..\\db\\closedb.php';
?>
</select></td>
</tr>
</table>
<br>
<input type="hidden"
name="id" value="<?php echo
$_GET['KD_USER']; ?>" id="id"
readonly="readonly"/>

<input type="hidden"
name="action" value="add" id="action"/>
<input type="submit"
value="Update"
class="submit button" />
</div>
</form>
</body>
</html>

```

**\*\*\* Edit\_password.php**

---

```

<?php include
"../cek_session_modul.php";
?>

<html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all">
    ..../style.css";</style>
    <title>CRUD</title>

```

**</head>**

```

<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gi
f">
<center><br>
<h2>Rubah Password</h2>
<hr>
<div id="nav">

```

```

Menu: [ <a
        href="../index.php">Menu</a>
    > ]
<!-- <a
        href="list.php?table=tbl_us
        er">&quot;List&quot;</a>
    ]</div> -->

<?php
    include
    ' .. \db\opendb.php' ;
    if ( $_POST[ 'action' ]
== 'update' ) {
        $passx=$_POST[ 'passwo
rd' ];
        if(empty($passx))
            {echo
                "<script>alert('Password
tidak boleh
kosong');</script>" ;
            }else {
                $pass =
md5( $_POST[ 'password' ] );
                $query =
"UPDATE tbl_user
SET PASSWORD =
'$pass'
WHERE KD_USER =
'$_POST[id]' ;
                $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
                if ($result ==
'1') {
                    echo
"<script>window.alert(\"Pas
sword telah
berubah\")</script>" ;
                    echo
"<script>location.href='..
index.php'</script>" ;
                }
            }
        ?>

        $passx=$_POST[ 'passwo
rd' ];
        $query =
"SELECT *
FROM `tbl_user` WHERE
KD_USER =
'$_SESSION[KD_USER]' " ;
        $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
        $row =
mysql_fetch_array($result);
        include
        ' .. \db\closedb.php' ;
        ?>

        <form
            action="edit_password.php"
            method="post">
            <div class="form_item">
            <table border="1"

```

```

align="center">
    <tr>
        <td><label id="tbl_user_NM_USER">Nama User</label></td>
        <td><input type="text" name="NM_USER" readonly value="<?php echo $row[ 'NM_USER' ] ?>" id="tbl_user_NM_USER" label="NM_USER" class="text" /></td>
    </tr>
    <tr>
        <td><label>Password Baru</label></td>
        <td><input type="password" name="password"></input></td>
    </tr>
</table>
<br>
<input type="hidden" name="id" value="<?php echo $row[ 'KD_USER' ] ; ?>" id="id" readonly="readonly"/>

<input type="hidden" name="action" value="update" id="action"/>
<input type="submit" value="Update" class="submit button" />
</div>
</form>
</body>
</html>

*** List.php ***
<?php include
"../cek_session_modul.php";
?><html
xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">          <link href
"../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="..../images/bg.gif"><center><br><h2>Data User</h2><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Input
Data User</a>
]</div><?php$batas =
10;$halaman =
$_GET[ 'page' ];if
(empty($halaman)) {
$posisi = 0;
$halaman = 1;} else {
$posisi = ($halaman -
1) * $batas;}$limit =
"LIMIT $posisi,

```

```

$batas";?><table border="1"><thead><tr><td bgcolor="#FFCC99">ID USER</td><td bgcolor="#FFCC99">GROUP</td><td bgcolor="#FFCC99">NAMA USER</td><td bgcolor="#FFCC99">KODE DIVISI</td><td bgcolor="#FFCC99">Action</td></tr></thead><tbody><?php include '..\db\opendb.php'; $query = "SELECT A.* , B.NM_DIVISI NM_DIVISI FROM `tbl_user` A, `tbl_divisi` B WHERE A.KD_DIVISI = B.KD_DIVISI "; $result = mysql_query($query . $limit) or die("SQL Error: " . mysql_error()); while ($list = mysql_fetch_array($result)) { echo '<tr>'; echo '<td bgcolor="#B3CAE3">'. $list['KD_USER'] . '</td>'; echo '<td bgcolor="#B3CAE3">'. $list['KD_GROUP'] . '</td>'; echo '<td bgcolor="#B3CAE3">'. $list['NM_USER'] . '</td>'; echo '<td bgcolor="#B3CAE3">'. $list['KD_DIVISI'] . '</td>'; '
```

```

' </td>'; echo '<td bgcolor="#B3CAE3">'; echo '<a href="edit.php?KD_USER=' . $list['KD_USER'] . '">edit</a>'; echo '<a href="destroy.php?KD_USER=' . $list['KD_USER'] . '" onclick="return confirm(\\'Are you sure?\')">delete</a>'; echo '</td>'; echo '</tr>'; }?></tbody></table><?php echo "<p>Pages : "; $hasil2 = mysql_query($query); $jmldata = mysql_num_rows($hasil2); $jmlhalaman = ceil($jmldata / $batas); for ($i = 1; $i <= $jmlhalaman; $i++) { if ($i != $halaman) { echo " <a href=$_SERVER[PHP_SELF]?page=$i>$i</a> / "; } else { echo " <b>$i</b> / "; } }?></body></html>
```

---

**\*\*\* TABEL VENDOR \*\*\***

---

**\*\*\*\* Create.php \*\*\*\***

```

<?php include "..\cek_session_modul.php";
?>
<html
```

```

xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en">
<head>
    <meta http-
equiv="Content-Type"
content="text/html;
charset=utf-8"/>
    <style type="text/css"
media="all"> @import
" ../style.css" ;</style>
    <title>CRUD</title>

```

```

</head>
<BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background=" ../images/bg.gi
f">
    <center><br>
    <h3>PEMELIHARAAN DATA
VENDOR</h3>
    <hr>
    <div id="nav">
        Menu: [ <a
        href="list.php">Kembali</a>
    ]</div>

```

```

<?php
    include
'..\db\opendb.php';
    if ($_POST['action']
== 'add') {
        $kd_vendorx=$_POST[ 'KD_VEND
OR' ];

```

```

        $nm_vendorx=$_POST[ 'NM_VEND
OR' ];

```

```

        if(empty($kd_vendorx)
|| empty($nm_vendorx))
        {echo
"<script>alert('Data belum
 lengkap');</script>" ;
    }else {
        $query =
"INSERT INTO
`atk`.`tbl_vendor`
(`KD_VENDOR` , `NM_VENDOR`)
VALUES
('$_POST[KD_VENDOR]' ,
'$_POST[NM_VENDOR]' )";

```

```

        $result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
        if ($result ==
'1') {
            echo
"<script>location.href='lis
t.php'</script>" ;
        }
    }
}

```

```

<form
action="create.php?table=tb
l_vendor" method="post">
<div class="form_item">

```

```


|                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <label id="tbl_vendor_KD_VENDOR">Kode Vendor</label> | <?php include "../cek_session_modul.php"; ?> <?php include '..\db\opendb.php'; \$query = "DELETE FROM `atk`.`tbl_vendor` WHERE `KD_VENDOR` = '\$_GET[KD_VENDOR]' ; \$result = mysql_query(\$query) or die("SQL Error: ". mysql_error()); if (\$result == '1') { echo "<script>location.href='list.php'</script>"; } include '..\db\closedb.php'; ?>  *** Edit.php *** <?php include "../cek_session_modul.php"; ?> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en"> <head> <meta http- equiv="Content-Type" content="text/html; charset=utf-8"/> <style type="text/css" media="all"> <link href= "../style.css" /> </style> |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


```

```

<title>CRUD</title>
</head>
<BODY BGCOLOR=#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gif">
<center><br>
<h3>PEMELIHARAAN DATA
VENDOR</h3>
<hr>
<div id="nav">
Menu: [ <a href="list.php">Kembali</a>
]</div>

<?php
include
'..\\db\\opendb.php';
if ($_POST['action']
== 'add') {
$query =
"UPDATE `atk`.`tbl_vendor`"
SET `KD_VENDOR` =
'$_POST[KD_VENDOR]' ,
`NM_VENDOR` =
'$_POST[NM_VENDOR]'"
WHERE
`tbl_vendor`.`KD_VENDOR` =
'$_POST[id]' ;
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
if ($result ==
'1') {
echo
"<script>location.href='list.php'</script>" ;
}
?>

<?php
include
'..\\db\\opendb.php';
$(query =
"SELECT *
FROM `tbl_vendor` WHERE
KD_VENDOR =
'$_GET[KD_VENDOR]' LIMIT 0
, 30 ";
$result =
mysql_query($query) or
die("SQL Error: " .
mysql_error());
$row =
mysql_fetch_array($result);
include
'..\\db\\closedb.php';
?>

<form action="edit.php"
method="post">
<div class="form_item">
<table border="1"
align="center">
<tr>
<td><label
id="tbl_vendor_KD_VENDOR">K

```

```

ode Vendor</label></td>
        <td><input
type="text"
name="KD_VENDOR" size="5"
value="php echo
$row[ 'KD_VENDOR' ]; ?&gt;"&gt;
        id="tbl_vendor_KD_VENDOR"
        label="KD_VENDOR"
        class="text" /&gt;&lt;/td&gt;
    &lt;/tr&gt;
    &lt;tr&gt;
        &lt;td&gt;&lt;label
id="tbl_vendor_NM_VENDOR"&gt;N
ama Vendor&lt;/label&gt;&lt;/td&gt;
        &lt;td&gt;&lt;input
type="text"
name="NM_VENDOR"
value="<?php echo
$row[ 'NM_VENDOR' ]; ?&gt;"&gt;
        id="tbl_vendor_NM_VENDOR"
        label="NM_VENDOR"
        class="text" /&gt;&lt;/td&gt;
    &lt;/tr&gt;
&lt;/table&gt;
&lt;br&gt;
&lt;input type="hidden"
name="id" value="<?php echo
$_GET[ 'KD_VENDOR' ]; ?&gt;"&gt;
        id="id"
        readonly="readonly"/&gt;
&lt;input type="hidden"
name="action" value="add"
id="action"/&gt;
&lt;input type="submit"
value="Update"
class="submit button" /&gt;
&lt;/div&gt;
&lt;/form&gt;
</pre

***** List.php *****



```

<?php include
"../cek_session_modul.php" ;
?><html
xmlns="http://www.w3.org/19
99/xhtml" xml:lang="en"
lang="en"><head>      <meta
http-equiv="Content-Type"
content="text/html;
charset=utf-8"/>      <style
type="text/css"
media="all">      <link href=
"../style.css" ;</style>
<title>CRUD</title></head><
BODY BGCOLOR="#FFFFFF
LEFTMARGIN=0 TOPMARGIN=0
MARGINWIDTH=0
MARGINHEIGHT=0
background="../images/bg.gi
f"><center><br><h3>PEMELIHA
RAAN DATA
VENDOR</h3><hr><div
id="nav">Menu: [ <a
href="../index.php">Menu</a
> | <a
href="create.php">Input
Data &quot;VENDOR
]&quot;</a></div><?php$batas
= 10;$halaman =
$_GET[ 'page' ];if
(empty($halaman)) {
    $posisi = 0;
    $halaman = 1;} else {
    $posisi = ($halaman -
1) * $batas;}$limit = "
LIMIT $posisi,

```


```

```

$batas" ;?><table
border="1"><thead><tr><td
bgcolor="#FFCC99">Kode</td>
<td bgcolor="#FFCC99">Nama
Vendor</td><td
bgcolor="#FFCC99">Action</t
d></tr></thead><tbody><?php
include
'..\\db\\opendb.php';$query =
"SELECT * FROM `tbl_vendor`"
; $result =
mysql_query($query .
$limit) or die("SQL Error:
" . mysql_error());
while ($list =
mysql_fetch_array($result))
{
echo '<tr>';
echo '<td
bgcolor="#B3CAE3"><center>' .
$list['KD_VENDOR'] .
'</td>'; echo '<td
bgcolor="#B3CAE3">' .
$list['NM_VENDOR'] .
'</td>'; echo '<td
bgcolor="#B3CAE3">';
echo '<a
href="edit.php?KD_VENDOR='
. $list['KD_VENDOR'] .
'">edit</a> ' ;
echo '<a
href="destroy.php?KD_VENDOR
=' . $list['KD_VENDOR'] .
'" onclick="return
confirm('Are your
sure?\\')">delete</a> ' ;
echo '</td>';
echo '</tr>';
}?></tbody></table><?
phpecho "<p>Pages :

```