

DAFTAR GAMBAR

Gambar 2.1 <i>Integrated Driven Generator (Front view)</i>	4
Gambar 2.2 <i>Integrated Driven Generator (Isometri)</i>	5
Gambar 2.3 Lokator Sangkar	7
Gambar 2.4 Lokator Pena	8
Gambar 2.5 Lokator Prisma	9
Gambar 2.6 <i>Strap Clamp</i>	10
Gambar 2.7 <i>Screw Clamp</i>	10
Gambar 2.8 <i>Hook Clamp</i>	11
Gambar 2.9 Baji	11
Gambar 2.10 <i>Cam/Eksentrik</i>	12
Gambar 2.11 <i>Fixed Support</i>	12
Gambar 2.12 <i>Adjustable Support</i>	13
Gambar 2.13 <i>Natural Support</i>	13
Gambar 2.14 <i>Jack</i>	14
Gambar 2.15 Tegangan Geser	16
Gambar 2.16 <i>Bending Moment</i>	17
Gambar 3.1 Diagram Alir	20
Gambar 3.2 <i>Edit Material</i>	22
Gambar 3.3 <i>SOLIDWORKS Simulation</i>	22
Gambar 3.4 <i>New Study</i>	23
Gambar 3.5 Jenis-jenis simulasi	23
Gambar 3.6 Parameter simulasi jenis <i>static</i>	24
Gambar 3.7 <i>Start Simulation</i>	24
Gambar 4.1 <i>Fix Frame</i>	28
Gambar 4.2 <i>Movable Frame</i>	29
Gambar 4.3 <i>Top Plate</i>	30
Gambar 4.4 <i>Bottom Plate</i>	30
Gambar 4.5 <i>Longitudinal Pin</i>	31
Gambar 4.6 <i>Lateral Link Holder</i>	31
Gambar 4.7 <i>Link Lateral Axis</i>	32
Gambar 4.8 <i>Lateral Axis Driver</i>	32

Gambar 4.9. <i>Forward Lateral Pin</i>	32
Gambar 4.10. <i>Link Movable Frame</i>	32
Gambar 4.11 Desain Lokator Sangkar	33
Gambar 4.12 <i>Assembly Jig dan Fixture</i>	34
Gambar 4.13 FBD <i>Fix Frame</i>	34
Gambar 4.14 Potongan jarak ($A < x < C$) <i>Fix Frame</i>	35
Gambar 4.15 Potongan jarak ($C < x < B$) <i>Fix Frame</i>	36
Gambar 4.16 <i>Shear Force Diagram Fix Frame</i>	36
Gambar 4.17 <i>Moment of Bending Diagram</i>	37
Gambar 4.18 FBD <i>Movable Frame</i>	38
Gambar 4.19 Potongan jarak ($A < x < B$) <i>Movable Frame</i>	39
Gambar 4.20 <i>Shear Force Diagram pada Movable Frame</i>	39
Gambar 4.21 <i>Moment of Bending Diagram pada Movable Frame</i>	40
Gambar 4.22 FBD <i>Top Plate</i>	41
Gambar 4.23 Potongan jarak ($E < x < B$) <i>Top Plate</i>	41
Gambar 4.24 Potongan jarak ($B < x < C$) <i>Top Plate.</i>	42
Gambar 4.25 Potongan jarak ($C < x < F$) <i>Top Plate.</i>	43
Gambar 4.26 Potongan Batang A-E	43
Gambar 4.27 <i>Shear Force Diagram Top Plate</i>	44
Gambar 4.28 <i>Moment of Bending Diagram Top Plate</i>	44
Gambar 4.29 FBD <i>Link Movable Frame</i>	46
Gambar 4.30 FBD <i>Jack Push Rod</i>	47
Gambar 4.31 Potongan jarak ($A < x < B$) <i>Jack Push Rod</i>	48
Gambar 4.32 Potongan jarak ($B < x < C$) <i>Jack Push Rod</i>	48
Gambar 4.33 <i>Shear Force Diagram Jack Push Rod</i>	49
Gambar 4.34 <i>Moment of Bending Diagram Jack Push Rod</i>	49
Gambar 4.35 SOLIDWORKS <i>Simulation</i>	51
Gambar 4.36 <i>New Study</i>	51
Gambar 4.37 <i>General Simulation Static</i>	51
Gambar 4.38 Parameter simulasi	52
Gambar 4.39 <i>Contact Set.</i>	52
Gambar 4.40 <i>Component Contact</i>	53
Gambar 4.41 <i>Fixture</i>	53

Gambar 4.42 <i>Force</i>	54
Gambar 4.43 <i>Create Mesh</i>	54
Gambar 4.44 <i>Mesh</i>	55
Gambar 4.45 <i>Yield strength as maximum value</i>	55
Gambar 4.46 <i>Von Mises Stress</i>	56
Gambar 4.47 Tegangan Maksimum	56
Gambar 4.48 <i>ST37 Properties</i>	57
Gambar 4.49 <i>Custom Material</i>	58
Gambar 4.50 <i>Fixtures</i> pada Lokator	58
Gambar 4.51 <i>Force</i> pada Lokator	59
Gambar 4.52 <i>Meshing</i> pada Lokator	59
Gambar 4.53 Hasil Analisis Lokator	60
Gambar 4.54 Maksimum <i>Von Mises Stresses</i>	60

