

– LAMPIRAN

Lampiran 1 Kuesioner

Lampiran 2 Kategorisasi

Skala	SD		Mean		Min		Max		Kategori	Range		Frekuensi		Presentase	
	H	E	H	E	H	E	H	E		H	E	H	E	H	E
BURNOUT	5	5.551	25	40.38	10	20	40	55	R	10-20.	20-35	1	70	0,4	31
									S	21-30	36-46	5	147	2.1	61.5
									T	31-40	47-55	233	18	97.5	7.5
									Total		239	235	100	100	
CSE	8	7.661	48	26.96	24	17	72	17	R	24-45	17-20	239	64	100	26.8
									S	46-52	21-35	0	124	0	51.9
									T	53-72	36-40	0	51	0	21.3
									Total		239	239	100	100	

Lampiran 3 Validitas dan Realibilitas

VARIABEL	SEBELUM	SESUDAH	
		16 ITEM	11 ITEM
BO	0.810	0.673	0.803

VARIABEL	SEBELUM	SESUDAH	
		12 ITEM	
CSE	0.83	0.928	

Lampiran 4

One-Sample Kolmogorov-Smirnov Test

	TOTBO	TOTCSE
N	239	239
Normal Parameters ^{a,b}	Mean	40.38
	Std. Deviation	5.551
Most Extreme Differences	Absolute	.154
	Positive	.143
	Negative	-.154
Test Statistic	.154	.146
Asymp. Sig. (2-tailed)	.000 ^c	.000 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

Lampiran 5

Correlations

		TOTBO	TOTCSE
TOTBO	Pearson Correlation	1	-.359**
	Sig. (2-tailed)		.000
	N	239	239
TOTCSE	Pearson Correlation	-.359**	1
	Sig. (2-tailed)	.000	
	N	239	239

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 6

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.359 ^a	.129	.125	5.192

a. Predictors: (Constant), TOTCSE

b. Dependent Variable: TOTBO

Lampiran 7

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	946.226	1	946.226	35.106	.000 ^b
	Residual	6387.883	237	26.953		
	Total	7334.109	238			

a. Dependent Variable: TOTBO

b. Predictors: (Constant), TOTCSE

Lampiran 8

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	47.400	1.232		38.475	.000
	TOTCSE	-.260	.044	-.359	-5.925	.000

a. Dependent Variable: TOTBO

Lampiran 9**Descriptive Statistics**

	N	Mean	Std. Deviation	Minimum	Maximum
TOTBO	239	40.38	5.551	20	55
TOTCSE	239	26.98	7.661	17	40
ms	239	1.63	.961	1	4

Lampiran 10**Kruskal-Wallis Test****Ranks**

	PENDIDIKAN	N	Mean Rank
TOTBO	sma	78	120.13
	D3	91	116.30
	S1	66	121.20
	S2	2	125.25
	Total	237	
TOTCSE	sma	78	135.90
	D3	91	110.18
	S1	66	112.81
	S2	2	65.25
	Total	237	

Lampiran 11**Test Statistics^{a,b}**

	TOTBO	TOTCSE
Chi-Square	.252	8.177
df	3	3
Asymp. Sig.	.969	.042

Lampiran 12

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TOTBO * age	202	84.5%	37	15.5%	239	100.0%
TOTCSE * age	202	84.5%	37	15.5%	239	100.0%

TOTBO * age

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	17.806^a	21	.661
Likelihood Ratio	21.542	21	.426
Linear-by-Linear Association	.021	1	.886
N of Valid Cases	202		

a. 34 cells (77.3%) have expected count less than 5. The minimum expected count is .50.

TOTCSE * age

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	20.808^a	20	.409
Likelihood Ratio	25.916	20	.169
Linear-by-Linear Association	.029	1	.864
N of Valid Cases	202		

a. 30 cells (71.4%) have expected count less than 5. The minimum expected count is .50.

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	.306	.409
N of Valid Cases		202	

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TOTBO * STATUS	239	100.0%	0	0.0%	239	100.0%
TOTCSE * STATUS	239	100.0%	0	0.0%	239	100.0%

TOTBO * STATUS

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	23.741^a	23	.418
Likelihood Ratio	27.780	23	.224
Linear-by-Linear Association	.361	1	.548
N of Valid Cases	239		

a. 33 cells (68.8%) have expected count less than 5. The minimum expected count is .37.

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	.301	.418
N of Valid Cases		239	

TOTCSE * STATUS

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	26.654 ^a	21	.183
Likelihood Ratio	32.854	21	.048
Linear-by-Linear Association	2.567	1	.109
N of Valid Cases		239	

a. 32 cells (72.7%) have expected count less than 5. The minimum expected count is .37.

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	.317	.183
N of Valid Cases		239	

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TOTBO * JENISKELAMIN	239	100.0%	0	0.0%	239	100.0%
TOTCSE * JENISKELAMIN	239	100.0%	0	0.0%	239	100.0%

Crosstabs

TOTBO * JENISKELAMIN

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	63.357^a	23	.000
Likelihood Ratio	72.368	23	.000
Linear-by-Linear Association	.742	1	.389
N of Valid Cases	239		

a. 34 cells (70.8%) have expected count less than 5. The minimum expected count is .33.

Symmetric Measures

	Value	Approximate Significance
Nominal by Nominal Contingency Coefficient	.458	.000
N of Valid Cases	239	

TOTCSE * JENISKELAMIN**Chi-Square Tests**

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	45.224^a	21	.002
Likelihood Ratio	60.566	21	.000
Linear-by-Linear Association	2.404	1	.121
N of Valid Cases	239		

a. 32 cells (72.7%) have expected count less than 5. The minimum expected count is .33.

Symmetric Measures

	Value	Approximate Significance
Nominal by Nominal Contingency Coefficient	.399	.002
N of Valid Cases	239	