

## **ABSTRAK**

Pada tahun 2010 Pemerintah Provinsi DKI Jakarta dan PD Pasar Jaya bekerjasama dengan PT. Metroland Permai untuk melakukan peremajaan Pasar Mayestik. Kios – kios di Pasar Mayestik setelah diremajakan jauh lebih bagus dan lebih layak dari sebelumnya, namun sudah sesuai dengan standart SNI 8152:2015 atau belum. Tujuan penelitian ini adalah untuk mengevaluasi standart ukuran kios-kios dan koridor pasar mayestik yang telah diremajakan, apakah sudah sesuai dengan SNI 8152:2015 mengenai pasar rakyat atau belum. Dan menanyakan persepsi pengunjung terhadap teritorialitas ruang koridor ini. Metode penelitian kuantitatif dalam penelitian ini dilakukan dengan cara pengumpulan data melalui observasi yang mengacu pada SNI 8152.2015 mengenai pasar rakyat, wawancara yang dilakukan dengan pengelola Pasar Mayestik, dan kuisisioner yang akan dibagikan kepada pengunjung Pasar Mayestik. Berdasarkan hasil observasi yang dilakukan, kios-kios sudah sesuai dengan SNI 8152.2015 mengenai pasar rakyat, sedangkan koridor belum sesuai dengan SNI 8152.2015 mengenai pasar rakyat, namun pengunjung tetap nyaman ketika melakukan aktivitas berbelanja disini.

**Kata kunci :** Evaluasi Pasca Huni, Teritorialitas, Koridor

## **ABSTRACT**

In 2010 the provincial government of DKI Jakarta and PD Pasar Jaya collaborated with PT. Metroland Permai to perform the rejuvenation of Mayestik market. Kiosks in Mayestik market after it is significantly better and more feasible than before, but already in accordance with the standard SNI 8152:2015 or not. The purpose of this research is to evaluate the standard size of stalls and mayestik market corridors that have been rejuvenate, whether it is in accordance with SNI 8152:2015 about the market of the people or not. And asked the perception of visitors to the territory of this corridor room. The Quantitive method of research in this study was conducted by collecting data through observations referring to SNI 8152.2015 about the people's market, interviews conducted with the management of the Mayestik market, and the questionnaire to be shared To visitors to Mayestik market. Based on the results of the observation, the kiosks are in accordance with SNI 8152.2015 about the people's market, while the corridor has not been in accordance with SNI 8152.2015 regarding the market of people, but the refugee remains comfortable when doing shopping activities Here.

**Keywords** : post-Huni evaluation, barlegality, corridor