

– LAMPIRAN



UNIVERSITAS
MERCU BUANA

Lampiran 1 Kuesioner



Lampiran 2 Kategorisasi

| Skala | SD | | Mean | | Min | | Max | | Kategori | Range | | Frekuensi | | Presentase | |
|---------|----|-------|------|-------|-----|----|-----|----|----------|--------|-------|-----------|-----|------------|------|
| | H | E | H | E | H | E | H | E | | H | E | H | E | H | E |
| BURNOUT | 5 | 5.551 | 25 | 40.38 | 10 | 20 | 40 | 55 | R | 10-20. | 20-35 | 1 | 70 | 0,4 | 31 |
| | | | | | | | | | S | 21-30 | 36-46 | 5 | 147 | 2.1 | 61.5 |
| | | | | | | | | | T | 31-40 | 47-55 | 233 | 18 | 97.5 | 7.5 |
| | | | | | | | | | Total | | 239 | 235 | 100 | 100 | |
| CSE | 8 | 7.661 | 48 | 26.96 | 24 | 17 | 72 | 17 | R | 24-45 | 17-20 | 239 | 64 | 100 | 26.8 |
| | | | | | | | | | S | 46-52 | 21-35 | 0 | 124 | 0 | 51.9 |
| | | | | | | | | | T | 53-72 | 36-40 | 0 | 51 | 0 | 21.3 |
| | | | | | | | | | Total | | 239 | 239 | 100 | 100 | |

Lampiran 3 Validitas dan Realibilitas

| VARIABEL | SEBELUM | SESUDAH | |
|----------|--------------|---------|--------------|
| | | 16 ITEM | 11 ITEM |
| BO | 0.810 | 0.673 | 0.803 |

| VARIABEL | SEBELUM | SESUDAH | |
|----------|---------|---------|--|
| | | 12 ITEM | |
| CSE | 0.83 | 0.928 | |

Lampiran 4

One-Sample Kolmogorov-Smirnov Test

| | TOTBO | TOTCSE | |
|----------------------------------|-------------------|-------------------|-------|
| N | 239 | 239 | |
| Normal Parameters ^{a,b} | Mean | 40.38 | 26.98 |
| | Std. Deviation | 5.551 | 7.661 |
| Most Extreme Differences | Absolute | .154 | .146 |
| | Positive | .143 | .146 |
| | Negative | -.154 | -.137 |
| Test Statistic | .154 | .146 | |
| Asymp. Sig. (2-tailed) | .000 ^c | .000 ^c | |

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

Lampiran 5

Correlations

| | | TOTBO | TOTCSE |
|--------|---------------------|---------|---------|
| TOTBO | Pearson Correlation | 1 | -.359** |
| | Sig. (2-tailed) | | .000 |
| | N | 239 | 239 |
| TOTCSE | Pearson Correlation | -.359** | 1 |
| | Sig. (2-tailed) | .000 | |
| | N | 239 | 239 |

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 6

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | .359 ^a | .129 | .125 | 5.192 |

a. Predictors: (Constant), TOTCSE

b. Dependent Variable: TOTBO

Lampiran 7

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1 | Regression | 946.226 | 1 | 946.226 | 35.106 | .000 ^b |
| | Residual | 6387.883 | 237 | 26.953 | | |
| | Total | 7334.109 | 238 | | | |

a. Dependent Variable: TOTBO

b. Predictors: (Constant), TOTCSE

Lampiran 8

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 47.400 | 1.232 | | 38.475 | .000 |
| | TOTCSE | -.260 | .044 | -.359 | -5.925 | .000 |

a. Dependent Variable: TOTBO

Lampiran 9

Descriptive Statistics

| | N | Mean | Std. Deviation | Minimum | Maximum |
|--------|-----|-------|----------------|---------|---------|
| TOTBO | 239 | 40.38 | 5.551 | 20 | 55 |
| TOTCSE | 239 | 26.98 | 7.661 | 17 | 40 |
| ms | 239 | 1.63 | .961 | 1 | 4 |

Lampiran 10

Kruskal-Wallis Test

Ranks

| | PENDIDIKAN | N | Mean Rank |
|--------|------------|-----|-----------|
| TOTBO | sma | 78 | 120.13 |
| | D3 | 91 | 116.30 |
| | S1 | 66 | 121.20 |
| | S2 | 2 | 125.25 |
| | Total | 237 | |
| TOTCSE | sma | 78 | 135.90 |
| | D3 | 91 | 110.18 |
| | S1 | 66 | 112.81 |
| | S2 | 2 | 65.25 |
| | Total | 237 | |

Lampiran 11

Test Statistics^{a,b}

| | TOTBO | TOTCSE |
|-------------|-------|--------|
| Chi-Square | .252 | 8.177 |
| df | 3 | 3 |
| Asymp. Sig. | .969 | .042 |

Lampiran 12

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|--------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TOTBO * age | 202 | 84.5% | 37 | 15.5% | 239 | 100.0% |
| TOTCSE * age | 202 | 84.5% | 37 | 15.5% | 239 | 100.0% |

TOTBO * age

Chi-Square Tests

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|---------------------------|----|-----------------------------------|
| Pearson Chi-Square | 17.806^a | 21 | .661 |
| Likelihood Ratio | 21.542 | 21 | .426 |
| Linear-by-Linear Association | .021 | 1 | .886 |
| N of Valid Cases | 202 | | |

a. 34 cells (77.3%) have expected count less than 5. The minimum expected count is .50.

TOTCSE * age

Chi-Square Tests

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|---------------------------|-----------|-----------------------------------|
| Pearson Chi-Square | 20.808^a | 20 | .409 |
| Likelihood Ratio | 25.916 | 20 | .169 |
| Linear-by-Linear Association | .029 | 1 | .864 |
| N of Valid Cases | 202 | | |

a. 30 cells (71.4%) have expected count less than 5. The minimum expected count is .50.

Symmetric Measures

| | | Value | Approximate Significance |
|--------------------|-------------------------|-------|--------------------------|
| Nominal by Nominal | Contingency Coefficient | .306 | .409 |
| N of Valid Cases | | 202 | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|-----------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TOTBO * STATUS | 239 | 100.0% | 0 | 0.0% | 239 | 100.0% |
| TOTCSE * STATUS | 239 | 100.0% | 0 | 0.0% | 239 | 100.0% |

TOTBO * STATUS

Chi-Square Tests

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|---------------------------|-----------|-----------------------------------|
| Pearson Chi-Square | 23.741^a | 23 | .418 |
| Likelihood Ratio | 27.780 | 23 | .224 |
| Linear-by-Linear Association | .361 | 1 | .548 |
| N of Valid Cases | 239 | | |

a. 33 cells (68.8%) have expected count less than 5. The minimum expected count is .37.

Symmetric Measures

| | | Value | Approximate Significance |
|--------------------|-------------------------|-------|--------------------------|
| Nominal by Nominal | Contingency Coefficient | .301 | .418 |
| N of Valid Cases | | 239 | |

TOTCSE * STATUS

Chi-Square Tests

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|---------------------|-----|-----------------------------------|
| Pearson Chi-Square | 26.654 ^a | 21 | .183 |
| Likelihood Ratio | 32.854 | 21 | .048 |
| Linear-by-Linear Association | 2.567 | 1 | .109 |
| N of Valid Cases | | 239 | |

a. 32 cells (72.7%) have expected count less than 5. The minimum expected count is .37.

Symmetric Measures

| | | Value | Approximate Significance |
|--------------------|-------------------------|-------|--------------------------|
| Nominal by Nominal | Contingency Coefficient | .317 | .183 |
| N of Valid Cases | | 239 | |

Case Processing Summary

| | Cases | | | | | |
|--------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TOTBO * JENISKELAMIN | 239 | 100.0% | 0 | 0.0% | 239 | 100.0% |
| TOTCSE * JENISKELAMIN | 239 | 100.0% | 0 | 0.0% | 239 | 100.0% |

Crosstabs

TOTBO * JENISKELAMIN

Chi-Square Tests

| | Value | df | Asymptotic Significance (2- sided) |
|---------------------------------|---------------------------|-----------|--|
| Pearson Chi-Square | 63.357^a | 23 | .000 |
| Likelihood Ratio | 72.368 | 23 | .000 |
| Linear-by-Linear Association | .742 | 1 | .389 |
| N of Valid Cases | 239 | | |

a. 34 cells (70.8%) have expected count less than 5. The minimum expected count is .33.

Symmetric Measures

| | Value | Approximate Significance |
|--|-------|-----------------------------|
| Nominal by Nominal Contingency Coefficient | .458 | .000 |
| N of Valid Cases | 239 | |

TOTCSE * JENISKELAMIN**Chi-Square Tests**

| | Value | df | Asymptotic Significance (2- sided) |
|---------------------------------|---------------------------|-----------|--|
| Pearson Chi-Square | 45.224^a | 21 | .002 |
| Likelihood Ratio | 60.566 | 21 | .000 |
| Linear-by-Linear Association | 2.404 | 1 | .121 |
| N of Valid Cases | 239 | | |

a. 32 cells (72.7%) have expected count less than 5. The minimum expected count is .33.

Symmetric Measures

| | Value | Approximate Significance |
|--|-------|-----------------------------|
| Nominal by Nominal Contingency Coefficient | .399 | .002 |
| N of Valid Cases | 239 | |

UNIVERSITAS
MERCU BUANA