

LAMPIRAN

1. Source Code Aplikasi

a) Controller.php

```
<?php

$username = "root";
$password = "";
$dbname = "db_malik";
$hostname = "localhost";
$con = mysqli_connect($hostname,$username,$password,$dbname) or
die("Connection Corrupt");
?>
```

b) Pageadmin.php

```
<?php
include "config/controller.php";
$function = new lsp();
session_start();
$auth = $function->AuthUser($_SESSION['username']);
$response = $function->sessionCheck();
if($response == "false"){
    header("Location:index.php");
}
if(isset($_GET['logout'])){
    $function->logout();
}
?>
<!DOCTYPE html>
<html>
<head>
<div class="page-wrapper">
<aside class="menu-sidebar2">
<div class="logo">
<a href="#" onClick="window.location.reload();">

</a>
</div>
<div class="menu-sidebar2__content js-scrollbar1">
<div class="account2">
<div class="image img-cir img-120">

</div>
<h4 class="name"><?=$auth['nama_user']; ?></h4>
<p><?=$auth['level'] ?></p>
</div>
<nav class="navbar-sidebar2">
<ul class="list-unstyled navbar__list">
<li>
<a href="?page">
```

```

        <i class="fas fa-tachometer-alt"></i>Dashboard</a>
    </li>
    <li>
        <a href="?page=viewBarang">
            <i class="fas fa-archive"></i>Barang</a>
        </li>
    <li>
        <a href="?page=viewDistributor">
            <i class="fas fa-users"></i>Distributor</a>
        </li>
    <li>
        <a href="?page=viewMerek">
            <i class="fas fa-filter"></i>Bahan Baku</a>
        </li>
    <li>
        <a href="?page=kasirTransaksi">
            <i class="fas fa-shopping-basket"></i>Transaksi</a>
        </li>
    </ul>
</nav>
</div>
</aside>

<div class="page-container2">
    <header class="header-desktop2">
<div class="section__content section__content--p30">
    <div class="container-fluid">
        <div class="header-wrap2">
            <div class="logo d-block d-lg-none">
                <a href="#">
                    
                </a>
            </div>
        <div class="header-button2">
            <div class="header-button-item mr-0 js-sidebar-btn">
                <i class="zmdi zmdi-menu"></i>
            </div>
            <div class="setting-menu js-right-sidebar d-none d-lg-block">
                <div class="account-dropdown__body">
                    <div class="account-dropdown__item">
                        <a href="?page=profile">
                            <i class="zmdi zmdi-account"></i>Account</a>
                    </div>
                    <div class="account-dropdown__item">
                        <a href="homepage.php?logout" id="forLogout">
                            <i class="zmdi zmdi-power"></i>Logout</a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>
</div>
</div>
</header>
<aside class="menu-sidebar2 js-right-sidebar d-block d-lg-none">
    <div class="logo">
        <a href="#">
            
        </a>
    </div>
    <div class="menu-sidebar2__content js-scrollbar2">
        <div class="account2">
            <div class="image img-cir img-120">
                
            </div>
            <h4 class="name"><?= $auth['nama_user'] ?></h4>
            <p><?= $auth['level'] ?></p>
        </div>
        <nav class="navbar-sidebar2">
            <ul class="list-unstyled navbar__list">
                <li>
                    <a href="?page">
                        <i class="fas fa-tachometer-alt"></i>Dashboard</a>
                </li>
                <li>
                    <a href="?page=viewBarang">
                        <i class="fas fa-archive"></i>Barang</a>
                </li>
                <li>
                    <a href="?page=viewDistributor">
                        <i class="fas fa-users"></i>Distributor</a>
                </li>
                <li>
                    <a href="?page=viewMerek">
                        <i class="fas fa-filter"></i>Bahan Baku</a>
                </li>
                <li>
                    <a href="?page=kasirTransaksi">
                        <i class="fas fa-shopping-basket"></i>Transaksi</a>
                </li>
            </ul>
        </nav>
    </div>
</aside>

<?php

```

```

        @$page = $_GET['page'];
        switch($page){
            case 'viewBarang':
                include "admin/viewBarang.php";
                break;
            case 'viewDistributor':
                include "admin/viewDistributor.php";
                break;
            case 'viewMerek':
                include "admin/viewMerek.php";
                break;
            case 'addBarang':
                include "admin/addBarang.php";
                break;
            case 'viewBarangDetail':
                include "admin/viewBarangDetail.php";
                break;
            case 'viewBarangEdit':
                include "admin/viewBarangEdit.php";
                break;
            case 'profile':
                include "profile.php";
                break;
            case 'kasirTransaksi':
                include "kasir/kasirTransaksi.php";
                break;
            case 'kasirPembayaran':
                include "kasir/kasirPembayaran.php";
                break;
            case 'struk':
                include "kasir/strukTransaksi.php";
                break;
            default:
                $page = "dashboard";
                include "admin/dashboard.php";
                break;
        }
    ?>
</div>
</div>
<!-- Main JS-->
<script src="js/main.js"></script>
<script src="js/sweetalert.min.js"></script>
<script src="js/bootstrap-datepicker.min.js"></script>
<script>
$(document).ready(function(){
    function preview(input){
        if(input.files && input.files[0]){
            var reader = new FileReader();

```

```

        reader.onload = function (e){
            $('#pict').attr('src', e.target.result);
        }

        reader.readAsDataURL(input.files[0]);
    }
}
$('#gambar').change(function(){
    preview(this);
})
});
</script>
<script>
$(document).ready(function(){
    function preview(input){
        if(input.files && input.files[0]){
            var reader = new FileReader();

            reader.onload = function (e){
                $('#pict2').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }
    $('#gambar2').change(function(){
        preview(this);
    })
});
</script>
<script>
$(document).ready(function(){
    $('#forLogout').click(function(e){
        e.preventDefault();
        swal({
            title: "Logout",
            text: "Yakin Logout?",
            type: "info",
            showCancelButton: true,
            confirmButtonText: "Yes",
            cancelButtonText: "No",
            closeOnConfirm: false,
            closeOnCancel: true
        }, function(isConfirm) {
            if (isConfirm) {
                window.location.href="?logout";
            }
        });
    });
});

```

```

    });
  })
</script>
<script>
  $(document).ready(function() {
    $('#example').DataTable();
  });
</script>
<?php include "config/alert.php"; ?>
</body>
</html>

```

c) Pagekasir.php

```

<?php
  include "config/controller.php";
  $function = new lsp();
  session_start();
  $auth = $function->AuthUser($_SESSION['username']);
  $response = $function->sessionCheck();
  if($response == "false"){
    header("Location:index.php");
  }
  if(isset($_GET['logout'])){
    $function->logout();
  }
?>
<!DOCTYPE html>
<html>
<head>
<body class="animations">
  <div class="page-wrapper">
    <aside class="menu-sidebar2">
      <div class="logo">
        <a href="#">
          
        </a>
      </div>
      <div class="menu-sidebar2__content js-scrollbar1">
        <div class="account2">
          <div class="image img-cir img-120">
            
          </div>
          <h4 class="name"><?=$auth['nama_user']; ?></h4>
          <p><?=$auth['level'] ?></p>
        </div>
        <nav class="navbar-sidebar2">
          <ul class="list-unstyled navbar__list">
            <li>
              <a href="?page">
                <i class="fas fa-tachometer-alt"></i>Dashboard</a>

```

```

        </li>
        <li>
            <a href="?page=kasirTransaksi">
                <i class="fas fa-shopping-basket"></i>Transaksi</a>
            </li>
        </ul>
    </nav>
</div>
</aside>

<div class="page-container2">
    <header class="header-desktop2 hd">
<div class="section__content section__content--p30">
    <div class="container-fluid">
        <div class="header-wrap2">
            <div class="logo d-block d-lg-none">
                <a href="#">
                    
                </a>
            </div>
            <div class="header-button2">
                <div class="header-button-item mr-0 js-sidebar-btn">
                    <i class="zmdi zmdi-menu"></i>
                </div>
                <div class="setting-menu js-right-sidebar d-none d-lg-block">
                    <div class="account-dropdown__body">
                        <div class="account-dropdown__item">
                            <a href="?page=profile">
                                <i class="zmdi zmdi-account"></i>Account</a>
                            </div>
                        <div class="account-dropdown__item">
                            <a href="homepage.php?logout" id="forLogout">
                                <i class="zmdi zmdi-power"></i>Logout</a>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<aside class="menu-sidebar2 js-right-sidebar d-block d-lg-none">
    <div class="logo">
        <a href="#">
            
        </a>
    </div>
    <div class="menu-sidebar2__content js-scrollbar2">

```

```

<div class="account2">
  <div class="image img-cir img-120">
    " />
  </div>
  <h4 class="name"><?=$auth['nama_user'] ?></h4>
  <p><?=$auth['level'] ?></p>
</div>
<nav class="navbar-sidebar2">
  <ul class="list-unstyled navbar__list">
    <li>
      <a href="?page">
        <i class="fas fa-tachometer-alt"></i>Dashboard</a>
      </li>
    <li>
      <a href="?page=kasirTransaksi">
        <i class="fas fa-shopping-basket"></i>Transaksi</a>
      </li>
    </ul>
  </nav>
</div>
</aside>
<?php
  @$page = $_GET['page'];
  switch($page){
    case 'profile':
      include "profile.php";
      break;
    case 'kasirTransaksi':
      include "kasir/kasirTransaksi.php";
      break;
    case 'kasirPembayaran':
      include "kasir/kasirPembayaran.php";
      break;
    case 'struk':
      include "kasir/strukTransaksi.php";
      break;
    default:
      $page = "dashboard";
      include "kasir/dashboard.php";
      break;
  }
?>
</div>
</div>

<!-- Main JS-->
<script src="js/main.js"></script>
<script src="js/sweetalert.min.js"></script>

```



```

<script src="js/bootstrap-datepicker.min.js"></script>
<script>
$(document).ready(function(){
    function preview(input){
        if(input.files && input.files[0]){
            var reader = new FileReader();

            reader.onload = function (e){
                $('#pict').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }
    $('#gambar').change(function(){
        preview(this);
    })
});
</script>
<script>
$(document).ready(function(){
    function preview(input){
        if(input.files && input.files[0]){
            var reader = new FileReader();

            reader.onload = function (e){
                $('#pict2').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }
    $('#gambar2').change(function(){
        preview(this);
    })
});
</script>
<script>
$(document).ready(function(){
    $('#forLogout').click(function(e){
        e.preventDefault();
        swal({
            title: "Logout",
            text: "Yakin Logout?",
            type: "info",
            showCancelButton: true,
            confirmButtonText: "Yes",
            cancelButtonText: "No",
            closeOnConfirm: false,

```

```

        closeOnCancel: true
    }, function(isConfirm) {
        if (isConfirm) {
            window.location.href="?logout";
        }
    });
});
})
</script>
<script>
    $(document).ready(function() {
        $('#example').DataTable();
    });
</script>
<?php include "config/alert.php"; ?>
</body>
</html>

```

d) Pagemanager.php

```

<?php
    include "config/controller.php";
    $function = new lsp();
    session_start();
    $auth = $function->AuthUser($_SESSION['username']);
    $response = $function->sessionCheck();
    if($response == "false"){
        header("Location:index.php");
    }
    if(isset($_GET['logout'])){
        $function->logout();
    }
}

?>
<!DOCTYPE html>
<html>
<head>
<body>

<div class="page-wrapper">
    <aside class="menu-sidebar2">
        <div class="logo">
            <a href="#" onClick="window.location.reload();">
                
            </a>
        </div>
        <div class="menu-sidebar2__content js-scrollbar1">
            <div class="account2">
                <div class="image img-cir img-120">
                    
                </div>

```

```

    <h4 class="name"><?= $auth['nama_user']; ?></h4>
    <p><?= $auth['level'] ?></p>
</div>
<nav class="navbar-sidebar2">
    <ul class="list-unstyled navbar__list">
        <li>
            <a href="?page">
                <i class="fas fa-tachometer-alt"></i>Dashboard</a>
            </li>
            <li>
                <a href="?page=kelPegawai">
                    <i class="fas fa-users"></i>Kelola Pegawai</a>
                </li>
            <li>
                <a href="?page=kelTransaksi">
                    <i class="fas fa-shopping-basket"></i>Kelola Transaksi</a>
                </li>
            <li class="has-sub">
                <a class="js-arrow" href="#">
                    <i class="fas fa-archive"></i>Data Barang</a>
                <ul class="navbar-mobile-sub__list list-unstyled js-sub-list">
                    <li>
                        <a href="?page=kelBarang">Semua Barang</a>
                    </li>
                    <li>
                        <a href="?page=periode">Lihat Barang per Periode</a>
                    </li>
                    <li>
                        <a href="?page=barangHabis">Barang Habis</a>
                    </li>
                </ul>
            </li>
        </ul>
</nav>
</div>
</aside>

```

```

<div class="page-container2">
    <header class="header-desktop2 hd">
<div class="section__content section__content--p30">
    <div class="container-fluid">
        <div class="header-wrap2">
            <div class="logo d-block d-lg-none">
                <a href="#">
                    
                </a>
            </div>
            <div class="header-button2">

```



```

<a class="js-arrow" href="#">
  <i class="fas fa-tachometer-alt"></i>Data Barang</a>
<ul class="navbar-mobile-sub__list list-unstyled js-sub-list">
  <li>
    <a href="?page=kelBarang">Semua Barang</a>
  </li>
  <li>
    <a href="?page=periode">Lihat Barang per Periode</a>
  </li>
  <li>
    <a href="?page=barangHabis">Barang Habis</a>
  </li>
</ul>
</li>

</ul>
</nav>
</div>
</aside>

<?php
    @$page = $_GET['page'];
    switch($page){
        case 'kelPegawai':
            include "manager/kelolaPegawai.php";
            break;
        case 'profile':
            include "profile.php";
            break;
        case 'kelBarang':
            include "manager/viewManagerBarang.php";
            break;
        case 'viewBarangDetail':
            include "manager/viewBarangDetail.php";
            break;
        case 'periode':
            include "manager/BarangPeriode.php";
            break;
        case 'barangHabis':
            include "manager/BarangHabis.php";
            break;
        case 'kelTransaksi':
            include "manager/Transaksi.php";
            break;
        default:
            $page = "dashboard";
            include "manager/dashboard.php";
            break;
    }
?>

```

```

        </div>
    </div>
<!-- Main JS-->
<script src="js/main.js"></script>
<script src="js/sweetalert.min.js"></script>
<script src="js/bootstrap-datepicker.min.js"></script>
<script>
    $(document).ready(function(){
        function preview(input){
            if(input.files && input.files[0]){
                var reader = new FileReader();

                reader.onload = function (e){
                    $('#pict').attr('src', e.target.result);
                }

                reader.readAsDataURL(input.files[0]);
            }
        }
        $('#gambar').change(function(){
            preview(this);
        })
    });
</script>
<script>
    $(document).ready(function(){
        function preview(input){
            if(input.files && input.files[0]){
                var reader = new FileReader();

                reader.onload = function (e){
                    $('#pict2').attr('src', e.target.result);
                }

                reader.readAsDataURL(input.files[0]);
            }
        }
        $('#gambar2').change(function(){
            preview(this);
        })
    });
</script>
<script>
    $(document).ready(function(){
        $('#forLogout').click(function(e){
            e.preventDefault();
            swal({
                title: "Logout",
                text: "Yakin Logout?",
            });
        });
    });
</script>

```

```
type: "info",
showCancelButton: true,
confirmButtonText: "Yes",
cancelButtonText: "No",
closeOnConfirm: false,
closeOnCancel: true
}, function(isConfirm) {
  if (isConfirm) {
    window.location.href="?logout";
  }
});
});
})
</script>
<script>
$(document).ready(function() {
  $('#example').DataTable();
});
</script>
<?php include "config/alert.php"; ?>
</body>
</html>
```



UNIVERSITAS
MERCU BUANA