

Lampiran 2

2.1 admin.php

```
<?session_start();
include "../fungsi/connect.php";
$data=mysql_query("select * from admin where
user='$userid_admin'");
$userdata=mysql_fetch_array($data);
if($userid_admin == ""){
header("Location:./login.php?error=1");
}else{

if($password_admin=="genesis"&&$userid_admin=="admin
") {
$id_admin=$userdata[id];
session_register("id_admin");
session_register("userid_admin");
session_register("genesis");
header("Location:./administrator.php");
}else {header("Location:./login.php?error=1");
}}?>
```

2.2 cek.php

```
<?session_start();
if(!session_is_registered("genesis")){
echo "<HTML><HEAD>
<meta http-equiv='Content-Language' content='en-
us'><TITLE>Admin Login</TITLE>
<META HTTP-EQUIV='Content-Type'
CONTENT='text/html; charset=windows-1252'>
<LINK href='../FTI_UMB%20files/teknik.css'
type='text/css' rel='stylesheet'>
<style type='text/css'>
<!--BODY {SCROLLBAR-FACE-COLOR: #dee3e7;
MARGIN: 0px; SCROLLBAR-HIGHLIGHT-COLOR:
#ffffff; SCROLLBAR-SHADOW-COLOR: #dee3e7;
SCROLLBAR-3DLIGHT-COLOR: #d1d7dc;
SCROLLBAR-ARROW-COLOR: #1750a2; SCROLLBAR-
TRACK-COLOR: #efefef; SCROLLBAR-
DARKSHADOW-COLOR: #98aab1; BACKGROUND-
COLOR: #cccccc
}.style2 {color: #5D6F92}.style3 {color: #516386}.style5
{color: #373B61;font-size: 18px;
font-weight: bold;}.style7 {color: #373B61; font-weight:
bold; }--</style>
<script language='JavaScript'><!--function
FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; } }
function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } } }
function FP_getObjectByID(id,o) { //v1.0
var c,e,els,f,m,n; if(!o)=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
```

```
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[n]); if(el) return el; } }
return null; } // --></script></HEAD>
<body><TABLE cellSpacing="0" cellPadding="0"
width="780" align="center"
background="../FTI_UMB%20files/bg2.gif" border="0">
<TBODY> <tr><td>
<TABLE cellSpacing="0" cellPadding="0"
width="780" align="center"
background="../FTI_UMB%20files/bg2.gif" border="0">
<TBODY><TR><!-- Start : Header --><TD vAlign="top"
colSpan="2"><TABLE cellSpacing="0"
cellPadding="0" width="740" align="center"
border="0"><TBODY> <TR><TD vAlign="bottom"
align="middle" width="740" height="79"></TD> </TR><TR><TD height="23">
<TABLE height="23" cellSpacing="0" cellPadding="0"
width="740"
align="center" background="../FTI_UMB%20files/bg_head
ersub.gif" border="0"><TBODY>
<TR><TD width="740" height="23"
vAlign="right"><SPAN class="footer">
<marquee behavior="scroll" direction="left"
scrollamount="2" scrolldelay="70"
onmouseover="this.stop()"
onmouseout="this.start()">&nbsp; .. Fakultas Teknologi
Industri Universitas Mercu Buana .. Teknik Mesin .. Teknik
Elektro .. Teknik Informatika .. Teknik Industri .. Sistem
Informasi ..</marquee></SPAN></TD>
</TR></TBODY></TABLE></TD>
</TR></TBODY></TABLE>
<TD><TR><TBODY><TABLE>
</td></tr><tr><td><TABLE cellSpacing="4"
cellPadding="4" width="740" align="center"
border="0">
<tr><td vAlign="top" width="185"></td> <td><table
id="Table_01" width="250" height="296" border="0"
cellpadding="0" cellspacing="0"><tr><td colspan="5"
vAlign="top" height="23"></td> </tr> <tr> <td
colspan="5" vAlign="top" height="18"></td> </tr><tr>
<td colspan="5" vAlign="top" height="40">
<table border="0" cellspacing="0" cellpadding="0"
id="table1" > <tr><td width="300">&nbsp;</td>
<td width="300"><p align="center"><font
color="#FF0000"><font size="3"> Anda Tidak diijinkan
mengakses halaman ini,<br> login terlebih
dahulu.</font></p><p align="center">&nbsp;</p><a
href="./index.php">
</a></td> <td
width="15">&nbsp;</td> <p align="left" style="margin-
right: 5px"></td>
</tr></table> </td></tr><tr> <td colspan="3"
vAlign="top"></td></tr></table></td></tr> </table>
</td></tr>
```



```

                SKS</center></td>\n";
                echo "<td width=\"40\"
bgcolor=#93CDF5\"><center>
                <p style=\"margin-left: 5px; margin-
right: 5px\">
                Status</center></td>\n";
                echo "<td width=\"40\"
bgcolor=#93CDF5\"><center>
                <p style=\"margin-left: 5px; margin-
right: 5px\">
                Keterangan</center></td>\n";

                echo "</tr>";
                echo $isi ?>
                </td></tr>

```

```

</table>
</td></tr>

</table>
</td>
</tr>
</table>
</td>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
                                include "../footer_a.php";
                                ?>
</td>
</tr>
</table>
</tbody>

```

2.7 banercarisap.php

```

<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background=../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
                                include "../header_admin.php";
                                ?>
</td>
</tr>
<tr>
<td>
<?
                                include "../left_admin.php";
                                ?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4 width=949
align=center border=0>
<tr>
<td valign=top width=185>
<?
                                include "../left_admin.php";
                                ?>
</td>
</tr>
<tr>
<td>
<SCRIPT language=javascript src=../js/newwindow.js"
type=text/javascript></SCRIPT>
<center>
<?
                $cari.=<form action=\"$PHP_SELF?banercarisap.php\"
method=post\">;
                $cari.=<table border=\"0\">;

```

```

                $cari.=<tr>;
                $cari.=<td colspan=\"3\" class=gen\">Search &nbsp;\";
                $cari.=<input name=kata\" type=text\" id=kata\"
size=40\" maxlength=50\" class=textbox\"
onBlur=if(this.value==) this.value=product search;\"
onFocus=if(this.value==product search) this.value=;\"> ;
                $cari.=<input class=gen type=submit\" value=Search\"
name=submit1\"></td>;
                $cari.=<td>;
                $cari.=</tr>;
                $cari.=</form>;
                echo \"$cari<br><br><br>";
                ?>
                &nbsp;
                &nbsp;

```

```

<table border="1" width="70%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor=#93CDF5" colspan="3">
<font size=3>Satuan Acara Pembelajaran</font></td>
</tr>
<tr>
<td width="60%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SAP</center></td>
<td width="35%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>File</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from tabelsap where judul like
'%Skata%' order by '%Skata%' asc limit $offset,$limit");
while($d=mysql_fetch_array($d2)){

```

```

                echo<tr>
                <td width=\"60%\"><center>
                <p style=\"margin-left: 5px; margin-right: 5px\">
                \".$d[judul],\"</center></td>
                <td width=\"35%\" ><center>
                <p style=\"margin-left: 5px; margin-right: 5px\">
                <a
                href=javascript:openwindow('tampilap.php?id=$d[kode]')\"
                >
                Tampilkan</center></td>
                <td width=\"10%\"><center>
                <p align=margin-left: 5px; margin-right: 5px\">
                <a href=ubahsap.php?id=,$d[kode],\">Ubah <a
                href=proses_ubahsap.php?kodedata=,$d[kode],\">Hapus
                </center></td>
                <td>
                <p style=margin-left: 5px; margin-right: 5px\">;
                echo</td></tr>;
                }
                ?>
                <tr>
                <td width="99%" colspan="4">
                </td>
                </tr>
                </table><br>
                <?>

```



```

}
// -->
</script>
<script language="javascript">
    var win = null;
    function
    NewWindow(mypage,myname,w,h,scroll){
        LeftPosition = (screen.width) ?
(screen.width-w)/2 : 0;
        TopPosition = (screen.height) ?
(screen.height-ssh)/2 : 0;
        settings =
'height='+h+',width='+w+',top='+TopPosition+',left='+LeftPo
sition+',scrollbars='+scroll+',resizable'
        win =
window.open(mypage,myname,settings)
    }</script>
<table border="1" width="70%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="3">
<font size=3>DATA ISO</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="3">
<a href="input_dataiso.php">
</a>
</td>
</tr>
<tr>
<td width="60%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Judul</center></td>
<td width="35%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>File</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from tabeliso order by judul desc
limit $offset,$limit");
while($d=mysql_fetch_array($d2)){
    echo"<tr>
<td width='60%'><center>
<p style='margin-left: 5px; margin-right: 5px\"
\",$d[judul],\"</center></td>
<td width='35%'><center>
<p style='margin-left: 5px; margin-right: 5px\"
<a href='\"tampildataiso.php?id=\",$d[kode],\"
onclick='\"NewWindow(this.href,'name',\"850\",'820\",'yes');retur
n false\">
Tampilkan</a></center></td>
<td width='10%'><center>
<p align='\"margin-left: 5px; margin-right: 5px\">
<a href='\"ubahdataiso.php?id=\",$d[kode],\">Ubah </a>
<a
href='\"proses_ubahdataiso.php?kodedata=\",$d[kode],\">Ha
pus</a></center></td>
<td>
<p style='\"margin-left: 5px; margin-right: 5px\">
echo"<td></tr>";
    }
?>
</table><br>
<?
$d4="select * from tabeliso ";
$hasil2=mysql_query($d4);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( previous )
if(!empty($shalaman) && $shalaman !=1)
{
$previous=$shalaman-1;
echo"<A class=glen
HREF=$PHP_SELF?halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)
{
    echo "<a class=glen
href=$PHP_SELF?halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($shalaman < $total_halaman)
{
    $next=$shalaman+1;
    echo "<a class=glen
HREF=$PHP_SELF?halaman=$next>Next</A>";
}
else
{ echo "Next"; }
?>
</td>
<td>
<td>
<td></td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>

```



```

</tbody>

2.9 data_mahasiswa2.php
<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
                include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
                include "../left_admin.php";
?>
</td>
<td><br><div align="center">
                <p class="title1"><strong><a
href="data_mahasiswa.php">Laporan Dosen 1</a> | <a
href="data_mahasiswa2.php">Laporan Dosen 2</a> | <a
href="data_mahasiswa3.php">Laporan Dosen 3</a> | <a
href="data_mahasiswa4.php">Laporan Dosen 4</a> <br><a
href="data_mahasiswa5.php">Laporan Dosen 5</a>
                </strong></p></div>
<center>
&nbsp;
&nbsp;
</script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>DATA MAHASISWA</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="6">
<a href="input_datamhs2.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>IPK</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SKS</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Status</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$data1=mysql_query("select * from mhs where jurusan='3'
and dosen='2' order by nim asc limit $offset,$limit");
while($d1=mysql_fetch_array($data1)){
if($d1[status]=="0"){
$d1[status]="Aktif";
}else{
$d1[status]="<font color=\'#FF0000\'>Cuti</font>";
}
echo<tr>
<td width="20%"><center>
<p style="margin-left: 5px; margin-right: 5px">
",,$d1[nim],"</center></td>
<td width="25%"><center>
<p style="margin-left: 5px; margin-right: 5px">
",,$d1[nama],"</center></td>
<td width="15%"><center>
<p style="margin-left: 5px; margin-right: 5px">
",,$d1[ipk],"</center></td>
<td width="15%">
<p style="margin-left: 5px; margin-right: 5px">
",,$d1[sks],"</td>

```

```

<td width="20%"><center>
<p style="margin-left: 5px; margin-right: 5px">
", $d1[status], "</center></td>
<td width="25%"><center>
<p align="margin-left: 5px; margin-right: 5px">
<a
href="ubah_datamhs2.php?id=", $d1[id], "&nim=", $d1[nim],
">Ubah <a
href="proses_ubah_mhs2.php?id=", $d1[id], "&act=del">Ha
pus</center></td>
<td>
<p style="margin-left: 5px; margin-right: 5px">";
echo"</td></tr>";
}
?>
<tr>
<td width="99%" colspan="5">
</td>
</tr>
</table><br>
<?
$data2="select * from mhs where jurusan='3' and dosen='2' ";
$hasil2=mysql_query($data2);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( previous )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;
echo"<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $halaman)
{
echo "<a class=glen
href=$PHP_SELF?data_mahasiswa&halaman=$i>$i</A> -
";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($halaman < $total_halaman)
{
$next=$halaman+1;
echo "<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$next>Next
</A>";
}
else
{ echo "Next"; }
?>
</td>
</tr>
</table>
</td>
</tr>
</table>

```

```

<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

2.11 data_mahasiswa3.php
<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td><br><div align="center">
<p class="title1"><strong><a
href="data_mahasiswa.php">Laporan Dosen 1</a> | <a
href="data_mahasiswa2.php">Laporan Dosen 2</a> | <a
href="data_mahasiswa3.php">Laporan Dosen 3</a> | <a
href="data_mahasiswa4.php">Laporan Dosen 4</a> <br><a
href="data_mahasiswa5.php">Laporan Dosen 5</a>
</strong></p></div>
<center>
&nbsp;
&nbsp;
</center>
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectById(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectById(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);

```

```

else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[n]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>DATA MAHASISWA</font></td></tr>
<tr>
<td align="right" bgcolor="#93CDF5" colspan="6">
<a href="input_datamhs3.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>IPK</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SKS</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Status</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$data1=mysql_query("select * from mhs where jurusan='3'
and dosen='3' order by nim asc limit $offset,$limit");
while($d1=mysql_fetch_array($data1)){
    $d1[status]="Aktif";
    }else{
    $d1[status]="<font color='\#FF0000\ '>Cuti</font>";
    }
echo"<tr>
<td width='\20%\ '><center>
<p style='\margin-left: 5px; margin-right: 5px\ ">
    ",$d1[nim],"</center></td>
<td width='\25%\ '><center>
<p style='\margin-left: 5px; margin-right: 5px\ ">
    ",$d1[nama],"</center></td>
<td width='\15%\ '><center>
<p style='\margin-left: 5px; margin-right: 5px\ ">
    ",$d1[ipk],"</center></td>
<td width='\15%\ ">
<p style='\margin-left: 5px; margin-right: 5px\ ">
    ",$d1[skks],"</td>
<td width='\20%\ "><center>
<p style='\margin-left: 5px; margin-right: 5px\ ">
    ",$d1[status],"</center></td>
<td width='\25%\ "><center>
<p align='\margin-left: 5px; margin-right: 5px\ ">
<a
href="ubah_datamhs3.php?id=", $d1[id], "&nim=", $d1[nim],
"\ ">Ubah <a
href="proses_ubah_mhs3.php?id=", $d1[id], "&act=del\ ">Ha
pus</center></td>
<td>
<p style="\margin-left: 5px; margin-right: 5px\ ">";
echo"</td></tr>";
}
?>
</tr>
<td width="99%" colspan="5">
</td>
</tr>
</table><br>
<?
$data2="select * from mhs where jurusan='3' and dosen='3' ";
$hasil2=mysql_query($data2);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( prvious )
if(!empty($shalaman) && $shalaman !=1)
{
$previous=$shalaman-1;
echo"<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)
{
echo "<a class=glen
href=$PHP_SELF?data_mahasiswa&halaman=$i>$i</A> -
";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($shalaman < $total_halaman)
{
$next=$shalaman+1;
echo "<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$next>Next
</A>";
}
else

```

```

{ echo "Next";}
?>

</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

2.12 data_mahasiswa4.php

```

<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4 width=949
align=center border=0>
<tr>
<td valign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td><br><div align="center">
<p class="title1"><strong><a
href="data_mahasiswa.php">Laporan Dosen 1</a> | <a
href="data_mahasiswa2.php">Laporan Dosen 2</a> | <a
href="data_mahasiswa3.php">Laporan Dosen 3</a> | <a
href="data_mahasiswa4.php">Laporan Dosen 4</a> <br><a
href="data_mahasiswa5.php">Laporan Dosen 5</a>
</strong></p></div>
</td>
</tr>
</table>
</td>
</tr>
</tbody>
</table>
<script language="JavaScript">
<!--
function FP_preloadImgs() //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;

```

```

n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

```

```

function FP_getObjectByID(id,o) //v1.0
var c,el,els,f,m,n; if(!o)=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

```

```

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>DATA MAHASISWA</font></td></tr>
<tr>
<td align="right" bgcolor="#93CDF5" colspan="6">
<a href="input_datamhs4.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>IPK</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SKS</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Status</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<tr>
<td colspan="6">
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$data1=mysql_query("select * from mhs where jurusan='3'
and dosen='4' order by nim asc limit $offset,$limit");
while($d1=mysql_fetch_array($data1)){
if($d1[status]==="0"){

```

```

    $d1[status]="Aktif";
    }else{
    $d1[status]="<font color=\#FF0000\>Cuti</font>";
    }

    echo"<tr>
    <td width=\20%\><center>
    <p style=\margin-left: 5px; margin-right: 5px\>
    ",$d1[nim],"</center></td>
    <td width=\25%\><center>
    <p style=\margin-left: 5px; margin-right: 5px\>
    ",$d1[nama],"</center></td>
    <td width=\15%\><center>
    <p style=\margin-left: 5px; margin-right: 5px\>
    ",$d1[ipk],"</center></td>
    <td width=\15%\>
    <p style=\margin-left: 5px; margin-right: 5px\>
    ",$d1[sks],"</td>
    <td width=\20%\><center>
    <p style=\margin-left: 5px; margin-right: 5px\>
    ",$d1[status],"</center></td>
    <td width=\25%\><center>
    <p align=\margin-left: 5px; margin-right: 5px\>
    <a
    href=\ubah_datamhs4.php?id=", $d1[id], "&nim=", $d1[nim],
    "\>Ubah <a
    href=\proses_ubah_mhs4.php?id=", $d1[id], "&act=del\>Ha
    pus</center></td>
    <td>
    <p style=\margin-left: 5px; margin-right: 5px\>";

    echo"</td></tr>";
    }
    ?>
<tr>
<td width="99%" colspan="5">
</td>
</tr>
</table><br>
<?
$data2="select * from mhs where jurusan='3' and dosen='4' ";
$hasil2=mysql_query($data2);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( previous )
if(!empty($shalaman) && $shalaman !=1)
{
$previous=$shalaman-1;
echo"<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)
{
    echo "<a class=glen
href=$PHP_SELF?data_mahasiswa&halaman=$i>$i</A> -
";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)

```

```

if($shalaman < $total_halaman)
{
    $next=$shalaman+1;
    echo "<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$next>Next
</A>";
}
else
{ echo "Next";}
?>

</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
</table>

2.12 data_mahasiswa5.php
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<?
include "../left_admin.php";
?>
</td>
<td><br><div align="center">
<p class="title1"><strong><a
href="data_mahasiswa.php">Laporan Dosen 1</a> | <a
href="data_mahasiswa2.php">Laporan Dosen 2</a> | <a
href="data_mahasiswa3.php">Laporan Dosen 3</a> | <a
href="data_mahasiswa4.php">Laporan Dosen 4</a> <br><a
href="data_mahasiswa5.php">Laporan Dosen 5</a>
</strong></p></div>

<center>
&nbsp;
&nbsp;
<script language="JavaScript">
<!--
function FP_preloadImgs() {//v1.0

```

```

var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>DATA MAHASISWA</font></td></tr>
<tr>
<td align="right" bgcolor="#93CDF5" colspan="6">
<a href="input_datamhs5.php">
</a>
</td>
</tr>
<tr>
<td align="right" colspan="6">
<table border="0" style="width:100%; border-collapse: collapse;">
<tr>
<td align="center" width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td align="center" width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td align="center" width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>IPK</center></td>
<td align="center" width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SKS</center></td>
<td align="center" width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Status</center></td>
<td align="center" width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">

```

```

<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$data1=mysql_query("select * from mhs where jurusan='3'
and dosen='5' order by nim asc limit $offset,$limit");
while($d1=mysql_fetch_array($data1)){
if($d1[status]=="0"){
$d1[status]="Aktif";
}else{
$d1[status]="<font color=#FF0000>Cuti</font>";
}
}

echo"<tr>
<td width='20%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
\",$d1[nim],\"</center></td>
<td width='25%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
\",$d1[nama],\"</center></td>
<td width='15%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
\",$d1[ipk],\"</center></td>
<td width='15%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
\",$d1[skks],\"</center></td>
<td width='20%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
\",$d1[status],\"</center></td>
<td width='25%'><center>
<p align='margin-left: 5px; margin-right: 5px'\>
<a
href='ubah_datamhs5.php?id=',$d1[id],\"&nim=',$d1[nim],
\">Ubah <a
href='proses_ubah_mhs5.php?id=',$d1[id],\"&act=del\">Ha
pus</center></td>
<td>
<p style='margin-left: 5px; margin-right: 5px'\>";
}
}
?>
<tr>
<td align="center" colspan="5">
</td>
</tr>
</table><br>
<?
$data2="select * from mhs where jurusan='3' and dosen='5' ";
$hasil2=mysql_query($data2);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( prvious )
if(!empty($shalaman) && $shalaman !=1)
{
$previous=$shalaman-1;
echo"<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)

```

```

{
    echo "<a class=glen
href=$PHP_SELF?data_mahasiswa&halaman=$i>$i</A> -
";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($halaman < $total_halaman)
{
    $next=$halaman+1;
    echo "<A class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$next>Next
</A>";
}
else
{ echo "Next";}
?>

</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
</table>
<table border="0" cellspacing="0" cellpadding="0" width="949"
align="center"
background="../FTI_UMB%20files/bg3.gif" border="0">
<tbody>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<table border="0" cellspacing="0" cellpadding="0" width="949"
align="center" border="0">
<tr>
<td vAlign="top" width="185">
<?
include "../left_admin.php";
?>
</td>
<td align="center">
<p class="title1"><strong><a
href="data_mahasiswa.php">Laporan Dosen 1</a> | <a
href="data_mahasiswa2.php">Laporan Dosen 2</a> | <a
href="data_mahasiswa3.php">Laporan Dosen 3</a> | <a
href="data_mahasiswa4.php">Laporan Dosen 4</a> <br><a
href="data_mahasiswa5.php">Laporan Dosen 5</a>
</strong></p></td>
</tr>
</table>
</td>
</tr>
</tbody>
</table>

```

```

<center>
&nbsp;
&nbsp;
</center>
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,e,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>DATA MAHASISWA</font></td></tr>
<tr>
<td align="right" bgcolor="#93CDF5" colspan="6">
<a href="input_datamhs.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>IPK</center></td>
<td width="15%" bgcolor="#CCCCCC">

```

```

<p style="margin-left: 5px; margin-right: 5px">
<center>SKS</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Status</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$data1=mysql_query("select * from mhs where jurusan='3'
and dosen='1' order by nim asc limit $offset,$limit");
while($d1=mysql_fetch_array($data1)){
    if($d1[status]=="0"){
        $d1[status]="Aktif";
    }else{
        $d1[status]="<font color='&#xFF0000'&#gt;Cuti</font>";
    }

    echo"<tr>
<td width='&#x20%'&#gt;<center>
<p style='&#x5px; margin-right: 5px'&#gt;
", $d1[nim], "</center></td>
<td width='&#x25%'&#gt;<center>
<p style='&#x5px; margin-right: 5px'&#gt;
", $d1[nama], "</center></td>
<td width='&#x15%'&#gt;<center>
<p style='&#x5px; margin-right: 5px'&#gt;
", $d1[ipk], "</center></td>
<td width='&#x15%'&#gt;
<p style='&#x5px; margin-left: 5px; margin-right: 5px'&#gt;
", $d1[sks], "</td>
<td width='&#x20%'&#gt;<center>
<p style='&#x5px; margin-left: 5px; margin-right: 5px'&#gt;
", $d1[status], "</center></td>
<td width='&#x25%'&#gt;<center>
<p align='&#x5px; margin-right: 5px'&#gt;
<a
href="ubah_datamhs.php?id=", $d1[id], "&#x26;nim=", $d1[nim], "&#x26;#x20;Ubah <a
href="proses_ubah_mhs.php?id=", $d1[id], "&#x26;act=del"&#x26;#x20;Hapus</center></td>
<td>
<p style='&#x5px; margin-left: 5px; margin-right: 5px'&#gt;";
    }
    echo"</td></tr>";
}
?>
<tr>
<td width="99%" colspan="5">
</td>
</tr>
</table><br>
<?
$data2="select * from mhs where jurusan='3' and dosen='1' ";
$hasil2=mysql_query($data2);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( previous )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;
echo"<a class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $halaman)
{
    echo "<a class=glen
href=$PHP_SELF?data_mahasiswa&halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next )
if($halaman < $total_halaman)
{
    $next=$halaman+1;
    echo "<a class=glen
HREF=$PHP_SELF?data_mahasiswa&halaman=$next>Next
</A>";
}
else
{ echo "Next"; }
?>
</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0" cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
</table>
<input dataiso.php
<?php
include "../fungsi/connect.php";
include "../cek.php";
?>
<LINK href="..FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background="..FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4
width=949 align=center border=0>
<tr>
<td vAlign=top width=185>
<?

```



```

include "../left_admin.php";
?>
</td>
<td valign="top">
<br><br>
<?php
if (!$tambah)
{ include "../fungsi/connect.php";
$dataiso=mysql_query("select * from
tabeliso where kode='$id'");
$iso=mysql_fetch_array($dataiso);
?>
<center>
<form action="<?php echo $PHP_SELF
?>"method="POST" enctype="multipart/form-data">
<p class="style5 style2"><strong><br></strong>
Masukkan Data Baru</strong></p>
<p>
<table border="1" width="70%" cellspacing="0"
cellpadding="0">
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
Kode</td>
<td width="30%">
<input type="text" name="form_kode" size="40"
maxlength="50" style="color: #000080; font-size: 10pt; font-
family: Arial; border: 1px solid #FFFFFF; padding-left: 4px;
padding-right: 4px; padding-top: 1px; padding-bottom: 1px"
value="<?=$iso[kode]?>">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
judul</td>
<td width="30%">
<input type="text" name="form_judul" size="40"
maxlength="50" style="color: #000080; font-size: 10pt; font-
family: Arial; border: 1px solid #FFFFFF; padding-left: 4px;
padding-right: 4px; padding-top: 1px; padding-bottom: 1px"
value="<?=$iso[judul]?>">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
file</td>
<td>
<input type="file" name="form_file" size="40"
style="font-family: Arial; color: #000080"
value="<?=$iso[file]?>">
</td>
</tr>
<tr>
<td colspan="2" bgcolor="#CCCCCC" align="center">
<input type="submit" name="tambah"
value=" Tambah ">
</td></tr>
</table>
</form> <p style="margin-top: 1px; margin-
bottom: 1px">&nbsp;</p>
<? }
else {
include "../fungsi/koneksi.php";
include "../fungsi/koneksiadmin.php";
}

If ($form_file != null)
{
$data = addslashes(fread(fopen($form_file, "rb"),
filesize($form_file)));
$jenisdata = $form_file_type;
mysql_db_query($db_name, "INSERT INTO
tabeliso (kode,judul,jenis,file) VALUES
('$form_kode','$form_judul','$jenisdata','$data')");
}
else
{
$data = "Null";
$jenisdata = "Null";
}
?>
<center>
<font size=5>Input File Berhasil!</font>
</center>
<?php
}
?>
</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
?>
include "../footer_a.php";
?>
</td>
</tr>
</tbody>
</table>
<input data_mhs2.php
<?
include "../cek.php";
?>
<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
?>
include ../header_admin.php";
?>
</td>
</tr>
</table>
<table cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td valign=top width=185>
<?
include "../left_admin.php";
?>
</td>

```



```

<option value="E">E</option>
</select></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Tanggal</td>
<td width="30%">
<input type="text" name="tanggal" size="30"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[tanggal]"><a
class="form">(format:dd/mm/yy)</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Jurusan</td>
<td width="30%">
<p style="margin-left: 2px; margin-top: 2px; margin-
bottom: 2px">
<select size="1" name="jurusan" style="color: #000080;
font-family: arial; font-size: 10pt">
<option selected value="1">Teknik Mesin
</option>
<option value="2">Teknik Elektro</option>
<option value="3">Teknik Informatika</option>
<option value="4">Teknik Industri</option>
<option value="5">Sistem Informasi</option>
</select></td>
</tr>
<tr>
<td width="27%" bgcolor="#CCCCCC" align="right">
<p style="margin-right: 10px; margin-top: 2px; margin-
bottom: 2px">&nbsp;&nbsp;&nbsp;</td>
<td bgcolor="#CCCCCC" width="73%">
<p style="margin-left: 10px; margin-top: 5px; margin-
bottom: 5px">
<input type="submit" value=" K I R I M " name="kirim"
style="color: #000080; font-family: arial; font-weight:
bold"></td>
</tr>
</form>
</table>;
?>
</td>
</td>
</tr>
</table>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

input_peserta_ta.php

```

<?
include "../cek.php";
?>

```

```

<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td>
<td valign="top">
<p class="style5 style2"><strong><br></strong>Input
Peserta Sidang Tugas Akhir</strong></p>
<?
echo <table border="1" width="75%" cellspacing="0"
cellpadding="0" id="table2">
<form method="POST"
action="proses_input_peserta_ta.php">
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
NIM</td>
<td width="30%">
<input type="text" name="nim_baru" size="40"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[nim]"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Nama</td>
<td width="30%">
<input type="text" name="nama" size="40"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[nama]"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Judul</td>
<td width="30%">
<input type="text" name="judul" size="40"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[judul]"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Pembimbing</td>

```

```

<td width="30%">
<input type="text" name="pembimbing" size="40"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[pembimbing]"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="15%">
<p style="margin-left: 5px; margin-right: 5px">
Tanggal</td>
<td width="30%">
<input type="text" name="tanggal" size="40"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px"
value="\$d[tanggal]"></td>
</tr>
<tr>
<td width="27%" bgcolor="#CCCCCC" align="right">
<p style="margin-right: 10px; margin-top: 2px; margin-
bottom: 2px">&nbsp;&nbsp;&nbsp;</td>
<td bgcolor="#CCCCCC" width="73%">
<p style="margin-left: 10px; margin-top: 5px; margin-
bottom: 5px">
<input type="submit" value=" K I R I M " name="kirim"
style="color: #000080; font-family: arial; font-weight:
bold"></td>
</tr>
</form>
</table>;
?>
</td>
</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

input_sap.php

```

<?php
include "../fungsi/connect.php";
include "../cek.php";
?>
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>

```

```

<td>
<TABLE cellSpacing=4 cellPadding=4
width=949 align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td valign="top">
<br><br>
<?php
if (!$tambah)
{ include "../fungsi/connect.php";
$.sap=mysql_query("select * from
tabelsap where kode='$id'");
$s=mysql_fetch_array($sap);
?>
<center>
<form action="<?php echo $PHP_SELF
?>" method="POST" enctype="multipart/form-data">
<p class="style5 style2"><strong><br></strong>
Masukkan Baru Satuan Acara Perkuliahan </strong></p>
<p>
<table border="1" width="70%" cellspacing="0"
cellpadding="0">
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
Kode</td>
<td width="30%">
<input type="text" name="form_kode" size="40"
maxlength="50" style="color: #000080; font-size: 10pt; font-
family: Arial; border: 1px solid #FFFFFF; padding-left: 4px;
padding-right: 4px; padding-top: 1px; padding-bottom: 1px"
value="<?=$s[kode]?>">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
SAP</td>
<td width="30%">
<input type="text" name="form_judul" size="40"
maxlength="50" style="color: #000080; font-size: 10pt; font-
family: Arial; border: 1px solid #FFFFFF; padding-left: 4px;
padding-right: 4px; padding-top: 1px; padding-bottom: 1px"
value="<?=$s[judul]?>">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
file</td>
<td>
<input type="file" name="form_file" size="40"
style="font-family: Arial; color: #000080"
value="<?=$s[file]?>">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" colspan=2 align=center>
<input type="submit"
name="tambah" value=" Tambah ">
</td></tr>
</table>
</form>
<? } else { include "../fungsi/koneksi.php";

```

```

        include "../fungsi/koneksiadmin.php";
        If ($form_file != null)
        {
            $data = addslashes(fread(fopen($form_file, "rb"),
            filesize($form_file)));
            $jenisdata = $form_file_type;
            mysql_db_query($db_name, "INSERT INTO
            tabelsap (kode,judul,jenis,file) VALUES

            ($form_kode','$form_judul','$jenisdata','$data');");

        }
        else
        {
            $data = "Null";
            $jenisdata = "Null";

        }
        ?>
        <center>
        <font size=5>Input File Berhasil!</font>
        </center>
        <?php
        }
        ?>
    </td>
    </tr>
    </table>
    </tr>
    </table>
    <table width="949" border="0" cellspacing="0"
    cellpadding="0">
    <tr>
    <td>
        <?
        ?>
        </td>
        </tr>
        </table>
        </tbody>

        input_seminar_kp.php
        <?
        include "../cek.php";
        ?>
        <LINK href="../FTI_UMB%20files/teknik.css" type=text/css
        rel=stylesheet>

        <TABLE cellSpacing=0 cellPadding=0 width=949
        align=center
        background="../FTI_UMB%20files/bg3.gif" border=0>
        <TBODY>
        <tr>
        <td>
        <?
            include "../header_admin.php";
        ?>
        </td>
        </tr>
        <tr>
        <td>
        <TABLE cellSpacing=4 cellPadding=4 width=949
        align=center border=0>
        <tr>
        <td vAlign=top width=185>
        <?
            include "../left_admin.php";
        ?>

```

```

    </td>
    </td>
    <td valign="top">
    <p class="style5 style2"><strong><br></strong>Input Daftar
    Peserta Seminar Kerja Praktek</strong></p>
    <?
    echo"<table border='1' width='75%' cellspacing='0'
    cellpadding='0' id='table2'>
    <form method='POST'
    action='proses_input_seminar_kp.php'>
    <tr>
    <td bgcolor='#CCCCCC' width='15%'>
    <p style='margin-left: 5px; margin-right: 5px'>
    NIM</td>
    <td width='30%'>
    <input type='text' name='nim_baru' size='40'
    style='color: #000080; font-size: 10pt; font-family: Arial;
    border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
    4px; padding-top: 1px; padding-bottom: 1px'
    value='$d[nim]'></td>
    </tr>
    <tr>
    <td bgcolor='#CCCCCC' width='15%'>
    <p style='margin-left: 5px; margin-right: 5px'>
    Nama</td>
    <td width='30%'>
    <input type='text' name='nama' size='40'
    style='color: #000080; font-size: 10pt; font-family: Arial;
    border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
    4px; padding-top: 1px; padding-bottom: 1px'
    value='$d[nama]'></td>
    </tr>
    <tr>
    <td bgcolor='#CCCCCC' width='15%'>
    <p style='margin-left: 5px; margin-right: 5px'>
    Judul</td>
    <td width='30%'>
    <input type='text' name='judul' size='40'
    style='color: #000080; font-size: 10pt; font-family: Arial;
    border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
    4px; padding-top: 1px; padding-bottom: 1px'
    value='$d[judul]'></td>
    </tr>
    <tr>
    <td bgcolor='#CCCCCC' width='15%'>
    <p style='margin-left: 5px; margin-right: 5px'>
    Pembimbing</td>
    <td width='30%'>
    <input type='text' name='pembimbing' size='40'
    style='color: #000080; font-size: 10pt; font-family: Arial;
    border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
    4px; padding-top: 1px; padding-bottom: 1px'
    value='$d[pembimbing]'></td>
    </tr>
    <tr>
    <td bgcolor='#CCCCCC' width='15%'>
    <p style='margin-left: 5px; margin-right: 5px'>
    Tanggal</td>
    <td width='30%'>
    <input type='text' name='tanggal' size='40'
    style='color: #000080; font-size: 10pt; font-family: Arial;
    border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
    4px; padding-top: 1px; padding-bottom: 1px'
    value='$d[tanggal]'></td>
    </tr>
    <tr>
    <td width='27%' bgcolor='#CCCCCC' align='right'>
    <p style='margin-right: 10px; margin-top: 2px; margin-
    bottom: 2px'>&nbsp;</td>
    <td bgcolor='#CCCCCC' width='73%'>

```

```

<p style="margin-left: 10px; margin-top: 5px; margin-bottom: 5px">
<input type="submit" value=" K I R I M \ " name=" kirim \ "
style="color: #000080; font-family: arial; font-weight:
bold"></td>
</tr>
</form>
</table>;
?>
</td>
</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

laporan_kp.php

```

<LINK href=" ../FTI_UMB% 20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background=" ../FTI_UMB% 20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<?
include "../left_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
</tr>
<tr>
<td><br><div align="center">
<p class="title1"><strong><a
href="seminar_kp.php">Peserta Seminar Kerja Praktek</a> |
<a href="laporan_kp.php">Indeks laporan Seminar Kerja
Praktek</a>
</strong></p></div>
<center>
<?
$scari.="<form name="form1"
action="banerocarilapkp.php" method="post">;
$scari.="<table border="0">;
$scari.="<tr>;
$scari.="<td colspan="3" class="gen">Search NIM
&nbsp;;
$scari.="<input name="kata" type="text" id="kata"
size="40" maxlength="50" class="textbox"
onBlur="if(this.value==" this.value='product search';"
onFocus="if(this.value=='product search') this.value=";">;

```

```

$scari.="<input class=gen type="submit" value="Search"
name="submit1"></td>;
$scari.="<td>;
$scari.="</tr>;
$scari.="</form>;
echo "$scari<br><br><br>;
?>
&nbsp;;
&nbsp;;
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>
<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="7">
<font size=3>Indeks Kerja Praktek</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="7">
<a href="input_laporankp.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="27%" bgcolor="#CCCCCC">

```

```

<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nilai</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Huruf</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Tanggal</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from nilai_kp where jurusan='3'
order by nim_kp desc limit $offset,$limit");
while($d=mysql_fetch_array($d2)){
    $baca2=mysql_query("select * from mhs where
indeks_kp='$d[kode]'");
    $d3=mysql_fetch_array($baca2);

    echo"<tr>

<td><center>
<p style=\"margin-left: 5px; margin-right: 5px\">
\",$d3[nim],\"</center></td>
<td width=\"25%\"><center>
<p style=\"margin-left: 5px; margin-right: 5px\">
\",$d3[nama],\"</center></td>
<td width=\"16%\"><center>
<p style=\"margin-left: 5px; margin-right: 5px\">
\",$d[nilaikp],\"</center></td>
<td width=\"16%\">
<p style=\"margin-left: 5px; margin-right: 5px\">
\",$d[hurufkp],\"</td>
<td width=\"18%\">
<p style=\"margin-left: 5px; margin-right: 5px\">
\",$d[tanggalkp],\"</td>
<td width=\"25%\"><center>
<p align=\"margin-left: 5px; margin-right: 5px\">
<a
href=\"ubah_kp.php?id=\",$d3[id],\"&kode=\",$d[kode],\">U
bah <a
href=\"proses_ubah_kp.php?kode=\",$d[kode],\"&act=del\">H
apus</center></td>
<td>
<p style=\"margin-left: 5px; margin-right: 5px\">";

    echo"<td></tr>";
}
?>
<tr>
<td width="99%" colspan="4">
</td>
</tr>

</table><br>
<?
$d5="select * from nilai_kp where jurusan='3'";
$hasil2=mysql_query($d5);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( prvious )
if(!empty($shalaman) && $shalaman !=1)
{
    $previous=$shalaman-1;
    echo"<A class=glen
    HREF=$PHP_SELF?laporan_kp&halaman=$previous>
        Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)
{
    echo "<a class=glen
href=$PHP_SELF?laporan_kp&halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($shalaman < $total_halaman)
{
    $next=$shalaman+1;
    echo "<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$next>Next</A>
";
}
else
{ echo "Next"; }
?>
</td>
</td>
</td>
<td></td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<td>
<?
include "../footer_a.php";
?>
</td>
</td>
</tr>
</table>
</tbody>
</table>

laporan_ta.php
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>

```

```

<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td><br><div align="center">
<p class="title1"><strong><a
href="peserta_ta.php">Peserta Sidang Tugas Akhir</a> | |
<a href="laporan_ta.php">Indeks laporan sidang Tugas
Akhir</a>
</strong></p></div>
<center>
<?
$cari.="<form name="form1" action="banercarilapta.php"
method="post">";
$cari.="<table border="0">";
$cari.="<tr>";
$cari.="<td colspan="3" class="gen">Search
NIM&nbsp;";
$cari.="<input name="kata" type="text" id="kata"
size="40" maxlength="50" class="textbox"
onBlur="if(this.value=="") this.value='product search';"
onFocus="if(this.value=='product search') this.value="";">";
$cari.="<input class=gen type="submit" value="Search"
name="submit1"></td>";
$cari.="<td>";
$cari.="<tr>";
$cari.="</form>";
echo "$cari<br><br><br>";
?>
&nbsp;
&nbsp;
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectById(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectById(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectById(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectById(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

```

```

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>Indeks Tugas Akhir</font></td></tr>
<tr>
<td align="right" bgcolor="#93CDF5" colspan="6">
<a href="input_laporanta.php">
</a>
</td>
</tr>
<tr>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="27%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nilai</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Huruf</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Tanggal</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from nilai_ta where jurusan='3'
order by nim_ta desc limit $offset,$limit");
while($d=mysql_fetch_array($d2)){
$baca2=mysql_query("select * from mhs where
indeks_ta='$d[kode]'");
$d3=mysql_fetch_array($baca2);
echo"<tr>
<td><center>
<p style="margin-left: 5px; margin-right: 5px">
", $d3[nim], "</center></td>
<td width="27%"><center>
<p style="margin-left: 5px; margin-right: 5px">
", $d3[nama], "</center></td>
<td width="16%"><center>
<p style="margin-left: 5px; margin-right: 5px">
", $d3[nilai], "</center></td>
<td width="16%">
<p style="margin-left: 5px; margin-right: 5px">
", $d3[huruf], "</td>
<td width="18%">
<p style="margin-left: 5px; margin-right: 5px">
", $d3[tanggal], "</td>
<td width="25%"><center>
<p align="margin-left: 5px; margin-right: 5px">
<a
href="ubah_ta.php?id=", $d3[id], "&kode=", $d3[kode], ">Ubah
ah <a

```

```

href="\proses_ubah_ta.php?kode=", $d[kode], "&act=del\">H
apus</center></td>
<td>
<p style=\\"margin-left: 5px; margin-right: 5px\">;
echo\"</td></tr>";
}
?>
<tr>
<td width="99%" colspan="4">
</td>
</tr>
</table><br>
<?
$d5="select * from nilai_ta where jurusan='3'";
$hasil2=mysql_query($d5);
$jumlahbaris=mysql_num_rows($hasil2);
//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);
//link ke halaman sebelumnya ( previous )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;
echo"<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }
//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $halaman)
{
echo "<a class=glen
href=$PHP_SELF?laporan_ta&halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }
// link ke halaman berikutnya ( Next)
if($halaman < $total_halaman)
{
$next=$halaman+1;
echo "<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$next>Next</A>
";
}
else
{ echo "Next"; }
?>
</td>
<td>
</td>
<td></td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?

```

```

include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
</html>
login.php
<HTML><HEAD><TITLE>LOGIN</TITLE>
<META name=Title content="FTI_UMB : Home">
<META name=Abstract content="FTI, situs Falkutas
Teknologi Industri Universitas Mercu Buana">
<META content="falkutas, teknologi, industri, universitas,
mercuro, buana, jurusan, teknik, mesin, elektro, informatika,
industri, sistem, informasi, dokumentasi, kerja, praktek,
tugas, akhir, ujian, tengah, semester, digital, library, iso,
alumni, tracking."
name=Keywords>
<META content="informatika(mercubuana-
it@yahoo.com)" name=Author>
<META content="FTI by Rajin" name=Copyright>
<META content="Rajin 2003 Team" name=Designer>
<LINK href="..FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<style type="text/css">
<!--
BODY {
SCROLLBAR-FACE-COLOR: #dee3e7;
MARGIN: 0px; SCROLLBAR-HIGHLIGHT-COLOR:
#ffffff; SCROLLBAR-SHADOW-COLOR: #dee3e7;
SCROLLBAR-3DLIGHT-COLOR: #d1d7dc;
SCROLLBAR-ARROW-COLOR: #1750a2; SCROLLBAR-
TRACK-COLOR: #efefef; SCROLLBAR-
DARKSHADOW-COLOR: #98aab1; BACKGROUND-
COLOR: #cccccc
}
.style2 {color: #5D6F92}
.style3 {color: #516386}
.style5 {
color: #373B61;
font-size: 18px;
font-weight: bold;
}
.style7 {color: #373B61; font-weight: bold; }
-->
</style>
</head>
<body>
<TABLE cellspacing=0 cellpadding=0 width=780
align=center
background="..FTI_UMB%20files/bg2.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_login.php";
?>
</td>
</tr>
</table>
<table cellpadding=4 cellspacing=4
width=740 align=center border=0>
<tr>

```



```

<td vAlign=top width=185></td>
<td>
  <table id="Table_01" width="400" height="296"
border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="3" vAlign="top" height="23">
      <table border="0" cellspacing="0"
cellpadding="0" id="table2" height="23">
        <tr><td></td></tr>
      </table>
    </td>
  </tr>
  <tr>
    <td colspan="3" vAlign="top" height="18"></td>
  </tr>
  <tr>
    <td colspan="3" vAlign="top" height="19">
      <table border="0" cellspacing="0"
cellpadding="0" id="table1">
        <tr>
          <td vAlign="top">
            <form method="POST"
action="admin.php">
              <?
                if($error){
                  echo "<p align='center'><font
color='<#FF0000'>UserID atau Password yang Anda
masukkan salah.<br> Silakan ulangi lagi.</font></p>";}
                ?>
              <table border="0" width="60%"
cellspacing="1" id="table2" height="80">
                <tr>
                  <td colspan="2">
                    <p align="center"
style="margin-top: 3px; margin-bottom: 3px">
                      <b><font
face="Arial">LOGIN ADMINISTRATOR</font></b></td>
                  </tr>
                  <tr>
                    <td width="37%"
align="right">
                      <p style="margin-
top: 3px; margin-bottom: 3px">
                        User ID : </td>
                    <td width="61%">
                      <p style="margin-
top: 3px; margin-bottom: 3px">
                        <input type="text"
name="userid_admin" size="20" style="color: #000080;
font-family: arial; font-size: 12pt"></td>
                  </tr>
                  <tr>
                    <td width="37%"
align="right">
                      <p style="margin-
top: 3px; margin-bottom: 3px">
                        Password : </td>
                    <td width="61%">
                      <p style="margin-
top: 3px; margin-bottom: 3px">
                        <input
type="password" name="password_admin" size="20"
style="color: #000080; font-family: arial; font-size:
12pt"></td>
                  </tr>
                  <tr>
                    <td width="37%">

```

```

<a href="laporan_ta.php">Indeks laporan sidang Tugas
Akhir</a>
</strong></p></div>
<center>

&nbsp;
&nbsp;
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>Daftar Peserta Sidang Tugas
Akhir</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="6">
<a href="input_peserta_ta.php">
</a>
</td>
</tr>
<tr>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Judul</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Pembimbing</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Tanggal</center></td>
<td width="20%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from peserta_ta order by nim asc
limit $offset,$limit");
while($d=mysql_fetch_array($d2)){
echo"<tr>
<td width='15%'><center>
<p style='margin-left: 5px; margin-right: 5px\">
\",$d[nim],\"</center></td>
<td width='25%'><center>
<p style='margin-left: 5px; margin-right: 5px\">
\",$d[nama],\"</center></td>
<td width='25%'><center>
<p style='margin-left: 5px; margin-right: 5px\">
\",$d[judul],\"</center></td>
<td width='15%'>
<p style='margin-left: 5px; margin-right: 5px\">
\",$d[pembimbing],\"</td>
<td width='15%'>
<p style='margin-left: 5px; margin-right: 5px\">
\",$d[tanggal],\"</td>
<td width='20%'><center>
<p align='margin-left: 5px; margin-right: 5px\">
<a
href=\"ubah_peserta_ta.php?id=\",$d[id],\"&nim=\",$d[nim],\"
\">Ubah <a
href=\"proses_ubah_peserta_ta.php?id=\",$d[id],\"&act=del\">
Hapus</center></td>
<td>
<p style='margin-left: 5px; margin-right: 5px\">;
echo\"</td></tr>";
}
?>
</tr>
<td width="99%" colspan="5">
</td>
</tr>
</table><br>
<?
$d5="select * from peserta_ta ";
$hasil2=mysql_query($d5);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( prvious )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;
echo"<A class=glen
HREF=$PHP_SELF?halaman=$previous>
Previous</A> - ";
}

```

```

    }
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $shalaman)
{
    echo "<a class=glen
href=$PHP_SELF?halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($shalaman < $total_halaman)
{
    $next=$shalaman+1;
    echo "<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$next>Next</A>
";
}
else
{ echo "Next";}
?>

</td>
</td>
</td>
<td></td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

proses_input_mhs2.php

```

<?
include "../cek.php";
include "../fungsi/connect.php";
$cek=mysql_query("select nim from mhs where
nim='$nim_baru'");
$total=mysql_num_rows($cek);

if($total=="0"){
$add=mysql_query("INSERT INTO mhs ( nama , nim , sex ,
ipk , sks , status , jurusan , dosen )
VALUES (
'$nama', '$nim_baru', '$sex', '$ipk', '$sks', '$status', '$jurusan',
'$dosen')");
header("location:./data_mahasiswa2.php");
}
?>

```

proses_input_mhs3.php

```

<?
include "../cek.php";

```

```

include "../fungsi/connect.php";
$cek=mysql_query("select nim from mhs where
nim='$nim_baru'");
$total=mysql_num_rows($cek);

if($total=="0"){
$add=mysql_query("INSERT INTO mhs ( nama , nim , sex ,
ipk , sks , status , jurusan , dosen )
VALUES (
'$nama', '$nim_baru', '$sex', '$ipk', '$sks', '$status', '$jurusan',
'$dosen')");
header("location:./data_mahasiswa3.php");
}
?>

```

proses_input_mhs4.php

```

<?
include "../cek.php";
include "../fungsi/connect.php";
$cek=mysql_query("select nim from mhs where
nim='$nim_baru'");
$total=mysql_num_rows($cek);

if($total=="0"){
$add=mysql_query("INSERT INTO mhs ( nama , nim , sex ,
ipk , sks , status , jurusan , dosen )
VALUES (
'$nama', '$nim_baru', '$sex', '$ipk', '$sks', '$status', '$jurusan',
'$dosen')");
header("location:./data_mahasiswa4.php");
}
?>

```

proses_input_mhs5.php

```

<?
include "../cek.php";
include "../fungsi/connect.php";
$cek=mysql_query("select nim from mhs where
nim='$nim_baru'");
$total=mysql_num_rows($cek);

if($total=="0"){
$add=mysql_query("INSERT INTO mhs ( nama , nim , sex ,
ipk , sks , status , jurusan , dosen )
VALUES (
'$nama', '$nim_baru', '$sex', '$ipk', '$sks', '$status', '$jurusan',
'$dosen')");
header("location:./data_mahasiswa5.php");
}
?>

```

proses_input_mhs.php

```

<?
include "../cek.php";
include "../fungsi/connect.php";
$cek=mysql_query("select nim from mhs where
nim='$nim_baru'");
$total=mysql_num_rows($cek);

if($total=="0"){
$add=mysql_query("INSERT INTO mhs ( nama , nim , sex ,
ipk , sks , status , jurusan , dosen )
VALUES (
'$nama', '$nim_baru', '$sex', '$ipk', '$sks', '$status', '$jurusan',
'$dosen')");
header("location:./data_mahasiswa.php");
}

```

```

}
?>

proses_input_laporankp.php
<?
include"./cek.php";
include"./fungsi/connect.php";

$datakp=mysql_query("select * from mhs where
indeks_kp='$kode'");
$total=mysql_num_rows($datakp);

$masuk= mktime
(0,0,0,$stanggalkp1,$stanggalkp2,$stanggalkp3);
if(isset($total)){
if($hasil<1){
$add1=mysql_query("INSERT INTO mhs (
id,nim,nama,sex,jurusan,indeks_kp )
VALUES (
', '$nim', '$nama', '$sex', '$jurusan', '$kode'");
$add2=mysql_query("INSERT INTO nilai_kp (
nilaikip,hurufkp,tanggalkp,nim_kp,kode,jurusan)
VALUES (
'$nilaikip', '$hurufkp', '$stanggalkp', '$nim', '$kode',
'$jurusan'");
header("location:./laporan_kp.php");
}
}
?>

proses_input_laporanta.php
<?
include"./cek.php";
include"./fungsi/connect.php";

$tbh=mysql_query("select * from mhs where
indeks_ta='$kode'");
$tambah=mysql_num_rows($tbh);
if(isset($tambah)){
if($hasil<1){
$addmhs=mysql_query("INSERT INTO mhs (
id,nim,nama,sex,jurusan,indeks_ta )
VALUES (
', '$nim', '$nama', '$sex', '$jurusan', '$kode'");
$addta=mysql_query("INSERT INTO nilai_ta (
nilaita,hurufta,tanggalta,nim_ta,jurusan,kode)
VALUES (
'$nilaita', '$hurufta', '$tanggalta', '$nim', '$jurusan',
'$kode'");
header("location:./laporan_ta.php");
}
}
?>

proses_input_seminarkp.php
<?
include"./cek.php";
include"./fungsi/connect.php";

$input=mysql_query("select nim from seminar_kp where
nim='$nim_baru'");
$tambah=mysql_num_rows($input);

if($tambah=="0"){
$add=mysql_query("INSERT INTO seminar_kp ( nim ,
nama , judul , pembimbing , tanggal )
VALUES (
'$nim_baru', '$nama', '$judul' , '$pembimbing', '$tanggal'");
header("location:./seminar_kp.php");
}

```

```

}
?>

proses_ubah_kp.php
<?
include"./cek.php";
include"./fungsi/connect.php";
if($act=="del"){
$del=mysql_query("delete from mhs where
indeks_kp='$kode' ");
$del2=mysql_query("delete from nilai_kp where
kode='$kode' ");
}else{
$add=mysql_query("UPDATE mhs set nim='$nim' ,
nama='$nama', sex='$sex', indeks_kp='$kode'
where indeks_kp='$kode' ");
$add2=mysql_query("UPDATE nilai_kp set kode='$kode',
nim_kp='$nim', nilaikip='$nilaikip', hurufkp='$hurufkp'
,tanggalkp='$stanggalkp'
where kode='$kode' ");
}
header("location:./laporan_kp.php");
?>

proses_ubah_mhs2.php
<?
include"./cek.php";
include"./fungsi/connect.php";
if($act=="del"){
$del=mysql_query("delete from mhs where id='$id'");
}else{
$add=mysql_query("UPDATE mhs set nama='$nama' ,
nim='$nim_baru' , sex='$sex' , ipk='$ipk' ,
sks='$sks' , status='$status'
where id='$id'");
}
header("location:./data_mahasiswa2.php");
?>

proses_ubah_mhs3.php
<?
include"./cek.php";
include"./fungsi/connect.php";
if($act=="del"){
$del=mysql_query("delete from mhs where id='$id'");
}else{
$add=mysql_query("UPDATE mhs set nama='$nama' ,
nim='$nim_baru' , sex='$sex' , ipk='$ipk' ,
sks='$sks' , status='$status'
where id='$id'");
}
header("location:./data_mahasiswa3.php");
?>

proses_ubah_mhs4.php
<?
include"./cek.php";
include"./fungsi/connect.php";
if($act=="del"){
$del=mysql_query("delete from mhs where id='$id'");
}else{
$add=mysql_query("UPDATE mhs set nama='$nama' ,
nim='$nim_baru' , sex='$sex' , ipk='$ipk' ,
sks='$sks' , status='$status'
where id='$id'");
}
header("location:./data_mahasiswa4.php");
?>

proses_ubah_mhs5.php
<?

```



```

4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $kode ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
SAP </td>
<td width="30%">
<input type="text" name="form_judul" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $judul ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" colspan=2 align=center>
<input type="submit" name="delete" value=" delete
Data ">
</td>
</tr>
</table>
</form>
</center>

<?php
mysql_free_result($hasil);
}
else
{
$query = "DELETE FROM tabeliso WHERE
kode=$form_kode";
$hasil = mysql_query($query);
?>

<center>
<font size=5>Proses Hapus Berhasil!</font><p>
Perubahan Terhadap
<b><?php echo addslashes($form_judul) ?></b>
telah dihapus.<p>
<a href="data_iso.php">Klik di sini untuk kembali</a>
</center>

<?php
}
?>
</td>
</tr>
</table>
</td>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

proses_ubahsap.php
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>

```

```

<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4
width=949 align=center border=0>
<tr>
<td valign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td valign="top">
<br><br>
<?php
include "../fungsi/koneksi.php";
mysql_db_query($db, $koneksi);
if (!$delete)
{
if (!$skodedata) {die("Tidak ada awak yang dipilih untuk
dihapus!"); }
$query = "SELECT kode,judul,file,jenis FROM tabelsap
WHERE kode=$skodedata";
$hasil = mysql_query($query) ;
$jml_rec = mysql_num_rows($hasil);
if (!$jml_rec>0) { die("Data tidak ditemukan!"); }
list($kode,$judul) = mysql_fetch_row($hasil);
?>
<center>
<form action="<?php echo $PHP_SELF ?>"
method="POST">
<font size=5>Hapus Data Satuan Acara
Pembelajaran</font>
<p>
<table border="1" width="70%" cellspacing="0"
cellpadding="0">
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
KODE </td>
<td width="30%">
<input type="text" name="form_kode" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $kode ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
SAP </td>
<td width="30%">
<input type="text" name="form_judul" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $judul ?>" maxlength="50"></td>
</tr>
<tr>
<td colspan=2 align=center>
<input type="submit" name="delete" value=" delete
Data ">
</td>
</tr>
</table>
</tr>
</tbody>

```

```
<input type="submit" name="delete" value=" delete
Data ">
</td>
</tr>

</table>
</form>
</center>

<?php
mysql_free_result($hasil);
}
else
{
$query = "DELETE FROM tabelsap WHERE
kode=$form_kode";
$hasil = mysql_query($query);
?>

<center>
<font size=5>Proses Hapus Berhasil!</font><p>
Perubahan Terhadap
<b><?php echo addslashes($form_judul) ?></b>
telah dihapus.<p>
<a href="sap.php">Klik di sini untuk kembali</a>
</center>

<?php
}
?>
</td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

sap.php
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
```

```
<?
include "../left_admin.php";
?>
</td>
<td>
<SCRIPT language=javascript src="../js/newwindow.js"
type=text/javascript></SCRIPT>
<center>
<?
$ Cari.=<form name="form1" action="banercarisap.php"
method="post">;
$ Cari.=<table border="0">;
$ Cari.=<tr>;
$ Cari.=<td colspan="3" class="gen">Search &nbsp;  ;
$ Cari.=<input name="kata" type="text" id="kata"
size="40" maxlength="50" class="textbox"
onBlur="if(this.value=="") this.value="product search;"
onFocus="if(this.value=="product search") this.value=";">;
$ Cari.=<input class=gen type="submit" value="Search"
name="submit1"></td>;
$ Cari.=<td>;
$ Cari.=</tr>;
$ Cari.=</form>;
echo "$ Cari<br><br><br>";
?>
&nbsp;  
&nbsp;  
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,e,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="70%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="3">
<font size=3>Satuan Acara Perkuliahan</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="3">
<a href="input_sap.php">
```

```

</a>
</td>
</tr>
<tr>
<td width="60%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>SAP</center></td>
<td width="35%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>File</center></td>
<td width="10%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from tabelsap order by judul
desc limit $offset,$limit");
while($d=mysql_fetch_array($d2)){

echo"<tr>
<td width='60%'><center>
<p style='margin-left: 5px; margin-right: 5px'>
\".$d[judul],\"</center></td>
<td width='35%'><center>
<p style='margin-left: 5px; margin-right: 5px'>
<a
href='\"javascript:openwindow('tampilsap.php?id=$d[kode]')\"
\">
Tampilkan</center></td>
<td width='10%'><center>
<p align='margin-left: 5px; margin-right: 5px'>
<a href='\"ubahsap.php?id=\",$d[kode],\"\">Ubah <a
href='\"proses_ubahsap.php?kodedata=\",$d[kode],\"\">Hapus
</center></td>
<td>
<p style='margin-left: 5px; margin-right: 5px'>";

echo"</td></tr>";
}
?>
<tr>
<td width="99%" colspan="4">
</td>
</tr>

</table><br>
<?
$d5="select * from tabelsap";
$hasil2=mysql_query($d5);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

//link ke halaman sebelumnya ( previous )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;

```

```

echo"<A class=glen
HREF=$PHP_SELF?halaman=$previous>
Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $halaman)
{
echo "<a class=glen
href=$PHP_SELF?halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($halaman < $total_halaman)
{
$next=$halaman+1;
echo "<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$next>Next</A>
";
}
else
{ echo "Next";}
?>
</td>
<td>
</td>
<td></td>
</tr>
</table>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?>
</td>
</tr>
</table>
</tbody>

seminar_kp.php

<LINK href="../../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background="../../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?>
include "../header_admin.php";

?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>

```



```

<tr>
<td vAlign=top width=185>
<?
    include "../left_admin.php";
?>
</td>
<td><br><div align="center">
    <p class="title1"><strong><a
href="seminar_kp.php">Peserta Seminar Kerja Praktek</a> |
<a href="laporan_kp.php">Indeks laporan Seminar Kerja
Praktek</a>
    </strong></p></div>
<center>

&nbsp;
&nbsp;
<script language="JavaScript">
<!--
function FP_preloadImgs() { //v1.0
var d=document,a=arguments; if(!d.FP_imgs)
d.FP_imgs=new Array();
for(var i=0; i<a.length; i++) { d.FP_imgs[i]=new Image;
d.FP_imgs[i].src=a[i]; }
}

function FP_swapImg() { //v1.0
var doc=document,args=arguments,elm,n;
doc.$imgSwaps=new Array(); for(n=2; n<args.length;
n+=2) { elm=FP_getObjectByID(args[n]); if(elm) {
doc.$imgSwaps[doc.$imgSwaps.length]=elm;
elm.$src=elm.src; elm.src=args[n+1]; } }
}

function FP_getObjectByID(id,o) { //v1.0
var c,el,els,f,m,n; if(!o)o=document; if(o.getElementById)
el=o.getElementById(id);
else if(o.layers) c=o.layers; else if(o.all) el=o.all[id]; if(el)
return el;
if(o.id==id || o.name==id) return o; if(o.childNodes)
c=o.childNodes; if(c)
for(n=0; n<c.length; n++) { el=FP_getObjectByID(id,c[n]);
if(el) return el; }
f=o.forms; if(f) for(n=0; n<f.length; n++) {
els=f[n].elements;
for(m=0; m<els.length; m++){
el=FP_getObjectByID(id,els[m]); if(el) return el; } }
return null;
}
// -->
</script>

<table border="1" width="98%" cellspacing="0"
cellpadding="0" id="table1">
<tr>
<td align="center" bgcolor="#93CDF5" colspan="6">
<font size=3>Daftar Seminar Kerja Praktek</font></td></tr>
<tr>
<td align=right bgcolor="#93CDF5" colspan="6">
<a href="input_seminar_kp.php">
</a>
</td>
<tr>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nim</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Nama</center></td>
<td width="25%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Judul</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Pembimbing</center></td>
<td width="15%" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Tanggal</center></td>
<td width="20" bgcolor="#CCCCCC">
<p style="margin-left: 5px; margin-right: 5px">
<center>Keterangan</center></td>
</tr>
<?
include "../fungsi/pageawal.php";
include "../fungsi/connect.php";
$d2=mysql_query("select * from seminar_kp order by nim
asc limit $offset,$limit");
while($d=mysql_fetch_array($d2)){

    echo"<tr>
<td width='15%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
", $d[nim], "</center></td>
<td width='25%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
", $d[nama], "</center></td>
<td width='25%'><center>
<p style='margin-left: 5px; margin-right: 5px'\>
", $d[judul], "</center></td>
<td width='15%'>
<p style='margin-left: 5px; margin-right: 5px'\>
", $d[pembimbing], "</td>
<td width='15%'>
<p style='margin-left: 5px; margin-right: 5px'\>
", $d[tanggal], "</td>
<td width='20%'><center>
<p align='margin-left: 5px; margin-right: 5px'\>
<a
href="ubah_seminar_kp.php?id=", $d[id], "&nim=", $d[nim],
">Ubah <a
href="proses_ubah_seminar_kp.php?id=", $d[id], "&act=del"
>Hapus</center></td>
<td>
<p style='margin-left: 5px; margin-right: 5px'\>;

    echo"</td></tr>";
}
?>
</tr>
<td width="99%" colspan="5">
</td>
</tr>

</table><br>
<?
$d5="select * from seminar_kp ";
$hasil2=mysql_query($d5);
$jumlahbaris=mysql_num_rows($hasil2);

//untuk menghitung jumlah halaman
$total_halaman=ceil ($jumlahbaris/$limit);

```

```

//link ke halaman sebelumnya ( previous )
if(!empty($halaman) && $halaman !=1)
{
$previous=$halaman-1;
echo"<A class=glen
HREF=$PHP_SELF?laporan_ta&halaman=$previous>
        Previous</A> - ";
}
else
{ echo "Previous - "; }

//Untuk menampilkan angka 1 2 3 4 5 dst
for ($i=1;$i<=$total_halaman;$i++)
if ($i != $halaman)
{
        echo "<a class=glen
href=$PHP_SELF?halaman=$i>$i</A> - ";
}
else
{ echo "$i - "; }

// link ke halaman berikutnya ( Next)
if($halaman < $total_halaman)
{
        $next=$halaman+1;
        echo "<A class=glen
HREF=$PHP_SELF?halaman=$next>Next</A>";
}
else
{ echo "Next";}
?>

</td>
</td>
</td>
<td></td>
</tr>
</table>
</td>
</tr>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
        <?
                include "../footer_a.php";
        ?>
</td>
</tr>
</table>
</tbody>

tampildatasiso.php
<?php
if ($id)
{
include("../fungsi/koneksi.php");
include("../fungsi/koneksidadmin.php");
mysql_select_db("web", $koneksi);
$query = "SELECT jenis,file FROM tabeliso WHERE
kode=$id";
$result = mysql_query($query);
$data = mysql_result($result,0,"file");
$type = mysql_result($result,0,"jenis");
header("Cache-control: private, no-cache");
header("Expires: mon, 26 july 1997 05:00:00 GMT");
header("Pragma: no-cache");
}

```

```

header("Content-type: Stipe");
echo $data;
}
?>

tampilsap.php
<?php
if ($id)
{
include("../fungsi/koneksi.php");
include("../fungsi/koneksidadmin.php");
mysql_select_db("web", $koneksi);
$query = "SELECT jenis,file FROM tabelsap WHERE
kode=$id";
$result = mysql_query($query);
$data = mysql_result($result,0,"file");
$type = mysql_result($result,0,"jenis");
header("Cache-control: private, no-cache");
header("Expires: mon, 26 july 1997 05:00:00 GMT");
header("Pragma: no-cache");
header("Content-type: Stipe");
echo $data;
}
?>

ubah_datamhs2.php
<?
include "../cek.php";
?>
<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
        <?
                include "../header_admin.php";
        ?>
</td>
</tr>
<tr>
<td>
        <TABLE cellspacing=4 cellpadding=4 width=949
align=center border=0>
<tr>
<td valign=top width=185>
        <?
                include "../left_admin.php";
        ?>
</td>
<td valign="top">
<p class="style5 style2"><strong><br></strong>Update
Indeks Kerja Praktek</strong></p>
<?
include "../fungsi/connect.php";
$dat=mysql_query("select * from mhs where id='$id' ");
$d=mysql_fetch_array($dat);

echo"<table border='1' width='75%' cellspacing='0'
cellpadding='0' id='table2'>
<form method='POST' action='proses_ubah_mhs2.php'>
<tr>
<td bgcolor='#CCCCCC' width='15%'>
<p style='margin-left: 5px; margin-right: 5px'>
NIM</td>
<td width='30%'>

```



```

include"./cek.php";
?>
<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
                include"./header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4 width=949
align=center border=0>
<tr>
<td vAlign=top width=185>
<?
                include "../left_admin.php";
?>
</td>
<td valign="top">
<p class="style5 style2"><strong><br></strong>Update
Peserta Sidang Tugas Akhir</strong></p>
<?
include"./fungsi/connect.php";
$dat=mysql_query("select * from peserta_ta where id='$id'");
$d=mysql_fetch_array($dat);

echo"<table border='1' width='75%' cellspacing='0'
cellpadding='0' id='table3'>
<form method='POST'
action='proses_ubah_peserta_ta.php'>
<tr>
<td bgcolor='#CCCCCC' width='15%'>
<p style='margin-left: 5px; margin-right: 5px'>
NIM</td>
<td width='30%'>
<input type='text' name='nim_baru' size='40'
style='color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px'
value='$d[nim]'"></td>
</tr>
<tr>
<td bgcolor='#CCCCCC' width='15%'>
<p style='margin-left: 5px; margin-right: 5px'>
Nama</td>
<td width='30%'>
<input type='text' name='nama' size='40'
style='color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px'
value='$d[nama]'"></td>
</tr>
<tr>
<td bgcolor='#CCCCCC' width='15%'>
<p style='margin-left: 5px; margin-right: 5px'>
Judul</td>
<td width='30%'>
<input type='text' name='judul' size='40'
style='color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px'
value='$d[judul]'"></td>
</tr>
</table>
?>
</td>
</tr>
</table>
?>
<td width='27%' bgcolor='#CCCCCC' align='right'>
<p style='margin-right: 10px; margin-top: 2px; margin-
bottom: 2px'>&nbsp;</p>
<td bgcolor='#CCCCCC' width='73%'>
<p style='margin-left: 10px; margin-top: 5px; margin-
bottom: 5px'>
<input type='submit' value=' K I R I M ' name='kirim'
style='color: #000080; font-family: arial; font-weight:
bold'"></td>
</tr>
<input type='hidden' value='$d[id]' name='id'">
</form>
</table>;
?>
</td>
</tr>
</table>
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
                include"./footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
</table>
ubah_seminar_kp.php
<?
include"./cek.php";
?>
<LINK href=" ../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>

```



```

<TABLE cellSpacing=0 cellPadding=0 width=949
align=center
background=" ../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellSpacing=4 cellPadding=4
width=949 align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td valign="top">
<?php
include "../fungsi/koneksi.php";
mysql_select_db($db, $koneksi);
if (!$simpan)
{
if (!$id) {
die("Tidak ada data yang dipilih untuk diedit!"); }
$query = "SELECT kode,judul,file,jenis FROM
tabeliso WHERE kode='$id'";
$hasil = mysql_query($query) or die("Kesalahan pada
proses query!");
$jml_rec = mysql_num_rows($hasil);
if (!$jml_rec>0) { die("Data tidak ditemukan!"); }
list($kode,$judul,$jenis) = mysql_fetch_row($hasil);
?>
<br><br>
<center>
<form action="<?php echo $PHP_SELF
?>"method="POST" enctype="multipart/form-data">
<p class="style5
style2"><strong><br></strong>Update Data </strong></p>
<p>
<table border="1" width="70%" cellspacing="0"
cellpadding="0">
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
KODE </td>
<td width="30%">
<input type="text" name="form_kode" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $kode ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
DATA </td>
<td width="30%">
<input type="text" name="form_judul" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:

```

```

4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $judul ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
FILE</td>
<td width="30%">
<input type="file" name="form_file" size="50">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" colspan=2 align=center>
<input type="submit" name="simpan" value=" Simpan
">
</td>
</tr>
</table>
</form>
</center>
<?php
mysql_free_result($hasil);
}
else
{
If ($form_file != null)
{
$data = ", FILE="".
addslashes(fread(fopen($form_file, "rb"),
filesize($form_file))).
"";
$jenisdata = ", JENIS="$.form_file_type."";
}
else
{
$data = "";
$jenisdata = "";
}
$query = "UPDATE tabeliso SET
JUDUL="$.addslashes($form_judul)."
$data $jenisdata
WHERE kode=$form_kode";
$hasil = mysql_query($query);
?>
<center>
<font size=5>Proses Edit Berhasil!</font><p>
Data
<b><?php echo addslashes($form_judul) ?></b>
telah disimpan perubahannya.
<p>
<a href="data_iso.php">Klik di sini untuk kembali</a>
</center>
<?php
}
?>
</td>
</tr>
</table>
</td>
</tr>
</table>

```

```

<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>

```

ubahsap.php

```

<LINK href="../FTI_UMB%20files/teknik.css" type=text/css
rel=stylesheet>
<TABLE cellspacing=0 cellpadding=0 width=949
align=center
background="../FTI_UMB%20files/bg3.gif" border=0>
<TBODY>
<tr>
<td>
<?
include "../header_admin.php";
?>
</td>
</tr>
<tr>
<td>
<TABLE cellspacing=4 cellpadding=4
width=949 align=center border=0>
<tr>
<td vAlign=top width=185>
<?
include "../left_admin.php";
?>
</td>
<td valign="top">
<?php
include "../fungsi/koneksi.php";
mysql_select_db($db, $koneksi);
if (!$simpan)
{
if (!$id) {
die("Tidak ada awak yang dipilih untuk diedit!"); }
$query = "SELECT kode,judul,file,jenis FROM
tabelsap WHERE kode='$id'";
$hasil = mysql_query($query) or die("Kesalahan pada
proses query!");
$jml_rec = mysql_num_rows($hasil);
if (!$jml_rec>0) { die("Data tidak ditemukan!"); }
list($kode,$judul,$jenis) = mysql_fetch_row($hasil);
?>
<br><br>
<center>
<form action="<?php echo $PHP_SELF
?>"method="POST" enctype="multipart/form-data">
<p class="style5
style2"><strong><br></strong>Update Data Satuan Acara
Perkuliahan</strong></p>
<p>
<table border="1" width="70%" cellspacing="0"
cellpadding="0">
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
KODE </td>
<td width="30%">

```

```

<input type="text" name="form_kode" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $kode ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
SAP </td>
<td width="30%">
<input type="text" name="form_judul" size="50"
style="color: #000080; font-size: 10pt; font-family: Arial;
border: 1px solid #FFFFFF; padding-left: 4px; padding-right:
4px; padding-top: 1px; padding-bottom: 1px" value="<?php
echo $judul ?>" maxlength="50"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" width="10%">
<p style="margin-left: 5px; margin-right: 5px">
FILE</td>
<td width="30%">
<input type="file" name="form_file" size="50">
</td>
</tr>
<tr>
<td bgcolor="#CCCCCC" colspan=2 align=center>
<input type="submit" name="simpan" value=" Simpan
">
</td>
</tr>
</table>
</form>
</center>
<?php
mysql_free_result($hasil);
}
else
{
If ($form_file != null)
{
$data = ", FILE="."
addslashes(fread(fopen($form_file, "rb"),
filesize($form_file))).
"";
$jenisdata = ", JENIS=".$form_file_type."";
}
else
{
$data = "";
$jenisdata = "";
}
$query = "UPDATE tabelsap SET
JUDUL="."addslashes($form_judul)."
$data $jenisdata
WHERE kode='$form_kode'";
$hasil = mysql_query($query);
?>
<center>
<font size=5>Proses Edit Berhasil!</font><p>
Data
<b><?php echo addslashes($form_judul) ?></b>
telah disimpan perubahannya.

```

```
<p>
<a href="sap.php">Klik di sini untuk kembali</a>
</center>
<?php
}
?>
</td>
</tr>
</table>
</tr>
```

```
</table>
<table width="949" border="0" cellspacing="0"
cellpadding="0">
<tr>
<td>
<?
include "../footer_a.php";
?>
</td>
</tr>
</table>
</tbody>
```





UNIVERSITAS
MERCU BUANA